

**xpress**

**Sortimo®**  
Intelligent Mobility



# FIAT OUTSIDE – SORTIMO INSIDE

Made for professionals



**PROFESSIONAL**



## ICONS + FEATURES

**xpress**

**Time is money** – Fast delivery and installation are guaranteed.



**3 years warranty** – Sortimo offers a 3 year guarantee on these products.



**Upgrade** – This very flexible product can be individually combined with other Sortimo products.



**Crash tested** – This product fulfills the high safety requirements of Sortimo. In co-ordination with the German TÜV, DEKRA and the ADAC, the equipment has been successfully crash-tested in simulated emergencies.



**Lightweight yet robust** – This product combines modern lightweight construction with utmost stability.



**ProSafe** – The lashing point for the ProSafe hooks are already integrated in the equipment and quickly ready for use.



**CO<sub>2</sub> reduction** – Based on modern lightweight construction, the weight of the equipment has been considerably reduced to save on petrol and reduce CO<sub>2</sub> emissions.

## FIAT AND SORTIMO – COMPREHENSIVELY CARE-FREE

### Buying a vehicle is a matter of trust

You have chosen a Fiat CV because you set value on quality and individual benefits. But quality and individual benefit should not know any boundaries. This is why Sortimo is exactly the right choice if you wish to have a van racking solution. We open up new horizons with intelligent solutions for your individual requirements.

### Your benefits

We have perfectly fitted equipment for your transporter, because we develop our solutions together with Fiat. The Sortimo shelves are tailored to exactly match the already existing fastening points in your vehicle. Therefore you no longer have to put up with any damage to the body of your transporter.

**Individually for you, perfect fit for your Fiat.**




# CRASH TEST

## We've driven our products into the wall - successfully

All Sortimo van racking solutions have been crash tested. In co-operation with the German TÜV, Dekra and ADAC, Sortimo simulates the emergency under real conditions, so that your load won't become a life-threatening projectile in case of a crash.

At a barrier impact speed of 50 km/h, the Sortimo products are literally driven into the wall. This way we ensure that our van racking solutions also meet the high demands of Sortimo when it comes to safety.

Only those which pass their on-road test are good enough for our customers.



# OUR PACKAGE FOR YOU

The exact van racking system matching your requirements and your Fiat.

## GLOBELYST XPRESS

from page 8

Globelyst scores with its modular system, which can be changed or extended as you wish, at any time. **Xpress** describes van racking solutions of the Globelyst product line, which **perfectly fit to your Fiat Fiorino, Doblò, Talento or Ducato** and are delivered and installed in Xpress time.



## PROSAFE

from page 30

With the **ProSafe lashing system** both you and your transport are safe on the road. The integrated load securing system ProSafe from Sortimo enables a **quick and easy lashing of loads** and thereby provides not only for safety but also for order and an efficient operational management.

Since 2014 Sortimo offers in addition as sole manufacturer an entire load securing package as a complete solution for your Transporter with its **SoboGrip ProSafe floor**.

Further information can be found on **page 30**.



## THE PACKAGE:

Predefined van racking solution with maximum use of space

- + attractive price-performance ratio
- + everything from a single source

With the **Sortimo load safety system**, the **BOXxes** and the **case programme**, as well as with the extensive **Original Accessories** your individuality does not have set boundaries.

You can find further information on this from **page 30 to 37**.

from page 30-37





# LOBELYST – YOUR ADVANTAGES



## 1. Cost savings

Keep on driving. While others are still refueling, you are on your way to the next customer.

## 2. Time savings

No need for you to work extra hours. More than 50% of your colleagues are unproductively wasting more than one hour a day in their transporter. Be smarter. From now on, tools left behind, damaged goods and cluttered small parts are a thing of the past.

## 3. Load Safety

ProSafe – The safety belt for both your cargo and your life. Integrated load safety – as standard for the first time.

## 4. Flexibility

Have everything your own way, we are accommodating your requirements. At Sortimo, you are the designer for your van racking system and you decide where your tools, machines and goods are safely stowed. All individual components can be freely combined.

## 5. Lightweight construction

Keep on loading. Consistent lightweight construction allows you to add more payload. Compared to conventional van racking solutions, Globelyst saves up to 50% weight. Go and compare for yourself!

## 6. Innovative

That's just who we are, we can't do it any other way. For over 40 years now, we have been investing in future-oriented technologies and are developing innovative solutions to make your work easier. Go and decide for yourself!

## 7. Quality

Durable – sturdy – tested – sustainable. We are regularly conducting crash tests and quality checks for your safe investment. All drawer bodies and trays are made from highly-durable sheet steel, and are powder-coated to guarantee permanent corrosion protection and rule out any risk of injury from sharp edges. Made in Germany.

## 8. Image

It is like in a personal relationship: first impressions count. Show your customer that you are a professional. Your transporter is the business card of your company.



# GLOBELYST - AT A GLANCE



## Composite long components tray

The long components tray allows you to transport longer items in the vehicle without any problem.

## Sortimo S-BOXX

Sortimo's S-BOXXes are available in four heights, two widths and three depths. They are the ideal container for small components, spare parts or screws and can be securely locked on the shelf. You can pull the drawer out for easy access to all parts.

## Sortimo i-BOXX

The i-BOXXes from Sortimo are clever little storage solutions that can be used on their own or as part of the LS-BOXX. They are available in two heights and can be fitted with Inset boxes.

## Sortimo Accessories

Original accessories from Sortimo are practical supplementary products for all trades and industries. From the cable holder to the cable hook – Sortimo will fulfill your requirements.

## Racks and trays

Up to the last corner, the space in your vehicle can be utilised: Tools and spare parts can be neatly arranged in the racks and trays of Globelyst.

## Floor front

Floor fronts provide for order, visual cover and safety in the vehicle.

## i-BOXX Adaptor plate

Your i-BOXX is securely locked in place during transport with the aid of the i-BOXX holder. The holder can be screwed to the perforated side panel or to the vehicle itself.

## Case clamp

Secures tool and machine cases and can be positioned in no time.

## Shutter

With the shutter made out of hollow-chamber profiles, load safety and visual cover takes only one movement. The optional lock provides additional protection against unauthorized access.

## ProSafe

The load safety system is integrated into the poles and traverses of the van racking solution.

## Sortimo L-BOXX and LS-BOXX

Mobile plastic boxes with a wide variety of possible partitions, available in five heights. L-BOXXes can be quickly click-joined with each other and transported as one.

## Sortimo T-BOXX

Thanks to the practical plastic case with the transparent lid you can see right away what is in the BOXX. The T-BOXX can be safely stored in the vehicle equipment.

## Sortimo M-BOXX

A large mobile box with handle, also available with a lid. The M-BOXX locks in the system and can also be used as a drawer.

## Metal case

The original case is available in many different variants. The case is on rails and can be pulled out completely.

## Drawers

The new drawers with their user-friendly handles made from impact-resistant plastic are fully extendible and can be loaded with up to 80 kg. They are available in four different widths and heights.

## Workbenches

Sortimo workbenches turn your van into a mobile workshop. Both, folding and extendible workbenches are available and can be supplemented with a rotating vice plate and a vice.

## Safety and protective floors

The basis for your van racking system is the safety or protective floor. You can choose between a variety of floors. The floors are cut to size for different vehicle models, offer integrated lashing possibilities and protect the vehicle floor from damage.

## MultiSlide


The MultiSlide allows an easy handling of all cases and BOXXes. With the full-extension slide the lids can be opened completely and small parts and tools can be accessed quickly.

# FIAT FIORINO BLOCKS


WHEELBASE: 2513 mm | MODEL YEAR 2008 | SLIDING DOOR RIGHT SIDE

1

Step 1: Select the suitable equipment.



## LEFT SIDE (DRIVERS SIDE)



## RIGHT SIDE (PASSENGERS SIDE)



FI LI-1

- ▶ 2 shelf trays
- ▶ 1 open shelf with border
- ▶ 1 base plinth

▶ WxDxH: approx. 1004 x 382 x 1017 mm  
Weight: approx. 25 kg



FI LI-2

- ▶ 1 shelf tray
- ▶ 1 open shelf with border
- ▶ 1 open shelf with 6 half-height S-BOXxes
- ▶ 1 open shelf with 2 M-BOXxes with handle
- ▶ 1 floor drop front

▶ WxDxH: approx. 1004 x 382 x 1017 mm  
Weight: approx. 34 kg



FI LI-3

- ▶ Spaceframe with integrated ProSafe lashing system
- ▶ 1 shelf tray
- ▶ 2 T-BOXxes on case rails
- ▶ 1 metal case on case tray
- ▶ 3 drawers
- ▶ 1 lifting flap
- ▶ 1 floor lashing rail ProSafe

▶ WxDxH: approx. 1004 x 382 x 1017 mm  
Weight: approx. 48 kg



FI RE-1

- ▶ 1 shelf tray
- ▶ 2 open shelves with borders
- ▶ 1 base plinth

▶ WxDxH: approx. 762 x 270 x 1000 mm  
Weight: approx. 16 kg



FI RE-2

- ▶ 1 shelf tray
- ▶ 1 open shelf with border
- ▶ 1 open shelf with 2 S-BOXxes and 1 wide S-BOXx
- ▶ 1 floor drop front

▶ WxDxH: approx. 762 x 270 x 1000 mm  
Weight: approx. 16 kg



FI RE-3

- ▶ Spaceframe with integrated ProSafe lashing system
- ▶ 1 shelf tray
- ▶ 2 open shelves with 2 S-BOXxes in each and 1 wide S-BOXx
- ▶ 1 lifting flap
- ▶ 1 floor lashing rail ProSafe

▶ WxDxH: approx. 762 x 270 x 1000 mm  
Weight: approx. 20 kg



# FIAT FIORINO FLOOR-WALL

WHEELBASE: 2513 mm | MODEL YEAR 2008 | SLIDING DOOR RIGHT SIDE

2

Step 2: Select the appropriate floor.



## SOBOGRIP®-PROTECTIVE FLOOR

► the protective floor for tough conditions

Vehicle type	Wheelbase	Article No.
► Fiorino	2513 mm	331012740

- Floor made of waterproof glued Nordic birch
- 9 mm protective floor
- Highly scratch and impact resistant
- Custom-fit to your vehicle
- No drilling of the vehicle floor necessary

## SOBOGRIP® PROSAFE FLOOR

► the entire load securing package

Vehicle type	Wheelbase	Article No.
► Fiorino	2513 mm	1000003131

All benefits of the SoboGrip protective assembly floor

+ multitude of countersunk lashing possibilities



3

Step 3: Select the appropriate side cladding.

## SOWAFLEX®


► the lightweight & sturdy wall cladding

- Protects the vehicle from the inside against damages
  - Highly impact and scratch resistant
  - Damp and chemical resistant
- Cut-to-size for all vehicle models
  - 100% recyclable honeycomb material
  - 60% lighter than wood

Vehicle type	Wheelbase	Roof	Wall cladding	Article No.
► Fiorino	2513 mm	H1	Side cladding 2/4/6	331012741
► Fiorino	2513 mm	H1	Sliding door top 10	331012743
► Fiorino	2513 mm	H1	Wing door top 14/16	331012742



PLEASE COMPLETE THE ORDER FORM  
AND FAX IT TO SORTIMO  
(see second last page)




Wall cladding selection

# FIAT DOBLÒ BLOCKS


WHEELBASE: 2755 mm | MODEL YEAR 2010 | SLIDING DOOR RIGHT SIDE

1

Step 1: Select the suitable equipment.



LEFT SIDE  
(DRIVERS SIDE)



RIGHT SIDE  
(PASSENGERS SIDE)



DO LI-1

- ▶ 2 open shelves with border
- ▶ 1 shelf tray
- ▶ 1 base plinth

▶ WxDxH: approx. 1246 x 382 x 1155 mm  
Weight: approx. 29 kg



DO LI-2

- ▶ 1 shelf tray
- ▶ 1 open shelf with border
- ▶ 1 open shelf with 7 half-height S-BOXes
- ▶ 1 open shelf with 2 L-BOXes 136 and 1 S-BOX
- ▶ 1 floor drop front

▶ WxDxH: approx. 1246 x 382 x 1155 mm  
Weight: approx. 42 kg



DO LI-3

- ▶ Spaceframe with integrated ProSafe lashing system
- ▶ 1 shelf tray
- ▶ 1 open shelf with 5 S-BOXes and 1 wide S-BOX
- ▶ 2 drawers
- ▶ 1 T-BOX on case rails
- ▶ 1 T-BOX on MultiSlide
- ▶ 1 lifting flap
- ▶ 1 base plinth
- ▶ 1 floor lashing rail ProSafe

▶ WxDxH: approx. 1246 x 382 x 1155 mm  
Weight: approx. 54 kg



DO RE-1

- ▶ 1 open shelf with border
- ▶ 2 shelf trays
- ▶ 1 base plinth

▶ WxDxH: approx. 762 x 382 x 1087 mm  
Weight: approx. 22 kg



DO RE-2

- ▶ 1 open shelf with border
- ▶ 1 open shelf with 2 S-BOXes and 1 wide S-BOX each
- ▶ 1 open shelf with 4 half-height S-BOXes
- ▶ 1 open shelf with drop-down front
- ▶ 1 floor drop front

▶ WxDxH: approx. 762 x 382 x 1087 mm  
Weight: approx. 28 kg



DO RE-3

- ▶ Spaceframe with integrated ProSafe lashing system
- ▶ 1 open shelf with border
- ▶ 1 shelf tray
- ▶ 2 drawers
- ▶ 1 lifting flap
- ▶ 1 base plinth
- ▶ 1 floor lashing rail ProSafe
- ▶ 1 folding work bench with vice

▶ WxDxH: approx. 982 x 382 x 1087 mm  
Weight: approx. 54 kg





# FIAT DOBLÒ FLOOR-WALL

WHEELBASE: 2755 mm | MODEL YEAR 2010 | SLIDING DOOR RIGHT SIDE

2

Step 2: Select the appropriate floor.

## SOBOGRIP®-PROTECTIVE FLOOR

► the protective floor for tough conditions



Vehicle type	Wheelbase	Article No.
► Doblò	2755 mm	331016509
► Doblò	3105 mm	331016510

- Floor made of waterproof glued Nordic birch
- 9 mm protective floor
- Highly scratch and impact resistant
- Custom-fit to your vehicle
- No drilling of the vehicle floor necessary

## SOBOGRIP® PROSAFE FLOOR

► the entire load securing package

Vehicle type	Wheelbase	Article No.
► Doblò	2755 mm	1000003066
► Doblò	3105 mm	1000003067

All benefits of the SoboGrip protective assembly floor  
+ multitude of countersunk lashing possibilities



3

Step 3: Select the appropriate side cladding.

## SOWAFLEX®

► the lightweight & sturdy wall cladding

- Protects the vehicle from the inside against damages
- Highly impact and scratch resistant
- Damp and chemical resistant
- Cut-to-size for all vehicle models
- 100% recyclable honeycomb material
- 60% lighter than wood


Vehicle type	Wheelbase	Roof	Wall cladding	Article No.
► Doblò	2755 mm	H1	Side cladding 2/4/6	331016984
► Doblò	2755/3105 mm	H1	Sliding door top 10	331016990
► Doblò	2755/3105 mm	H1	Wing door top 14/16	331016992
► Doblò	3105 mm	H1	Side cladding 2/4/6	331016985

## SOWAAPP®

► The extremely sturdy wall cladding made out of aluminium

- Perforated system for a wide range of accessories
- Installed quickly
- Resistant to moisture and chemicals
- Perfectly cut to size for your vehicle type

Vehicle type	Wheelbase	Roof	Wall cladding	Article No.
► Doblò	2755 mm	H1	Side cladding (2/4/6)	1000003182
► Doblò	3105 mm	H1	Side cladding (2/4/6)	1000003183
► Doblò	2755/3105 mm	H1	Wing door top (14/16)	1000003156
► Doblò	2755/3105 mm	H3	Wing door top (14/16)	1000003157



Wall cladding selection



FIND OUT MORE  
ABOUT SOWAAPP  
ON PAGE 32/33

## FIAT TALENTO BLOCKS

WHEELBASE: 3098 mm | MODEL YEAR 2016 | SLIDING DOOR RIGHT SIDE

1

Step 1: Select the suitable equipment.

LEFT SIDE  
(DRIVERS SIDE)RIGHT SIDE  
(PASSENGERS SIDE)

## TA 16 KU LI-1

- ▶ 5 Shelf trays
- ▶ 1 Standard shelf with 2 T-BOXEs
- ▶ 1 Standard shelf with 2 S-BOXEs and 2 wide S-BOXEs
- ▶ 2 Base plinths

▶ WxDxH: approx. 1972 x 382 x 1257 mm  
Weight: approx. 56 kg



## TA 16 KU LI-2

- ▶ 4 Shelf trays
- ▶ 1 Standard shelf with 2 S-BOXEs and 2 wide S-BOXEs
- ▶ 1 Open shelf with border
- ▶ 2 Drawers
- ▶ 2 T-BOXEs on service case rails
- ▶ 1 Metal case on case tray
- ▶ 2 Floor drop fronts

▶ WxDxH: approx. 1972 x 382 x 1257 mm  
Weight: approx. 69 kg



## TA 16 KU LI-3

- ▶ Spaceframe with integrated ProSafe lashing system
- ▶ 1 Composite long components tray
- ▶ 2 Open shelves with border
- ▶ 1 Standard shelf with 6 S-BOXEs
- ▶ 1 Standard shelf with 2 L-BOXEs 136
- ▶ 1 Standard shelf with aluminium drop-down front
- ▶ 3 Drawers
- ▶ 1 Case clamp
- ▶ 1 Lifting flap
- ▶ 1 Floor lashing rail ProSafe

▶ WxDxH: approx. 1972 x 382 x 1232 mm  
Weight: approx. 78 kg



## TA 16 KU RE-1

- ▶ 2 Shelf trays
- ▶ 1 Standard shelf with 4 S-BOXEs and a wide S-BOX
- ▶ 1 Open shelf with border
- ▶ 1 Base plinth

▶ WxDxH: approx. 1004 x 382 x 1274 mm  
Weight: approx. 32 kg



## TA 16 KU RE-2

- ▶ 2 Shelf trays
- ▶ 3 Drawers
- ▶ 2 T-BOXEs on service case rail
- ▶ 1 Metal case on case tray
- ▶ 1 Floor drop front

▶ WxDxH: approx. 1004 x 382 x 1240 mm  
Weight: approx. 47 kg



## TA 16 KU RE-3

- ▶ Spaceframe with integrated ProSafe lashing system
- ▶ 1 Shelf tray
- ▶ 1 Standard shelf with 2 L-BOXEs 136
- ▶ 3 Drawers
- ▶ 1 Lifting flap
- ▶ 1 Floor lashing rail ProSafe
- ▶ 1 Work bench slide with vice and swivel vice plate

▶ WxDxH: approx. 1004 x 382 x 1240 mm  
Weight: approx. 64 kg



We would be also pleased to prepare an offer for your individual van racking solution.

Product features for all articles on this double page.







## FIAT TALENTO BLOCKS

WHEELBASE: 3498 mm | MODEL YEAR 2016 | SLIDING DOOR RIGHT SIDE

1

Step 1: Select the suitable equipment.

LEFT SIDE  
(DRIVERS SIDE)RIGHT SIDE  
(PASSENGERS SIDE)

## SET OF BOXXes ORIGINAL SORTIMO BOXXes + ADAPTER PLATE

Sortimo's adapter plate turns the L-BOXX into the smallest independent van racking solution for vans.  
The adapter plate is fastened to the loading area wall and ensures secure hanging of the L-BOXXes.



TA 16 LA LI-1

- ▶ 5 Shelf trays
- ▶ 1 Open shelf with border
- ▶ 1 Standard shelf with 2 T-BOXXes
- ▶ 2 Base plinths

▶ WxDxH: approx. 2214 x 382 x 1257 mm  
Weight: approx. 59 kg



TA 16 LA LI-2

- ▶ 4 Shelf trays
- ▶ 1 Standard shelf with 3 S-BOXXes and 2 wide S-BOXXes
- ▶ 1 Standard shelf with 2 L-BOXXes 136 and a S-BOXX
- ▶ 1 Standard shelf with aluminium drop-down front
- ▶ 2 Floor drop fronts

▶ WxDxH: approx. 2214 x 382 x 1257 mm  
Weight: approx. 64 kg



TA 16 LA LI-3

- ▶ Spaceframe with integrated ProSafe lashing system
- ▶ 1 Composite long components tray
- ▶ 1 Standard shelf with 7 S-BOXXes
- ▶ 1 Standard shelf with 2 L-BOXXes 136 and a S-BOXX 2 Open shelves with border
- ▶ 3 Drawers
- ▶ 1 Shelf tray
- ▶ 1 Case clamp
- ▶ 1 Lifting flap
- ▶ 1 Floor lashing rail ProSafe

▶ WxDxH: approx. 2214 x 382 x 1240 mm  
Weight: approx. 87 kg



TA 16 LA RE-1

- ▶ 2 Shelf trays
- ▶ 1 Standard shelf with 3 S-BOXXes and 2 wide S-BOXXes
- ▶ 1 Open shelf with border
- ▶ 1 Base plinth

▶ WxDxH: approx. 1246 x 382 x 1257 mm  
Weight: approx. 37 kg



TA 16 LA RE-2

- ▶ 1 Shelf tray
- ▶ 1 Open shelf with border
- ▶ 3 Drawers
- ▶ 3 T-BOXXes on service case rails
- ▶ 1 Metal case on case tray
- ▶ 1 Floor drop front

▶ WxDxH: approx. 1246 x 382 x 1257 mm  
Weight: approx. 54 kg



TA 16 LA RE-3

- ▶ Spaceframe with integrated ProSafe lashing system
- ▶ 1 Shelf tray
- ▶ 1 Open shelf with border
- ▶ 3 Drawers
- ▶ 1 T-BOXX on service case rails
- ▶ 1 LS-BOXX on case tray
- ▶ 1 Lifting flap
- ▶ 1 Floor lashing rail ProSafe
- ▶ 1 Work bench slide with vice and swivel vice plate

▶ WxDxH: approx. 1246 x 382 x 1257 mm  
Weight: approx. 76 kg



# FIAT TALENTO FLOOR-WALL

WHEELBASE: 3098 / 3498 mm | MODEL YEAR 2016 | SLIDING DOOR RIGHT SIDE

2

Step 2: Select the appropriate floor.

## SOBOGRIP®-PROTECTIVE FLOOR

► the protective floor for tough conditions



Vehicle type	Wheelbase	Roof	Version	Article No.
► Talento	3098 mm	H1/H3	Swing door	1000003017
► Talento	3098 mm	H1/H3	Tailgate	1000003020
► Talento	3498 mm	H1/H3	Swing door	1000003023
► Talento	3498 mm	H1/H3	Tailgate	1000003026

- Floor made of waterproof glued Nordic birch
- 9 mm protective floor
- Highly scratch and impact resistant
- Custom-fit to your vehicle
- No drilling of the vehicle floor necessary

## SOBOGRIP® PROSAFE FLOOR

► the entire load securing package

Vehicle type	Wheelbase	Version	Article No.
► Talento	3098 mm	Swing door	1000003167
► Talento	3098 mm	Tailgate	1000003168
► Talento	3498 mm	Swing door	1000003169
► Talento	3498 mm	Tailgate	1000003212

All benefits of the SoboGrip protective assembly floor  
+ multitude of countersunk lashing possibilities



3

Step 3: Select the appropriate side cladding.

## SOWAFLEX®

► the lightweight & sturdy wall cladding

- Protects the vehicle from the inside against damages
- Highly impact and scratch resistant
- Damp and chemical resistant
- Cut-to-size for all vehicle models
- 100% recyclable honeycomb material
- 60% lighter than wood


Vehicle type	Wheelbase	Roof	Version	Article No
► Talento	3098 mm	H1/H2	Side cladding 1-6	100003043
► Talento	3498 mm	H1/H2	Side cladding 1-6	100003249
► Talento	3098/3498 mm	H1/H2	Sliding door top 10	100003047
► Talento	3098/3498 mm	H1	Wing door top 14/16	33352033
► Talento	3098/3498 mm	H3	Wing door top 14/16	1000000189
► Talento	3098/3498 mm	H1	Tailgate top 18	33352026

## SOWAAPP®

► The extremely sturdy wall cladding made out of aluminium

- Perforated system for a wide range of accessories
- Installed quickly
- Resistant to moisture and chemicals
- Perfectly cut to size for your vehicle type

Vehicle type	Wheelbase	Roof	Version	Article No
► Talento	3098 mm	H1	Side cladding 1-6	1000004395
► Talento	3498 mm	H1	Side cladding 1-6	1000004396
► Talento	alle	H1	Wing door top 14/16	1000004401



Wall cladding selection

FIND OUT MORE  
ABOUT SOWAAPP  
ON PAGE 32/33

PLEASE COMPLETE THE ORDER FORM  
AND FAX IT TO SORTIMO  
(see second last page)




# FIAT DUCATO BLOCKS

WHEELBASE: 3000 mm | MODEL YEAR 2006 | SLIDING DOOR RIGHT SIDE

1

Step 1: Select the suitable equipment.



LEFT SIDE  
(DRIVERS SIDE)



RIGHT SIDE  
(PASSENGERS SIDE)



## DU KU LI-1

- ▶ 4 shelf trays
- ▶ 3 open shelves with borders
- ▶ 1 open shelf with 4 S-BOXEs and 1 wide S-BOX
- ▶ 1 open shelf with 2 L-BOXEs 102
- ▶ 2 base plinths

▶ WxDxH: approx. 2214 x 382 x 1495 mm  
Weight: approx. 73 kg



## DU KU LI-2

- ▶ 4 shelf trays
- ▶ 2 open shelves with 5 S-BOXEs each and 1 wide S-BOX
- ▶ 1 open shelf with 2 T-BOXEs and 1 half-height S-BOX
- ▶ 1 open shelf with 2 L-BOXEs 136
- ▶ 1 open shelf with drop front
- ▶ 2 floor drop fronts

▶ WxDxH: approx. 2214 x 382 x 1495 mm  
Weight: approx. 83 kg



## DU KU LI-3

- ▶ Spaceframe with integrated ProSafe lashing system
- ▶ 1 Composite long components tray
- ▶ 1 open shelf with 6 half-height S-BOXEs
- ▶ 1 open shelf with 7 half-height S-BOXEs
- ▶ 1 open shelf with 2 L-BOXEs 238
- ▶ 1 shelf tray
- ▶ 1 open shelf with border
- ▶ 1 open shelf with drop-down front
- ▶ 3 drawers
- ▶ 1 lifting flap, 1 case clamp, 1 base plinth, 1 multi functional panel, 1 floor lashing rail ProSafe

▶ WxDxH: approx. 2214 x 382 x 1477 mm  
Weight: approx. 98 kg



## DU KU RE-1

- ▶ 2 shelf trays
- ▶ 1 open shelf with 3 S-BOXEs and 2 wide S-BOXEs
- ▶ 1 open shelf with border
- ▶ 1 base plinth

▶ WxDxH: approx. 1246 x 382 x 1495 mm  
Weight: approx. 38 kg



## DU KU RE-2

- ▶ 2 shelf trays
- ▶ 3 drawers
- ▶ 1 L-BOXEs 102 and 1 L-BOX 238 on case trays
- ▶ 1 floor drop front

▶ WxDxH: approx. 1246 x 382 x 1427 mm  
Weight: approx. 52 kg



## DU KU RE-3

- ▶ Spaceframe with integrated ProSafe lashing system
- ▶ 1 shelf tray
- ▶ 1 open shelf with 5 S-BOXEs and 1 wide S-BOX
- ▶ 1 open shelf with border
- ▶ 3 drawers
- ▶ 1 LS-BOX on case tray
- ▶ 1 lifting flap, 1 base plinth, 1 floor lashing rail ProSafe, 1 folding work bench with vice, 1 storage pocket

▶ WxDxH: approx. 1442 x 382 x 1495 mm  
Weight: approx. 87 kg

We would be also pleased to prepare an offer for your individual van racking solution.

Product features for all articles on this double page.



# FIAT DUCATO BLOCKS


WHEELBASE: 3450 mm | MODEL YEAR 2006 | SLIDING DOOR RIGHT SIDE

1

Step 1: Select the suitable equipment.



LEFT SIDE  
(DRIVERS SIDE)



RIGHT SIDE  
(PASSENGERS SIDE)

## SET OF BOXXes ORIGINAL SORTIMO BOXXes + ADAPTER PLATE

Sortimo's adapter plate turns the L-BOXX into the smallest independent van racking solution for vans. The adapter plate is fastened to the loading area wall and ensures secure hanging of the L-BOXXes.



### DU MI LI-1

- ▶ 5 shelf trays
- ▶ 2 open shelves with borders
- ▶ 1 open shelf with 7 S-BOXXes and 1 wide S-BOXX
- ▶ 1 open shelf with 3 T-BOXXes
- ▶ 2 base plinths

▶ WxDxH: approx. 2698 x 382 x 1614 mm  
Weight: approx. 88 kg



### DU MI LI-2

- ▶ 4 shelf trays
- ▶ 1 open shelf with 3 S-BOXXes and 3 wide S-BOXXes
- ▶ 1 open shelf with drop front
- ▶ 1 open shelf with border
- ▶ 2 T-BOXXes on case rails
- ▶ 1 metal case on case tray
- ▶ 3 drawers
- ▶ 1 floor drop front
- ▶ 1 case clamp

▶ WxDxH: approx. 2698 x 382 x 1614 mm  
Weight: approx. 106 kg



### DU MI LI-3

- ▶ Spaceframe with integrated ProSafe lasing system
- ▶ 1 Composite long components tray
- ▶ 2 shelf trays
- ▶ 1 open shelf with 3 L-BOXXes 102
- ▶ 1 open shelf with 3 S-BOXXes and 2 wide S-BOXXes
- ▶ 1 open shelf with border
- ▶ 1 T-BOXX on case rail, 1 LS-BOXX on case tray, 3 drawers, 1 lifting flap, 1 base plinth, 1 floor lashing rail ProSafe, 1 case clamp, 1 multi functional panel

▶ WxDxH: approx. 2698 x 382 x 1426 mm  
Weight: approx. 111 kg



### DU MI RE-1

- ▶ 3 shelf trays
- ▶ 1 open shelf with 3 S-BOXXes and 3 wide S-BOXXes
- ▶ 1 base plinth

▶ WxDxH: approx. 1488 x 382 x 1614 mm  
Weight: approx. 44 kg



### DU MI RE-2

- ▶ 2 shelf trays
- ▶ 1 open shelf with border
- ▶ 3 drawers
- ▶ 4 T-BOXXes on case rails
- ▶ 1 floor drop front

▶ WxDxH: approx. 1488 x 382 x 1614 mm  
Weight: approx. 68 kg



### DU MI RE-3

- ▶ Spaceframe with integrated ProSafe lasing system
- ▶ 2 shelf trays
- ▶ 1 open shelf with 9 half-height S-BOXXes
- ▶ 3 drawers
- ▶ 3 T-BOXXes on case rails
- ▶ 1 metal case on case tray
- ▶ 1 lifting flap
- ▶ 1 base plinth
- ▶ 1 floor lashing rail ProSafe
- ▶ 1 folding work bench with vice

▶ WxDxH: approx. 1684 x 382 x 1614 mm  
Weight: approx. 106 kg





# FIAT DUCATO FLOOR-WALL

WHEELBASE: 3000 / 3450 mm | MODEL YEAR 2006 | SLIDING DOOR RIGHT SIDE

2

Step 2: Select the appropriate floor.

## SOBOGRIP®-PROTECTIVE FLOOR

► the protective floor for tough conditions



Vehicle type	Wheelbase	Article No.
► Ducato	3000 mm	331010270
► Ducato	3450 mm	331010272
► Ducato	4035 mm	331010274
► Ducato	4035 mm overhang	331010809

- Floor made of waterproof glued Nordic birch
- 9 mm protective floor
- Highly scratch and impact resistant
- Custom-fit to your vehicle
- No drilling of the vehicle floor necessary

## SOBOGRIP® PROSAFE FLOOR

► the entire load securing package

Vehicle type	Wheelbase	Article No.
► Ducato	3000 mm	1000002754
► Ducato	3450 mm	1000002755
► Ducato	4035 mm	1000002756
► Ducato	4035 mm overhang	1000003217

All benefits of the SoboGrip protective assembly floor  
+ multitude of countersunk lashing possibilities



3

Step 3: Select the appropriate side cladding.

## SOWAFLEX®

► the lightweight & sturdy wall cladding

- Protects the vehicle from the inside against damages
- Highly impact and scratch resistant
- Damp and chemical resistant
- Cut-to-size for all vehicle models
- 100% recyclable honeycomb material
- 60% lighter than wood


Vehicle type	Wheelbase	Roof	Wall cladding	Article No.
► Ducato	3000 mm	H1	Side cladding 1-6	331010560
► Ducato	3000 mm	H2	Side cladding 1-6	1000000148
► Ducato	3450 mm	H1	Side cladding 1-6	331010820
► Ducato	3450 mm	H2	Side cladding 1-6	331010562
► Ducato	3000 mm	H1/H2	Sliding door bottom 9	331010574
► Ducato	3450/4035 mm	H1/H2	Sliding door bottom 9	331010568
► Ducato	3000 mm	H1/H2	Sliding door top 10	331010570
► Ducato	3450/4035 mm	H1/H2	Sliding door top 10	331010569
► Ducato	3000/3450/4035 mm	H1/H2	Wing door bottom 13/15	331010572
► Ducato	4035 mm	H2	Side cladding 1-6	331010564
► Ducato	3000/3450/4035 mm	H1/H2	Wing door top 14/16	331010571
► Ducato	4035 mm overhang	H2	Side cladding 1-6	331010851

## SOWAAPP®

► The extremely sturdy wall cladding made out of aluminium

- Perforated system for a wide range of accessories
- Installed quickly
- Resistant to moisture and chemicals
- Perfectly cut to size for your vehicle type

Vehicle type	Wheelbase	Roof	Wall cladding	Article No.
► Ducato	3000 mm	H1	Side cladding (1-6)	1000003184
► Ducato	3000 mm	H2	Side cladding (1-6)	1000003185
► Ducato	3450 mm	H1	Side cladding (1-6)	1000003186
► Ducato	3450 mm	H2	Side cladding (1-6)	1000003187
► Ducato	4035 mm	H2	Side cladding (1-6)	1000003188
► Ducato	3000/3450 mm	H1	Wing door top (14/16)	1000003203
► Ducato	all	H2	Wing door top (14/16)	1000003204
► Ducato	all	H1/H2	Wing door bottom (13/15)	1000003205



Wall cladding selection

# PROSAFE – SAFETY SERIES PRODUCTION



## ProSafe is integrated as a standard in the load safety system from Sortimo.

The lashing belts and load safety nets can be hooked in uprights, frames, traverses and floor rails without difficulty. ProSafe makes load safety possible in no time at all.

## Your benefits:

- ✓ You and your freight are safe on the road
- ✓ You preserve your material
- ✓ You save on time, weight and money



### ProSafe bungee strap

The ProSafe bungee strap suits perfectly for the fixation of bulky goods in a vehicle.



### CargoStopp ProSafe

The CargoStopp allows for reliable load safety on the vehicle safety floor. It is inserted into the ProSafe floor lashing point with its hook.


## SOBOGRIP PROSAFE PROTECTIVE FLOOR

SECURE, TIME SAVING AND SIMPLE!

The SoboGrip ProSafe protective floor is an innovative and professional load securing concept from Sortimo which enables a completely flexible lashing of goods on the floor. That way, goods can be secured more quickly, more diversely and more efficiently than ever before. In addition the SoboGrip ProSafe floor is compatible with all ProSafe applications, such as for example straps or restraint poles and enables a quick and easy assembly of Sortimo van racking systems by means of preconfigured connection points.

### The Sortimo SoboGrip ProSafe protective floor is the modular base load securing concept with

- ✓ highest safety standard,
- ✓ variable applicability,
- ✓ optimum efficiency for your workday!






# SOWAAPP – THE ALUMINIUM PROTECTIVE WALL

## THE MULTI-FUNCTIONAL PROTECTION FOR YOUR VEHICLE!

The new SoWaApp wall cladding not only protects your vehicle against scratches or damages, but also enables a simple fastening of hooks and extensive accessories for the storing of tools.

The moisture-resistant and robust wall cladding is cut to custom-fit your vehicle and serves as a system cladding e.g. above work benches.



[sortimo.com/catalogues](https://sortimo.com/catalogues)

Please find more **SoWaApp** accessories in our original **accessories catalogue**.

You may request this quite simply using the info voucher or by scanning the QR code.

The clever Sortimo system perforation enables the fastening of a range of accessories such as hooks, hose holders, storage pockets, i-BOXX holders, tool hooks, and many more.

### The benefits at a glance:

- ✓ Loading area protection
- ✓ Aluminium 1 mm
- ✓ Possible direct fastening of accessories with optional strengthening set
- ✓ Fast installation by means of preset fastening boreholes
- ✓ Moisture-resistant and robust
- ✓ Cut accurately to fit your vehicle exactly
- ✓ Ideal as a system cladding e.g. above work benches

## EVERYTHING READY AT HAND AND STOWED AWAY QUICKLY WITH THE SOWAAPP ACCESSORIES:





# TOPSYSTEM – FLEXIBLE LOAD SECURITY ON THE VEHICLE ROOF



## Ladder lift rear

The ladder lift is suitable for the convenient transport of heavy ladders. Lifting and lashing of ladders is no longer required thanks to the hydraulic cylinder supported lift system. That way one and multi-part ladders can be conveniently handled from the ground. The ladder lift is available in two basic lengths, 2.5 and 3 meters.



## Loading roller

The ideal aid for heavy or large transport goods. The loading roller helps to load and unload goods onto and off of the roof very conveniently.

It is available in all cross profile widths and is positioned in between the side rails.



## ProSafe

ProSafe enables the integrated serial production in the Top System from Sortimo. ProSafe lashing straps can be hooked into the cross members without any difficulty. ProSafe makes load securing possible in no time at all.

## Cross members

Every TopSystem Cross member, whether the basic or the premium variation, allows a revenue load of 50 kilo.



## Side rail


The aluminium side rail serves the purpose of stability and integrates any amount of cross profiles. The company logo can be applied to the side rail.



## Aluminium Transport tube

The perfect extension of the TopSystem. Can transport long goods dry and secure. The cover/endcap is lockable.

The aluminium transport tube is available in the basic lengths 2, 3 and 5 metres made of plastic.



## Lighting systems

Warning lights for securing your work area are the perfect extension for your roof racking system. We provide a warning halogen beacon with plug socket, LES beacon yellow with plug socket and LED beacon yellow with magnetic base/socket.



## Load stopper 150

The load stopper 150 consists of corrosion resistant stainless steel, therefore no coating is necessary. It can be used as a transport tube, as a load stopper from the side or even for securing a ladder. In addition it can be retrofitted onto the cross members and has a very good noise behaviour.

You find further information in the TopSystem brochure. Please order our catalogue using the form on **page 41** or download it: [sortimo.com/catalogues](http://sortimo.com/catalogues).



## ORIGINAL ACCESSORIES FROM SORTIMO

With the help of **Sortimo's industry-specific Original Accessories** our Xpress racks can be customised to your individual needs. The convenient perforated aluminium plate for example offers the ideal place to attach hooks and holders for tools and documents.

Moreover, customised partitions and divider sets for drawers or trays, storage pockets, lashing rails, workbenches and much more facilitate the best usage of your vehicle.



sortimo.com/catalogues

**Discover more in our brochures Original Accessories and Mobile Assortment:**

Download on: [sortimo.com/brochures](https://sortimo.com/brochures).  
or order via the form on **page 41**.



## MOBILE ASSORTMENTS PORTABLE ORDER FROM THE START

Sortimo offers a great variety of **Mobile Assortments in terms of cases and BOXXes**, which can be

combined with one another and are compatible with the van racking solutions.



### PARTNER APPS

Not only Sortimo customers are convinced of our BOXXes, but renowned manufacturers as well. They use the **Sortimo L-BOXX** as a transportation box and outer packaging. Thanks to continuous new partners the L-BOXXes become true partner apps with a variety of application options. Regardless from which manufacturer you acquire a Sortimo BOXX, the system stays the same and **is of course compatible with the Sortimo van racking solutions**.

#### Your benefits:

- ✓ You can easily take the BOXXes with you to the site of operation.
- ✓ You keep order in your vehicle and at your workplace.
- ✓ Your tools, machines, small and spare parts are securely stored in the vehicle.







## INFO-CHECK

Simply fill out the form and fax it to Sortimo +49 8291 850-269

**Please send me further information and brochures free of charge and without obligation:**

- ☐ Mobile Assortments Brochure
- ☐ Sortimo Original Accessories Brochure
- ☐ Sortimo WorkMo Brochure
- ☐ Sortimo TopSystem Brochure
- ☐ I would like to have a consultation to find out more about Sortimo van racking solutions. Please call me back to arrange an appointment with no obligation.

My telephone number is: \_\_\_\_\_

- ☐ I would like to subscribe to the Sortimo Newsletter free of charge.

My e-mail address is: \_\_\_\_\_



**WE ARE ALWAYS THERE FOR YOU!**  
YOUR CONTACT TO SORTIMO

**Call us in Germany:**

Tel. +49 8291 850-499  
Fax +49 8291 850-269  
E-Mail: [direct@sortimo.com](mailto:direct@sortimo.com)  
[sortimo.com/direct](http://sortimo.com/direct)



\_\_\_\_\_  
Company name

\_\_\_\_\_  
Surname, first name

\_\_\_\_\_  
Street

\_\_\_\_\_  
Postcode City

\_\_\_\_\_  
Tel.

\_\_\_\_\_  
Fax

\_\_\_\_\_  
e-mail

\_\_\_\_\_  
Line of business

\_\_\_\_\_  
Date

\_\_\_\_\_  
Signature (company stamp)

**Thank you for your interest and we look forward to hearing from you!**

Sortimo International GmbH  
Dreilindenstraße 5 · 86441 Zusmarshausen · Germany  
Tel. +49 8291 850-499 · Fax +49 8291 850-269 · [sortimo.com](http://sortimo.com)

**Sortimo**  
Intelligent Mobility







For more information  
**SORTIMO.COM**

**Sortimo®**  
 Intelligent Mobility

Sortimo International GmbH  
 Dreilindenstraße 5 · 86441 Zusmarshausen · GERMANY  
 Phone: +49 8291 850-499 · Fax: +49 8291 850-269  
 E-mail: info@sortimo.com · sortimo.com