





# FORD OUTSIDE – SORTIMO INSIDE

Made for professionals

**FORD** 





# ICONS + FEATURES



**Time is money** – Fast delivery and installation are guaranteed.



**3 years warranty** – Sortimo offers a 3 year guarantee on these products.



**Upgrade** – This very flexible product can be individually combined with other Sortimo products.



**Crash tested** - This product fulfills the high safety requirements of Sortimo. In co-ordination with the German TÜV, DEKRA and the ADAC, the equipment has been successfully crash-tested in simulated emergencies.



**Lightweight yet robust** - This product combines modern lightweight construction with utmost stability.



**ProSafe** – The lashing point for the ProSafe hooks are already integrated in the equipment and quickly ready for use.



CO<sub>2</sub> reduction – Based on modern lightweight construction, the weight of the equipment has been considerably reduced to save on petrol and reduce CO<sub>2</sub> emissions.

# FORD AND SORTIMO – COMPREHENSIVELY CARE-FREE

### Buying a vehicle is a matter of trus

You have chosen a Ford CV because you set value on quality and individual benefits. But quality and individual benefit should not know any boundaries.

This is why Sortimo is exactly the right choice if you wish to have a van racking solution. We open up new horizons with intelligent solutions for your individual requirements.

### Your benefits

We have perfectly fitted equipment for your transporter, because we develop our solutions together with Ford. The Sortimo shelves are tailored to exactly match the already existing fastening points in your vehicle. Therefore you no longer have to put up with any damage to the body of your transporter.

Individually for you, perfect fit for your Ford.

sortimo.com



### **CRASH TEST**

### **OUR PACKAGE FOR YOU**

The exact van racking system matching your requirements and your Ford.


### We've driven our products into the wall - successfully

All Sortimo van racking solutions have been crash tested. In co-operation with the German TÜV, Dekra and ADAC, Sortimo simulates the emergency under real conditions, so that your load won't become a life-threatening projectile in case of a crash.

At a barrier impact speed of 50 km/h, the Sortimo products are literally driven into the wall.

This way we ensure that our van racking solutions also meet the high demands of Sortimo when it comes to safety.

Only those which pass their on-road test are good enough for our customers.











GLOBELYST XPRESS

from page 6

Globelyst scores with its modular system, which can be changed or extended as you wish, at any time.

Xpress describes van racking solutions of the Globelyst product line, which perfectly fit to your

Ford Connect, Transit or Custom and are delivered and installed in Xpress time.



**PROSAFE** 

from page 22

With the **ProSafe lashing system** both you and your transport are safe on the road. The integrated load securing system ProSafe from Sortimo enables a **quick and easy lashing of loads** and thereby provides not only for safety but also for order and an efficient operational management.

Since 2014 Sortimo offers in addition as sole manufacturer an entire load securing package as a complete solution for your Transporter with its **SoboGrip ProSafe floor**.

Further information can be found on **page 22**.



### THE PACKAGE:

Predefined van racking solution with maximum use of space

- attractive price-performance ratio
- everything from a single source

With the **Sortimo load safety system, the BOXXes and the case programme,** as well as with the extensive **Original Accessories** your individuality does not have set boundaries.

You can find further information on this from page 22 to 29.

from page 22-29



# **GLOBELYST -**

## AT A GLANCE



### **Composite long components tray**

The long components tray allows you to transport longer items in the vehicle without any problem.

Sortimo's S-BOXXes are available in four

### Sortimo i-BOXX

The i-BOXXes from Sortimo are clever be fitted with Inset boxes.

### **Sortimo Accessories**

Original accessories from Sortimo are Sortimo will fulfill your requirements.

vehicle can be utilised: Tools and spare parts can be neatly arranged in the racks and trays of Globelyst.

i-BOXX Adaptor plate

Your i-BOXX is securely locked in place during transport with the aid of the i-BOXX holder. The holder can be screwed to the perforated side panel or to the vehicle itself

### Shutter

With the shutter made out of hollowchamber profiles, load safety and visual cover takes only one movement. The optional lock provides additional protection against unauthorized access.

### ProSafe

The load safety system is integrated into the poles and traverses of the van racking solution.

### Sortimo L-BOXX and LS-BOXX

Mobile plastic boxes with a wide variety of possible partitions, available in five heights. L-BOXXes can be quickly click-joined with each other and transported as one.

### Sortimo T-BOXX

Thanks to the practical plastic case with the transparent lid you can see right away what is in the BOXX. The T-BOXX can be safely stored in the vehicle equipment.

### Sortimo M-BOXX

A large mobile box with handle, also available with a lid. The M-BOXX locks in the system and can also be used as a drawer.

### **Metal case**

The original case is available in many different variants. The case is on rails and can be pulled out completely.

### **Drawers**

The new drawers with their user-friendly handles made from impact-resistant plastic are fully extendible and can be loaded with up to 80 kg. They are available in four different widths and heights.

### **Workbenches**

Sortimo workbenches turn your van into a mobile workshop. Both, folding and extendible workbenches are available and can be supplemented with a rotating vice plate and a vice.

### Sortimo S-BOXX

heights, two widths and three depths. They are the ideal container for small components, spare parts or screws and can be securely locked on the shelf. You can pull the drawer out for easy access to all parts.

little storage solutions that can be used on their own or as part of the LS-BOXX. They are available in two heights and can

practical supplementary products for all trades and industries. From the cable holder to the cable hook -

### **Racks and trays**

Up to the last corner, the space in your

### Floor front

Floor fronts provide for order, visual cover and safety in the vehicle.

### Case clamp

Secures tool and machine cases and can be positioned in no time.

### MultiSlide

The MultiSlide allows an easy handling of all cases and BOXXes. With the full-extension slide the lids can be opened completely and small parts and tools can be accessed quickly.

### Safety and protective floors

The basis for your van racking system is the safety or protective floor. You can choose between a variety of floors. The floors are cut to size for different vehicle models, offer integrated lashing possibilities and protect the vehicle floor from damage.

### FORD TRANSIT CONNECT BLOCKS

WHEELBASE: 2662 mm | MODEL YEAR 2014 | WITH WHEEL HOUSE CASING

Step 1: Select the suitable equipment.





### LEFT SIDE (DRIVERS SIDE)



### RIGHT SIDE (PASSENGERS SIDE)



- CO 14 KU LI-1 RV
- ▶ 2 shelf trays
- ▶ 1 shelf with 7 S-BOXXes
- ▶ 1 base plinth

WxDxH: approx. 1246 x 382 x 1085 mm Weight: approx. 27 kg



### CO 14 KU LI-2 RV

- ▶ 1 shelf tray
- 1 open shelf with drop front
- ▶ 1 T-BOXX on case rail

Weight: approx. 31 kg

- 1 shelf with border
- ▶ 1 floor drop front



### CO 14 KU LI-3 RV

- ► Spaceframe with integrated ProSafe lashing system
- 2 shelf trays
- 1 drawer
- 1 T-BOXX on case rail
- ▶ 1 lifting flap
- ▶ 1 floor lashing rail ProSafe





### CO 14 KU RE-1 RV

- ▶ 2 shelf trays
- ▶ 1 open shelf with 4 half-height S-BOXXes
- ▶ 1 base plinth

WxDxH: approx. 762 x 382 x 1000 mm Weight: approx. 20 kg



- ▶ 1 drawer
- 2 open shelves with 2 S-BOXXes and 1 wide S-BOXX
- ▶ 1 floor drop front



### CO 14 KU RE-2 RV

- ▶ 1 shelf trays





- lashing system 2 shelf trays
- ▶ 1 drawer
- ▶ 1 lifting flap
- ▶ 1 floor lashing rail ProSafe
- 1 folding work bench with vice
- ▶ 1 storage pocket

WxDxH: approx. 982 x 382 x 1000 mm Weight: approx. 44 kg











WxDxH: approx. 762 x 382 x 1000 mm

Weight: approx. 24 kg

WxDxH: approx. 1246 x 382 x 1085 mm

### FORD TRANSIT CONNECT BLOCKS

WHEELBASE: 2662 mm | MODEL YEAR 2014 | WITHOUT WHEEL HOUSE CASING





### LEFT SIDE (DRIVERS SIDE)







- ▶ 2 shelf trays
- ▶ 1 open shelf with 7 S-BOXXes
- ▶ 1 base plinth

WxDxH: approx. 1246 x 382 x 1085 mm Weight: approx. 27 kg



### CO 14 KU LI-2

- ▶ 1 shelf tray
- 1 open shelf with drop front
- 3 T-BOXXes on case rail

Weight: approx. 36 kg

- 1 shelf with border
- ▶ 1 floor drop front



### CO 14 KU LI-3

- ➤ Spaceframe with integrated ProSafe lashing system
- 1 shelf tray
- ▶ 2 drawers
- ▶ 1 L-BOXX 102 and 1 L-BOXX 136 on multi slide
- ▶ 1 shelf with border
- ▶ 1 lifting flap
- ▶ 1 floor lashing rail ProSafe

WxDxH: approx. 1246 x 382 x 1085 mm Weight: approx. 46 kg



### CO 14 KU RE-1

- 2 shelf trays
- ▶ 1 open shelf 4 half-height S-BOXXes
- ▶ 1 base plinth

WxDxH: approx. 762 x 382 x 1000 mm Weight: approx. 20 kg



### CO 14 KU RE-2

- ▶ 1 shelf tray
- ▶ 1 drawer
- 1 open shelf with 4 half-height S-BOXXes
- 1 open shelf with 2 S-BOXXes and 1 wide S-BOXX
- ▶ 1 floor drop front

WxDxH: approx. 762 x 382 x 1000 mm Weight: approx. 25 kg



### CO 14 KU RE-3

- ► Spaceframe with integrated ProSafe lashing system
- ▶ 1 shelf tray
- 2 drawers
- ▶ 1 shelf with border
- ▶ 1 lifting flap
- ▶ 1 floor lashing rail ProSafe
- ▶ 1 folding work bench with vice
- ▶ 1 storage pocket

WxDxH: approx. 982 x 382 x 1000 mm Weight: approx. 50 kg













WxDxH: approx. 1246 x 382 x 1085 mm

# FORD TRANSIT CONNECT

FLOOR-WALL

WHEELBASE: 2662 mm | MODEL YEAR 2014

2

Step 2: Select the appropriate floor.

### SOBOGRIP®-PROTECTIVE FLOOR

the protective floor for tough conditions

	Vehicle model	Wheelbase	Version	Article No.
<b></b>	Connect L1	2662 mm	Sliding door right side	1000002597
	Connect L2	3062 mm	Sliding door right side	1000002535

- Floor made of waterproof glued Nordic birch
- 9 mm protective floor
- Highly scratch and impact resistant
- Custom-fit to your vehicle
- No drilling of the vehicle floor necessary

### SOBOGRIP® PROSAFE FLOOR

the entire load securing package

Vehicle model	Wheelbase	Roof	Article No.
Connect L1	2662 mm	H1	1000003061
Connect L2	3062 mm	H1	1000003119

All benefits of the SoboGrip protective assembly floor

multitude of countersunk lashing possibilities

# 3

Step 3: Select the appropriate side cladding.

### **SOWAFLEX®**

- the lightweight & sturdy wall cladding
- Protects the vehicle from the inside against damages
- Highly impact and scratch resistant
- Damp and chemical resistant

- Cut-to-size for all vehicle models
- 100% recyclable honeycomb material
- 60% lighter than wood

Vehicle model	Wheelbase	Wall cladding	Article No.	
Connect L1	2662 mm	Side cladding 1-6	1000002604	
Connect L1	2662 mm	Side cladding 2/4/5/6	1000002603	
Connect L1/L2	2662 mm	Wing door top 14/16	1000002539	
Connect L1/L2	2662 mm	Wing door bottom 13/15	1000002540	
Connect L1	2662 mm	Sliding door top 10	1000002596	
Connect L1	2662 mm	Sliding door bottom 9	1000002595	
Connect L2	3062 mm	Side cladding 1-6	1000002638	
Connect L2	3062 mm	Sliding door top 10	1000002538	
Connect L2	3062 mm	Sliding door bottom 9	1000002537	


# PLEASE COMPLETE THE ORDER FORM AND FAX IT TO SORTIMO

(see second last page)

FIND OUT MORE ABOUT SOWAAPP ON PAGE 24/25

### **SOWAAPP®**

- ▶ The extremely sturdy wall cladding made out of aluminium
- Perforated system for a wide range of accessories
- Installed quickly
- Resistant to moisture and chemcials
- Perfectly cut to size for your vehicle type




Wall cladding selection

Vehicle model	Wheelbase	Roof	Wall cladding	Article No.	
Connect L1	2662 mm	H1	Side cladding (1-6)	1000003192	
Connect L2	3062 mm	H1	Side cladding (1-6)	1000003193	
Connect	2933/3300 mm	H1	Wing door top (14/16)	1000003207	
Connect	2933/3300 mm	H1	Wing door bottom (13/15)	1000003208	


## FORD TRANSIT CUSTOM BLOCKS

WHEELBASE: 2933 mm | MODEL YEAR 2012 | FRONT DRIVE

Step 1: Select the suitable equipment.



### LEFT SIDE (DRIVERS SIDE)







- ▶ 4 shelf trays
- ▶ 1 shelf with 2 T-BOXXes
- ▶ 1 shelf with 2 S-BOXXes and 2 wide S-BOXXes
- ▶ 1 open shelf with drop front
- ▶ 2 base plinths
- ▶ 1 floor lashing rail ProSafe
- WxDxH: approx. 1972 x 382 x 1325 mm Weight: approx. 56 kg



- ▶ 4 shelf trays
- 1 shelf with 2 S-BOXXes and 2 wide S-BOXXes
- ▶ 1 open shelf with border
- ▶ 2 drawers
- ▶ 1 T-BOXX on case rail
- ▶ 1 L-BOXX 136 on MultiSlide
- 2 floor drop fronts
- 1 floor lashing rail ProSafe

WxDxH: approx. 1972 x 382 x 1325 mm Weight: approx. 67 kg



- Spaceframe with integrated ProSafe lashing system
- ▶ 1 composite long components tray
- 2 shelves with 6 half-height S-BOXXes
- 1 shelf with 2 S-BOXXes and 2 wide S-BOXXes
- ▶ 1 shelf tray, 3 drawers
- ▶ 1 LS-BOXX on MultiSlide
- 1 open shelf with drop front
- ▶ 1 lifting flap, 1 case clamp
- 1 floor lashing rail ProSafe

WxDxH: approx. 1972 x 382 x 1325 mm Weight: approx. 78 kg



- 2 shelf trays
- ▶ 1 shelf with 4 S-BOXXes and 1 wide S-BOXX
- ▶ 1 open shelf with border
- ▶ 1 base plinth
- ▶ 1 floor lashing rail ProSafe

WxDxH: approx. 1004 x 382 x 1325 mm Weight: approx. 32 kg



- 2 shelf trays
- ▶ 3 drawers
- 2 T-BOXXes on case rails
- ▶ 1 L-BOXX 102 on MultiSlide
- ▶ 1 floor drop front
- ▶ 1 floor lashing rail ProSafe

Weight: approx. 44 kg



- ▶ 1 shelf tray
  - 2 drawers
  - ▶ 1 shelf with 2 L-BOXXes 136

FOCU RE-3

lashing system

Spaceframe with integrated ProSafe

- 1 open shelf with drop front
- ▶ 1 lifting flap
- ▶ 1 floor lashing rail ProSafe
- 1 workbench on work bench slide with vice

WxDxH: approx. 1004 x 382 x 1325 mm Weight: approx. 63 kg



WxDxH: approx. 1004 x 382 x 1325 mm











# **FORD TRANSIT CUSTOM**

FLOOR-WALL

WHEELBASE: 2933 mm | MODEL YEAR 2012 | FRONT DRIVE

Step 2: Select the appropriate floor.

### SOBOGRIP®-PROTECTIVE FLOOR

the protective floor for tough conditions

	Vehicle type	Wheelbase	Roof	Article No.	Floor made of waterproof
<b>•</b>	Custom L1	2933 mm L1	H1/H2	1000001761	glued Nordic birch
	Custom L2	3300 mm L2	H1/H2	1000001764	• 9 mm protective floor
					<ul> <li>Highly scratch and impact resistant</li> </ul>
					<ul> <li>Custom-fit to your vehicle</li> </ul>
					<ul> <li>No drilling of the vehicle floor</li> </ul>
					necessary

### SOBOGRIP® PROSAFE FLOOR

the entire load securing package

Vehicle type	Wheelbase	Roof	Article No.	
Custom L1	2933 mm	H1/H2	1000003166	
Custom L2	3300 mm	H1/H2	1000003226	

All benefits of the SoboGrip protective assembly floor

(+) multitude of countersunk lashing possibilities

Step 3: Select the appropriate side cladding.

### **SOWAFLEX®**

- the lightweight & sturdy wall cladding
- Protects the vehicle from the inside against damages
- Highly impact and scratch resistant • Damp and chemical resistant

- Cut-to-size for all vehicle models
- 100% recyclable honeycomb material
- 60% lighter than wood

Vehicle type	Wheelbase	Wall cladding	Article No.	
Custom L1	2933 mm	Side cladding (1,3,5)	1000001582	
Custom L1	2933 mm	Side cladding (2,4,6)	1000001585	
Custom L1/L2	2933/3300 mm	Sliding door bottom (9)	1000001584	
Custom L1/L2	2933/3300 mm	Sliding door top (10)	1000001583	
Custom L1/L2	2933/3300 mm	Wing door bottom (13/15)	1000001581	
Custom L1/L2	2933/3300 mm	Wing door top (14/16)	1000001579	
Custom L2	3300 mm	Side cladding (1,3,5)	1000001790	
Custom L2	3300 mm	Side cladding (2,4,6)	1000001791	
Custom L1/L2	2933/3300 mm	Tailgate bottom (17)	1000002081	
Custom L1/L2	2933/3300 mm	Tailgate top (18)	1000002163	


### PLEASE COMPLETE THE ORDER FORM **AND FAX IT TO SORTIMO**

(see second last page)

FIND OUT MORE ABOUT SOWAAPP ON PAGE 24/25

### **SOWAAPP®**

- ▶ The extremely sturdy wall cladding made out of aluminium
- Perforated system for a wide range of accessories
- Installed quickly
- Resistant to moisture and chemcials
- Perfectly cut to size for your vehicle type



Wall cladding selection
-------------------------

Vehicle type	Wheelbase	Roof	Wall cladding	Article No.	
Custom L1	2933 mm	H1	Side cladding (1-6)	1000003190	
Custom L2	3300 mm	H1	Side cladding (1-6)	1000003191	
Custom L1/L2	2933/3300 mm	H1	Wing door bottom (13/15)	1000003171	
Custom L1/L2	2933/3300 mm	H1	Wing door top (14/16)	1000003206	

## FORD TRANSIT BLOCKS

WHEELBASE: 3300 mm | MODEL YEAR 2014 | FRONT DRIVE


Step 1: Select the suitable equipment.



Sortimo's adapter plate turns the L-BOXX into the smallest independent van racking solution for vans.

The adapter plate is fastened to the loading area wall and ensures secure hanging of the L-BOXXes.





### LEFT SIDE (DRIVERS SIDE)



### RIGHT SIDE (PASSENGERS SIDE)



- ▶ 5 shelf trays
- ▶ 1 open shelf with border
- ▶ 1 open shelf with 7 S-BOXXes
- ▶ 2 base plinths

WxDxH: approx. 2456 x 382 x 1308 mm Weight: approx. 58 kg



- ▶ 4 shelf trays
- **2 T-BOXXes** on case rails
- ▶ 1 metal case on case tray
- ▶ 3 drawers
- 1 open shelf with border
- 1 open shelf with 2 L-BOXXes 136 and 1 S-BOXX
- 2 floor drop fronts

WxDxH: approx. 2456 x 382 x 1308 mm Weight: approx. 89 kg



### FTR MI LI-3

➤ Spaceframe with integrated ProSafe lashing system

101101

- → 1 Composite long components tray
- 2 open shelves with border
- ▶ 1 LS-BOXX on case tray
- ▶ 1 open shelf with 7 S-BOXXes
- ▶ 1 open shelf with 7 half-height S-BOXXes
- 1 lifting flap, 1 base plinth
- 1 case clamp
- ▶ 1 floor lashing rail ProSafe

WxDxH: approx. 2456 x 382 x 1205 mm Weight: approx. 85 kg



WxDxH: approx. 1246 x 382 x 1308 mm

Weight: approx. 27 kg

- ▶ 3 shelf trays
- ▶ 1 base plinth



- 2 shelf trays
- ▶ 3 drawers
- ▶ 1 L-BOXX 102 and 1 L-BOXX 238 on case tray
- ► 1 floor drop front

WxDxH: approx. 1246 x 382 x 1308 mm Weight: approx. 48 kg



- Spaceframe with integrated ProSafe lashing system
- ▶ 1 shelf tray
- 1 open shelf with border
- → 3 drawers
- ▶ 1 LS-BOXX on case tray
- ▶ 1 lifting flap
- ▶ 1 base plinth
- ▶ 1 floor lashing rail ProSafe
- ▶ 1 storage pocket
- ▶ 1 folding work bench with vice

WxDxH: approx. 1466 x 382 x 1325 mm Weight: approx. 76 kg









### FORD TRANSIT FLOOR-WALL

WHEELBASE: 3300 mm | MODEL YEAR 2014 | FRONT DRIVE

Step 2: Select the appropriate floor.

### SOBOGRIP®-PROTECTIVE FLOOR

the protective floor for tough conditions

Vehicle type	Wheelbase	Roof	Version	Article No.
► Transit L2 / Front drive	3300 mm	H2/H3	Sliding door right side	1000002680
Transit L2 / Rear drive	3300 mm	H2	Sliding door right side	1000002873
► Transit L3 / Front drive	3750 mm L1	H2/H3	Sliding door right side	1000002649
► Transit L3 / Rear drive	3750 mm L2	H2/H3	Sliding door right side	1000002760

- Floor made of waterproof glued Nordic birch
- 9 mm protective floor
- Highly scratch and impact resistant
- Custom-fit to your vehicle
- No drilling of the vehicle floor necessary

### SOBOGRIP® PROSAFE FLOOR

the entire load securing package

Vehicle type	Wheelbase	Roof	Article No.	
Transit L2	3300 mm	H2/H3	1000002720	
► Transit L3	3750 mm L1	H2/H3	1000003227	
► Transit L4	3750 mm L2	H2/H3	1000003228	

All benefits of the SoboGrip protective assembly floor

multitude of countersunk lashing possibilities

# 3

Step 3: Select the appropriate side cladding.

### **SOWAFLEX®**

- ▶ the lightweight & sturdy wall cladding
- Protects the vehicle from the inside against damages
- Highly impact and scratch resistantDamp and chemical resistant

- Cut-to-size for all vehicle models
- 100% recyclable honeycomb material
- 60% lighter than wood

Vehicle type	Wheelbase	Roof	Version	Article No.
Transit L2	3300 mm	H2	Side cladding (1-6)	1000002687
Transit L2	3300 mm	H3	Side cladding (1-6)	1000002688
Transit L2/L3	3300 mm	H2/H3	Wing door top 14/16	1000002644
Transit L2/L3	3300 mm	H2/H3	Sliding door top 10	1000002657
Transit L2/L3	3300 mm	H2/H3	Sliding door bottom 9	1000002656
Transit L3 / Front-/Rear drive	3750 mm L1	H2	Side cladding (1-6)	1000002654
Transit L3 / Front-/Rear drive	3750 mm L2	НЗ	Side cladding (1-6)	1000002707


# PLEASE COMPLETE THE ORDER FORM AND FAX IT TO SORTIMO

(see second last page)

FIND OUT MORE ABOUT SOWAAPP ON PAGE 24/25

### SOWAAPP®

- ► The extremely sturdy wall cladding made out of aluminium
- Perforated system for a wide range of accessories
- Installed quickly
- Resistant to moisture and chemcials
- Perfectly cut to size for your vehicle type



Wall cladding selection

Vehicle type	Wheelbase	Roof	Version	Article No.
► Transit L2	3300 mm	H2	Side cladding (1-6)	1000003195
Transit L3	3750 mm L1	H2	Side cladding (1-6)	1000003197
► Transit L2/L3	3300/3750 mm	H2/H3	Wing door top (14/16)	1000003209



# PROSAFE SAFETY SERIES PRODUCTION





### ProSafe is integrated as a standard in the load safety system from Sortimo.

The lashing belts and load safety nets can be hooked in uprights, frames, traverses and floor rails without difficulty. ProSafe makes load safety possible in no time at all.

### Your benefits:

- √ You and your freight are safe on the road
- √ You preserve your material
- √ You save on time, weight and money







**ProSafe bungee strap**The ProSafe bungee strap suits perfectly for the fixation of bulky goods in a vehicle.

CargoStopp ProSafe

The CargoStopp allows for reliable load safety on the vehicle safety floor. It is inserted into the ProSafe floor lashing point with its hook.

### **SOBOGRIP PROSAFE PROTECTIVE FLOOR**

SECURE, TIME SAVING AND SIMPLE!

The SoboGrip ProSafe protective floor is an innovative and professional load securing concept from Sortimo which enables a completely flexible lashing of goods on the floor. That way, goods can be secured more quickly, more diversely and more efficiently than ever before. In addition the SoboGrip ProSafe floor is compatible with all ProSafe applications, such as for example straps or restraint poles and enables a quick and easy assembly of Sortimo van racking systems by means of preconfigured connection points.

The Sortimo SoboGrip ProSafe protective floor is the modular base load securing concept with

- √ highest safety standard,
- √ variable applicability,
- √ optimum efficiency for your workday!



22 23

# SOWAAPP – THE ALUMINIUM PROTECTIVE WALL

## THE MULTI-FUNCTIONAL PROTECTION FOR YOUR VEHICLE!

The new SoWaApp wall cladding not only protects your vehicle against scratches or damages, but also enables a simple fastening of hooks and extensive accessories for the storing of tools.

The moisture-resistant and robust wall cladding is cut to custom-fit your vehicle and serves as a system cladding e.g. above work benches.

The clever Sortimo system perforation enables the fastening of a range of accessories such as hooks, hose holders, storage pockets, i-BOXX holders, tool hooks, and many more.

### The benefits at a glance:

- √ Loading area protection
- ✓ Aluminium 1 mm
- √ Possible direct fastening of accessories with optional strengthening set
- √ Fast installation by means of preset fastening boreholes
- √ Moisture-resistant and robust
- ✓ Cut accurately to fit your vehicle exactly
- √ deal as a system cladding e.g. above work benches

# EVERYTHING READY AT HAND AND STOWED AWAY QUICKLY WITH THE SOWAAPP ACCESSORIES:





sortimo.com/catalogues

Please find more SoWaApp accessories in our original accessories catalogue.

You may request this quite simply using the info voucher or by scanning the QR code.



# **TOPSYSTEM** – FLEXIBLE LOAD SECURITY ON THE VEHICLE ROOF



### Ladder lift rear

The ladder lift is suitable for the convenient transport of heavy ladders. Lifting and lashing of ladders is no longer required thanks to the hydraulic cylinder supported lift system. That way one and multi-part ladders can be conveniently handled from the ground. The ladder lift is available in two basic lengths, 2.5 and 3 meters.



### **Loading roller**

The ideal aid for heavy or large transport goods. The loading roller helps to load and unload goods onto and off of the roof very conveniently.

It is available in all cross profile widths and is positioned in between the side rails.




### **ProSafe**

ProSafe enables the integrated serial production in the Top System from Sortimo. ProSafe lashing straps can be hooked into the cross members without any difficulty. ProSafe makes load securing possible in no time at all.

### Cross members

Every TopSystem Cross member, whether the basic or the premium variation, allows a revenue load of 50 kilo.



### Side rail


The aluminium side rail serves the purpose of stability and integrates any amount of cross profiles. The company logo can be applied to the side rail.



### Aluminium Transport tube

The perfect extension of the TopSystem.
Can transport long goods dry and secure.
The cover/endcap is lockable.
The aluminium transport tube is available in the basic lengths 2, 3 and 5 metres made

of plastic.



### Lighting systems

Warning lights for securing your work area are the perfect extension for your roof racking system. We provide a warning halogen beacon with plug socket, LES beacon yellow with plug socket and LED beacon yellow with magnetic base/socket.



### Load stopper 150

The load stopper 150 consists of corrosion resistant stainless steel, therefore no coating is necessary. It can be used as a transport tube, as a load stopper from the side or even for securing a ladder. In addition it can be retrofitted onto the cross members and has a very good noise behaviour.

You find further information in the TopSystem brochure. Please order our catalogue using the form on page 33 or download it: sortimo.com/catalogues.

sortimo.com



## **ORIGINAL ACCESSORIES** FROM SORTIMO

## **MOBILE ASSORTMENTS** PORTABLE ORDER FROM THE START

With the help of Sortimo's industry-specific Original Accessories our Xpress racks can be customised to your individual needs. The convenient perforated aluminium plate for example offers the ideal place to attach hooks and holders for tools and documents.

Moreover, customised partitions and divider sets for drawers or trays, storage pockets, lashing rails, workbenches and much more facilitate the best

usage of your vehicle.





**Discover more in our brochures Original Accessories and Mobile Assortments:** 

Download on: sortimo.com/brochures. or order via the form on page 33.

Sortimo offers a great variety of **Mobile Assortments** in terms of cases and BOXXes, which can be

combined with one another and are compatible with the van racking solutions.



### **PARTNER APPs**

Not only Sortimo customers are convinced of our BOXXes, but renowned manufacturers as well.

They use the **Sortimo L-BOXX** as a transportation box and outer packaging. Thanks to continuous new partners the L-BOXXes become true partner apps with a variety of application options.

Regardless from which manufacturer you acquire a Sortimo BOXX, the system stays the same and is of course compatible with the Sortimo van racking solutions.

### Your benefits:

- √ You can easily take the BOXXes with you to the site
- √ You keep order in your vehicle and at your workplace.
- √ Your tools, machines, small and spare parts are securely stored in the vehicle.





























### **SORTIMO IN GERMANY** BRANCH OFFICES AND PARTNERS



Email: info@sortimo.com

sortimo.com

### Sortimo branch office Berlin

Gartenfelderstraße 15 13599 Berlin Tel. 030 2005370-0 Fax 030 2005370-19 Fmail: berlin@sortimo.de

### Sortimo branch office Dresden

Hamburger Straße 14 01067 Dresden Tel. 0351 207362-0 Fax 0351 207362-29 Email: dresden@sortimo.de

### **Fabian Ruge**

99094 Erfurt Can be contacted via Dresden office

### **Lutz Stelzner**

04178 Leipzig Can be contacted via Dresden office

### Jörg Schäfer

02906 Niesky Can be contacted via Dresden office

### **Sortimo branch office** Düsseldorf

Bonner Straße 205 40589 Düsseldorf Tel 0211 889206-0 Fax 0211 889206-11 Email: duesseldorf@sortimo.de

### **Sortimo branch office** Frankfurt/Main

Waldstraße 74 63128 Dietzenbach Tel. 06074 91456-0 Fax 06074 91456-22 Email: frankfurt@sortimo.de

### Günter Hund

66119 Saarbrücken Can be contacted via Frankfurt/Main office



### Sortimo branch office Hamburg

Ausschläger Allee 178 20539 Hamburg Tel. 040 571954-0 Fax 040 571954-54 Email: hamburg@sortimo.de

### Sortimo branch office Munich

Landshuter Straße 13 85716 Unterschleißheim Tel. 089 37004560 Fax 089 37004589 Email: muenchen@sortimo.de

### **Manfred Rieder** 84028 Landshut

Can be contacted via München office **Christian Schmaus** 

83278 Traunstein Can be contacted via München office

### Sortimo branch office Nürnberg

Sortimo branch office

Email: zusmarshausen@sortimo.de

Zusmarshausen

86441 Zusmarshausen

Dreilindenstraße 5

Tel 08291 850-149

Fax 08291 850-253

Benno-Strauß-Straße 37 90763 Fürth Tel. 0911 48035-35 Fax 0911 48035-36 Email: nuernberg@sortimo.de

### Sortimo branch office Stuttgart

Nürtinger Straße 50 73257 Köngen Tel. 07024 9726-0 Fax 07024 9726-10 Email: stuttgart@sortimo.de

Rolf Frömmiche Hauptstraße 10 04849 Authausen Tel. 034243 26234 Fax 034243 22114 Email: sortimo-froemmichen@gmx.de

Sortimo partner Bad Düben

### Sortimo partner Berlin

IFP GmbH Buckower Chaussee 85 12277 Rerlin Tel. 030 72016005 Fax 030 89726753 Email: ifp-berlin@t-online.de

#### Sortimo partner Bremen, Braunschweig, Celle

Wilfried Klatt GmbH Burger Landstraße 1 a 29229 Celle Im Finigen 15 28832 Achim Tel. 04202 521730 Fax 04202 521732 Email: info@klatt-sortimo.de

### Sortimo partner Brüggen Bartsch + Feikes GmbH

Weihersfeld 18 41379 Brüggen Tel. 02163 9997-0 Fax 02163 9997-77 Email: info@bartsch-feikes.de

### Sortimo partner Emsbüren

Fahrzeugbau Dülmer GmbH & Co. KG Tel 05903 93551-0 Fax 05903 93551-18 F-Mail: thomas.duelmer@ fahrzeugbau-duelmer.de

### Sortimo partner Essen

Heiko Dworak GmbH & Co. Verwaltungs KG Johanniskirchstraße 98 45329 Essen Tel. 0201 747008-1 Fax 0201 747008-3 Email: hdworak@sortimo-essen.de

### Sortimo partner Fulda

Josef Leibold GmbH Philipp-Reis-Straße 19-21 36093 Künzell Tel. 0661 31019 Email: hojo@leibold-karosseriebau.de

#### Sortimo partner Gera

PFK Eickmeier GmbH & Co. KG Wiesenring 8 07554 Korbußen Fax 036602 241-23 Email: pfk-eickmeier@t-online.de

### Sortimo partner Gerstetten Klaus Fries

Amselweg 5 89547 Gerstetten Tel. 07323 3907 Fax 07323 921867 Email: sortimo-station-gerstetten@t-online.de

### Sortimo partner Halle

Gruber Fahrzeugbau GmbH 06184 Kabelsketal OT Dölbau Tel. 034602 4364-0 Fax 034602 4364-13 Email: info@gruber-sortimo.de

### **Sortimo partner Hanover** HIG GmbH

Molkereistraße 33 30826 Garbsen Tel. 05131 4829 930 Fax 05131 48299359 Email: vertrieb@hig-hannover.de

#### Sortimo partner Heilbronn Hartmut Stöckel

Sägmühlstraße 45 74930 Ittlingen Tel. 07266 911555 Fax 07266 911557 Mobil 0173 3257383 Email: stoeckel.fahrzeugbau@t-online.de

#### Sortimo partner Kassel-Göttingen

Peter Welsch Handelsvertretung GmbH Ellenbacher Straße 6 34123 Kassel Tel. 0561 524300 Fax 0561 5296810 Email: info@sortimo-kassel.de

### Sortimo partner Koblenz

L & S GmbH & Co. KG Gebrüder-Pauken-Str. 10 56218 Mülheim-Kärlich Tel. 02630 95652-0 Fax 02630 95652-29 Email: info@ls-fahrzeugeinrichtungen.de

### Sortimo partner Magdeburg

Lohanser GmbH Geschwister-Scholl-Straße 147 39218 Schönebeck (Flbe) Tel. 03928 4102-76 Fax 03928 4102-77 Email: info@lohanser.de

### Sortimo partner Mainz

soflex GmbH An der Krimm 25 55124 Mainz Tel. 06131 1444266 Fax 06131 1444445 Email: mastel@soflex-ma.de

### Sortimo partner Mannheim

soflex GmbH Schildkrötstraße 29 68199 Mannheim Tel. 0621 84254-0 Fax 0621 84254-29 Email: contact@soflex-ma.de

### Sortimo partner Kaiserslautern

soflex GmhH Kaiserstrasse 74 67661 Kaiserslautern Tel. 0631 3507545 Fax 0631 3507776 Email: lang@soflex-ma.de

#### Sortimo partner Marl

Gahlen Fahrzeugeinrichtungen und Anhänger Vertriebs GmbH Boschstraße 6 45770 Marl Tel 02365 81911 Fax 02365 508161 Email: gahlen-sortimo@t-online.de

#### Sortimo partner Ostwestfalen-Lippe

THL GmbH Stadtheider Straße 1-3 33609 Bielefeld Tel. 0521 30443-0 Fax 0521 30443-22 Fmail: info@thl-bielefeld.de

### Sortimo partner Pforzheim

Sortimo Station Pforzheim HS Fahrzeug- und Betriebseinrichtungen GmbH Hoheneichstraße 48 75217 Birkenfeld Tel. 07231 80019-0 Fax 07231 80019-19 Email: info@sspf.de

### Sortimo partner Schweinfurt

Karl-Heinz Maar Kreuzstraße 2 97532 Üchtelhausen Tel. 09720 1882 Fax 09720 3923 Email: karl-heinz.maar@t-online.de

### Sortimo partner Schwerin

HGS Fahrzeug- u. Betriebseinrichtungen GmbH Lindenweg 1 19075 Pampow/Schwerin Tel. 03865 829-0 Fax 03865 82922 Email: info@hgs-sortimo-schwerin.de

### Sortimo partner Solingen

Manfred Becker Kyllmannweg 29 42699 Solingen Tel. 0212 320001 Fax 0212 320003 Email: info@sortimo-solingen.de

#### Sortimo partner Teningen

SiTraFa GmbH & Co. KG Siemensstaße 16 79331 Teningen-Nimburg Tel. 07663 913080 Fax 07663 913089 Fmail: bzoller@sitrafa.de

### **Sortimo partner Weser-Ems**

C.A. Brill GmbH 48527 Nordhorn Tel. 05921 7800-341 Fax 05921 7800-10 Email: m.jansen@ca-brill.de

### Sortimo partner Wetzlar

Auto-Schach GmbH & Co. KG Industriestraße 15-17 35582 Wetzlar-Dutenhofen Tel. 0641 97901-0 Fax 0641 97901-10 Email: info@auto-schach.de







Simply fill out the form and fax it to Sortimo +49 8291 850-269

free of charge and without obligation:

Please send me further information and brochures

# WE ARE ALWAYS THERE FOR YOU! YOUR CONTACT TO SORTIMO

### Call us in Germany:

Tel. +49 8291 850-499
Fax +49 8291 850-269
E-Mail: direct@sortimo.com
sortimo.com/direct



٦	Mobile Assortments Brochure		O E E BA
			ASSORT
	Sortimo Original Accessories Brochure		A MONTH MANAGEMENT
	Sortimo WorkMo Brochure	,	WORKS TATION
	Sortimo TopSystem Brochure		THE THE VIEW OF THE PARTY OF TH
	I would like to have a consultation to find out no van racking solutions. Please call me back to a with no obligation.		nt extends
	My telephone number is:		
	I would like to subscribe to the Sortimo Newsl	etter free of charge.	
	My e-mail address is:		
or	ompany name		
urı	urname, first name		
tre	Treet Po	ostcode City	
el.	el. Fa	ax	
-m	-mail Li	ine of business	
		ate Signature	(company stamp)
	U	ale Signature	CULTIPALTY STALLIDI

Thank you for your interest and we look forward to hearing from you!

Sortimo International GmbH

Dreilindenstraße 5 · 86441 Zusmarshausen · Germany

Tel. +49 8291 850-499 · Fax +49 8291 850-269 · sortimo.com







### **ORDER FORM**

Copy and complete this order form and send it to a Sortimo distribution partner or

### directly fax it to Sortimo: +49 8291 850-269

Your Sortimo Direct Team is at your service Monday – Thursday 8.00 – 18.00 and Friday 8.00 – 16.00

Tel. +49 8291 850-499 · E-Mail: direct@sortimo.com · sortimo.com

\*Prices exclusive of VAT

Prices exclusive of VAT						
Article No.	Description	without BOXXes	Price* €	Order quantity	Total price€	
				Total amount:	€	

ompany				
urname, fi	irst name			
treet		Postcode City		
el.		Fax		
-mail		Line of business		
		The delivery is exclusively subject to our general terms of sale, which you can access under sortimo.com/agb. Subject to change. We would be pleased to prepare an offer for your individual van racking solution!		
ate	Signature (company stamp)	The entire collection, processing and utilisation of personal data is carried out in accordance with the relevant legal data protection provisions. You can access our data protection provisions under sortimo-shop.de.		
		Sortimo International GmbH · Dreilindenstraße 5 · 86441 Zusmarshausen Tel. +49 8291 850-499 · Fax +49 8291 850-269 · sortimo.com		

	we offer a wide variety		Visit our website to d	iscover	
of needs surrour naturally online to	nding van racking systen po.	ns -	sortimo	o.com	
		MELECT FOUR COUNTRY	EUROPE NORTHANER	EA BOUTH AMERICA	ABIA
		Pi IN Isos	EASE CHOOSE YOUR COUNT THE MENU ABOVE. The Lottle Informational sittel	Ar Carlotte Control of the Car	
				n, please visit our website.	

34



For more information SORTIMO.COM



Sortimo International GmbH Dreilindenstraße 5 · 86441 Zusmarshausen · GERMANY Phone: +49 8291 850-499 · Fax: +49 8291 850-269 E-mail: info@sortimo.com · sortimo.com