





MERCEDES-BENZ OUTSIDE -SORTIMO INSIDE

Made for professionals

VanPartner by Mercedes-Benz



ICONS + FEATURES



Time is money – Fast delivery and installation are guaranteed.



3 years warranty – Sortimo offers a 3 year guarantee on these products.



Upgrade – This very flexible product can be individually combined with other Sortimo products.



Crash tested - This product fulfills the high safety requirements of Sortimo. In co-ordination with the German TÜV, DEKRA and the ADAC, the equipment has been successfully crash-tested in simulated emergencies.



Lightweight yet robust – This product combines modern lightweight construction with utmost stability.



ProSafe – The lashing point for the ProSafe hooks are already integrated in the equipment and quickly ready for use.



CO₂ reduction - Based on modern lightweight construction, the weight of the equipment has been considerably reduced to save on petrol and reduce CO₂ emissions.

MERCEDES-BENZ AND SORTIMO-COMPREHENSIVELY CARE-FREE

Buying a vehicle is a matter of trust

You have chosen a Mercedes-Benz CV because you set value on quality and individual benefits. But quality and individual benefit should not know any boundaries. This is why Sortimo is exactly the right choice if you wish to have a van racking solution. We open up new horizons with intelligent solutions for your individual requirements.

Your benefits

We have perfectly fitted equipment for your transporter, because we develop our solutions together with Mercedes-Benz. The Sortimo shelves are tailored to exactly match the already existing fastening points in your vehicle. Therefore you no longer have to put up with any damage to the body of your transporter.

Individually for you, perfect fit for your Mercedes-Benz.

sortimo.com

CRASH TEST

OUR PACKAGE FOR YOU

The exact van racking system matching your requirements and your Mercedes-Benz.


We've driven our products into the wall - successfully

All Sortimo van racking solutions have been crash tested. In co-operation with the German TÜV, Dekra and ADAC, Sortimo simulates the emergency under real conditions, so that your load won't become a life-threatening projectile in case of a crash.

At a barrier impact speed of 50 km/h, the Sortimo products are literally driven into the wall.

This way we ensure that our van racking solutions also meet the high demands of Sortimo when it comes to safety.

Only those which pass their on-road test are good enough for our customers.











GLOBELYST XPRESS

from page 8

Globelyst scores with its modular system, which can be changed or extended as you wish, at any time.

Xpress describes van racking solutions of the Globelyst product line, which perfectly fit to your

Mercedes-Benz Citan, Vito or Sprinter and are delivered and installed in Xpress time.



PROSAFE

from page 26

With the **ProSafe lashing system** both you and your transport are safe on the road. The integrated load securing system ProSafe from Sortimo enables a **quick and easy lashing of loads** and thereby provides not only for safety but also for order and an efficient operational management.

Since 2014 Sortimo offers in addition as sole manufacturer an entire load securing package as a complete solution for your Transporter with its **SoboGrip ProSafe floor**.

Further information can be found on page 26.



THE PACKAGE:

Predefined van racking solution with maximum use of space

- attractive price-performance ratio
- everything from a single source

With the **Sortimo load safety system, the BOXXes and the case programme,** as well as with the extensive **Original Accessories** your individuality does not have set boundaries.

You can find further information on this from page 26 to 33.

from page 26-33





GLOBELYST -

YOUR ADVANTAGES



1. Cost savings

Keep on driving. While others are still refueling, you are on your way to the next customer.

2. Time savings

No need for you to work extra hours. More than 50% of your colleagues are unproductively wasting more than one hour a day in their transporter. Be smarter. From now on, tools left behind, damaged goods and cluttered small parts are a thing of the past.

3. Load Safety

ProSafe – The safety belt for both your cargo and your life. Integrated load safety – as standard for the first time.

4. Flexibility

Have everything your own way, we are accommodating your requirements. At Sortimo, you are the designer for your van racking system and you decide where your tools, machines and goods are safely stowed. All individual components can be freely combined.

5. Lightweight construction

Keep on loading. Consistent lightweight construction allows you to add more payload. Compared to conventional van racking solutions, Globelyst saves up to 50% weight. Go and compare for yourself!

6. Innovative

That's just who we are, we can't do it any other way.

For over 40 years now, we have been investing in futureoriented technologies and are developing innovative solutions
to make your work easier. Go and decide for yourself!

7. Quality

Durable – sturdy – tested – sustainable. We are regularly conducting crash tests and quality checks for your safe investment. All drawer bodies and trays are made from highly-durable sheet steel, and are powder-coated to guarantee permanent corrosion protection and rule out any risk of injury from sharp edges. Made in Germany.

8. Imag

It is like in a personal relationship: first impressions count. Show your customer that you are a professional. Your transporter is the business card of your company.

GLOBELYST -

AT A GLANCE



Composite long components tray

The long components tray allows you to transport longer items in the vehicle without any problem.

Sortimo S-BOXX

Sortimo's S-BOXXes are available in four out for easy access to all parts.

The i-BOXXes from Sortimo are clever be fitted with Inset boxes.

Sortimo Accessories

Original accessories from Sortimo are practical supplementary products for all trades and industries. From the cable holder to the cable hook -Sortimo will fulfill your requirements.

vehicle can be utilised: Tools and spare parts trays of Globelyst.

i-BOXX Adaptor plate

Your i-BOXX is securely locked in place during transport with the aid of the i-BOXX holder. The holder can be screwed to the perforated side panel or to the vehicle itself

Shutter

With the shutter made out of hollowchamber profiles, load safety and visual cover takes only one movement. The optional lock provides additional protection against unauthorized access.

ProSafe

The load safety system is integrated into the poles and traverses of the van racking solution.

Sortimo L-BOXX and LS-BOXX

Mobile plastic boxes with a wide variety of possible partitions, available in five heights. L-BOXXes can be quickly click-joined with each other and transported as one.

Sortimo T-BOXX

Thanks to the practical plastic case with the transparent lid you can see right away what is in the BOXX. The T-BOXX can be safely stored in the vehicle equipment.

Sortimo M-BOXX

A large mobile box with handle, also available with a lid. The M-BOXX locks in the system and can also be used as a drawer.

Metal case

The original case is available in many different variants. The case is on rails and can be pulled out completely.

Drawers

The new drawers with their user-friendly handles made from impact-resistant plastic are fully extendible and can be loaded with up to 80 kg. They are available in four different widths and heights.

Workbenches

Sortimo workbenches turn your van into a mobile workshop. Both, folding and extendible workbenches are available and can be supplemented with a rotating vice plate and a vice.

heights, two widths and three depths. They are the ideal container for small components, spare parts or screws and can be securely locked on the shelf. You can pull the drawer

Sortimo i-BOXX

little storage solutions that can be used on their own or as part of the LS-BOXX. They are available in two heights and can

Racks and trays

Up to the last corner, the space in your can be neatly arranged in the racks and

Floor front

Floor fronts provide for order, visual cover and safety in the vehicle.

Case clamp

Secures tool and machine cases and can be positioned in no time.

MultiSlide

The MultiSlide allows an easy handling of all cases and BOXXes. With the full-extension slide the lids can be opened completely and small parts and tools can be accessed quickly.

Safety and protective floors

The basis for your van racking system is the safety or protective floor. You can choose between a variety of floors. The floors are cut to size for different vehicle models, offer integrated lashing possibilities and protect the vehicle floor from damage.

MERCEDES-BENZ CITAN BLOCKS

WHEELBASE: 2697 mm | MODEL YEAR 2012 | SLIDING DOOR RIGHT SIDE


Step 1: Select the suitable equipment.



VanPartner by Mercedes-Benz







(DRIVERS SIDE)



- ▶ 1 shelf tray
- ▶ 1 open shelf with drop-down front
- ▶ 1 open shelf with 5 S-BOXXes and 1 wide S-BOXX
- ▶ 1 base plinth
- WxDxH: approx. 1246 x 382 x 1104 mm Weight: approx. 28 kg



MB CI LI-2

- 2 shelf trays
- ▶ 1 open shelf with 2 S-BOXXes and 1 wide S-BOXX
- ▶ 2 T-BOXXes on MultiSlides
- 1 open shelf with drop-down front
- 2 floor drop fronts
- 2 floor lashing rails ProSafe

WxDxH: approx. 1246 x 382 x 1104 mm Weight: approx. 39 kg



MB CI LI-3

- Spaceframe with integrated ProSafe lashing system
- ▶ 1 shelf tray
- 2 drawers
- 2 T-BOXXes on MultiSlides
- ▶ 1 open shelf with 4 S-BOXXes
- ▶ 1 open shelf with drop-down front
- 2 floor drop fronts
- 2 floor lashing rails ProSafe

WxDxH: approx. 1246 x 382 x 1070 mm Weight: approx. 48 kg



MB CI RE-1

- ▶ 1 shelf tray
- ▶ 1 open shelf with 2 S-BOXXes and 1 wide S-BOXX
- ▶ 1 open shelf with drop-down front
- ▶ 1 base plinth

WxDxH: approx. 762 x 382 x 1104 mm Weight: approx. 22 kg



MB CI RE-2

- ▶ 1 shelf tray
- ▶ 1 open shelf with drop-down front
- 2 drawers
- ▶ 1 frame traverse ProSafe
- ▶ 1 floor drop front
- ▶ 1 floor lashing rail ProSafe

WxDxH: approx. 762 x 382 x 1104 mm Weight: approx. 29 kg



MB CI RE-3

- ► Spaceframe with integrated ProSafe lashing system
- ▶ 1 shelf tray
- ▶ 2 drawers
- ▶ 1 open shelf with 1 L-BOXX 102 and 1 half-height S-BOXX
- ▶ 1 open shelf with drop-down front
- ▶ 1 floor drop front
- ▶ 1 floor lashing rail ProSafe

WxDxH: approx. 762 x 382 x 1104 mm Weight: approx. 32 kg











MERCEDES-BENZ CITAN


FLOOR-WALL

WHEELBASE: 2697 mm | MODEL YEAR 2012 | SLIDING DOOR RIGHT SIDE

Step 2: Select the appropriate floor.

SOBOGRIP®-PROTECTIVE FLOOR

the protective floor for tough conditions



- Floor made of waterproof glued Nordic birch
- 9 mm protective floor
- Highly scratch and impact resistant
- Custom-fit to your vehicle
- No drilling of the vehicle floor necessary



the entire load securing package

Vehicle type	Wheelbase	Article No.
Citan	2697 mm	1000002880
Citan	2697 mm with wheel house casing	1000003152
Citan	3081 mm	1000002894
Citan	3081 mm with wheel house casing	1000003153

All benefits of the SoboGrip protective assembly floor

multitude of countersunk lashing possibilities

3

Step 3: Select the appropriate side cladding.

PLEASE COMPLETE THE ORDER FORM AND FAX IT TO SORTIMO (see second last page)

(see second last page

SOWAFLEX®


the lightweight & sturdy wall cladding

- Protects the vehicle from the inside against damages
- Highly impact and scratch resistant

• Damp and chemical resistant

- Cut-to-size for all vehicle models
- 100% recyclable honeycomb material
- 60% lighter than wood

Vehicle type	Wheelbase	Roof	Wall cladding	Article No.	
Citan	2697 mm		Side cladding (2/4/6)	331013210	
Citan	2697 mm		Side cladding (1/3/5)	1000001775	
Citan	2697 mm		Sliding door bottom (9)	331013226	
Citan	2697 mm		Sliding door top (10)	331013224	
Citan	2697 mm		Wing door bottom (13/15)	331013229	
Citan	2697 mm		Wing door top (14/16)	331013228	
Citan	3081 mm	H1	Side cladding (2/4/6)	331017383	
Citan	3081 mm	H1	Side cladding (1/3/5)	1000001778	



Sortimo Intelligent Mobility

MERCEDES-BENZ VITO BLOCKS

WHEELBASE: 3200 mm COMPACT | MODEL YEAR 2014 | SLIDING DOOR RIGHT SIDE

Step 1: Select the suitable equipment.



VanPartner by Mercedes-Benz











VIT 14 KO LI-1

- 3 shelf trays
- **2 open shelves** with border
- ▶ 1 open shelf with 2 M-BOXXes with handle
- ▶ 1 open shelf with 2 T-BOXXes
- 2 base plinths

WxDxH: approx. 1730 x 382 x 1204 mm Weight: approx. 49 kg



VIT 14 KO LI-2

- ▶ 1 open shelf with 6 S-BOXXes
- ▶ 1 open shelf with 4 S-BOXXes
- 1 open shelf with 6 half-height S-BOXXes
- ▶ 1 open shelf with border
- 1 open shelf with 2 L-BOXXes 136
- 1 open shelf with 2 L-BOXXes 238
- 1 shelf tray
- ▶ 1 case clamp
- ▶ 1 floor drop front

WxDxH: approx. 1730 x 382 x 1204 mm Weight: approx. 57 kg



VIT 14 KO LI-3

- ► Spaceframe with integrated ProSafe lashing system
- 2 open shelves with 6 S-BOXXes
- 2 open shelves with border
- ▶ 4 drawers
- 2 T-BOXXes on case rails
- 1 case clamp
- ▶ 1 lifting flap
- ▶ 1 floor lashing rail ProSafe

WxDxH: approx. 1730 x 382 x 1204 mm Weight: approx. 70 kg



- 2 shelf trays
- ▶ 1 open shelf with 6 S-BOXXes
- 1 open shelf with border
- ▶ 1 base plinth

WxDxH: approx. 1004 x 382 x 1204 mm Weight: approx. 28 kg



2 open shelves with borders

Weight: approx. 40 kg

- 3 drawers
- ▶ 1 floor drop front



- ► Spaceframe with integrated ProSafe lashing system

 - **2 open shelves** with border
 - 3 drawers
 - ▶ 4 metal cases on case trays

VIT 14 KO RE-3

- ▶ 1 lifting flap
- ▶ 1 floor lashing rail ProSafe
- ▶ 1 work bench slide with vice and swivel vice plate

WxDxH: approx. 1057 x 382 x 1204 mm Weight: approx. 78 kg



WxDxH: approx. 1004 x 382 x 1206 mm









MERCEDES-BENZ VITO BLOCKS

WHEELBASE: 3200 mm LONG | MODEL YEAR 2014 | SLIDING DOOR RIGHT SIDE

Step 1: Select the suitable equipment.




Sortimo's adapter plate turns the L-BOXX into the smallest independent van racking solution for vans.


The adapter plate is fastened to the loading area wall and ensures secure hanging of the L-BOXXes.







EFT SIDE (DRIVERS SIDE)







VIT 14 LA LI-1

- 4 shelf trays
- ▶ 1 open shelf with border
- ▶ 1 open shelf with 6 S-BOXXes
- ▶ 1 open shelf with 2 M-BOXXes
- ▶ 1 open shelf with 2 T-BOXXes
- ▶ 2 base plinths

WxDxH: approx. 1972 x 382 x 1204 mm Weight: approx. 61 kg



VIT 14 LA LI-2

- 2 open shelves with 6 S-BOXXes in each
- ▶ 1 open shelf with border
- 2 shelf trays
- 2 drawers
- 1 case clamp
- 1 floor drop front

WxDxH: approx. 1972 x 382 x 1204 mm Weight: approx. 55 kg



VIT 14 LA LI-3

- ► Spaceframe with integrated ProSafe lashing system
- 1 Composite long components tray
- 2 open shelves with 6 S-BOXXes in each
- 1 open shelf with 6 half-height S-BOXXes
- 1 open shelf with border
- 1 open shelf with 2 L-BOXXes 102 and 1 half-height S-BOXX,
- 1 open shelf with 2 L-BOXXes 136 and
- 2 drawers, 1 case clamp, 1 lifting flap
- ▶ 1 floor lashing rail ProSafe

WxDxH: approx. 1972 x 382 x 1198 mm Weight: approx. 79 kg



- 2 shelf trays
- ▶ 1 open shelf with border

Weight: approx. 29 kg

▶ 1 base plinth



WxDxH: approx. 1004 x 382 x 1024 mm

▶ 1 drawer



- ▶ 3 drawers
- 2 T-BOXXes on case trays
- ▶ 1 metal case on case tray

Weight: approx. 52 kg

▶ 1 floor drop front



► Spaceframe with integrated ProSafe lashing system

1 open shelf with 4 S-BOXXes and 1 wide S-BOXX

VIT 14 LA RE-3

- 1 open shelf with 2 L-BOXXes 102
- ▶ 3 drawers
- ▶ 1 LS-BOXX on case tray
- 1 lifting flap
- 1 floor lashing rail ProSafe
- 1 foldable work bench with vice

WxDxH: approx. 1224 x 382 x 1024 mm Weight: approx. 71 kg













WxDxH: approx. 1004 x 382 x 1024 mm


MERCEDES-BENZ VITO FLOOR-WALL

WHEELBASE: 3200 mm COMPACT / 3200 mm LONG | MODEL YEAR 2014 | SLIDING DOOR RIGHT SIDE

Step 2: Select the appropriate floor.

SOBOGRIP®-PROTECTIVE FLOOR

the protective floor for tough conditions



- Floor made of waterproof glued Nordic birch
- 9 mm protective floor
- Highly scratch and impact resistant
- Custom-fit to your vehicle
- No drilling of the vehicle floor necessary



SOBOGRIP® PROSAFE FLOOR

the entire load securing package

Vehicle type	Wheelbase	Roof	Article No.	
▶ Vito	3200 mm L1	H1	1000003239	
▶ Vito	3200 mm L2	H1	1000003240	
▶ Vito	3430 mm	H1	1000003241	

All benefits of the SoboGrip protective assembly floor

(+) multitude of countersunk lashing possibilities

Step 3: Select the appropriate side cladding.

SOWAFLEX®

- the lightweight & sturdy wall cladding
- Protects the vehicle from the inside against damages
- Highly impact and scratch resistant
- Damp and chemical resistant

- Cut-to-size for all vehicle models
- 100% recyclable honeycomb material
- 60% lighter than wood

Vehicle type	Wheelbase	Roof	Wall cladding	Article No.
▶ Vito	3200 mm L1	H1	Side cladding (1-6)	1000003161
Vito	3200 mm L2	H1	Side cladding (1-6)	1000003162
▶ Vito	3430 mm	H1	Side cladding (1-6)	1000003163
Vito			Sliding door bottom (9)	1000003164
▶ Vito			Sliding door top (10)	1000003165
▶ Vito	all	H1	Wing door bottom (13/15)	33340238
▶ Vito	all	H1	Wing door top (14/16)	33340399
▶ Vito	3200 mm compact/long	H1	Tailgate bottom (17)	1000003453
▶ Vito	3200 mm compact/long	H1	Tailgate top (18)	1000003454


PLEASE COMPLETE THE ORDER FORM **AND FAX IT TO SORTIMO**

(see second last page)

FIND OUT MORE ABOUT SOWAAPP ON PAGE 28/29

SOWAAPP®

- ▶ The extremely sturdy wall cladding made out of aluminium
- Perforated system for a wide range of accessories
- Installed quickly
- Resistant to moisture and chemcials
- Perfectly cut to size for your vehicle type




Vehicle type	Wheelbase	Roof	Wall cladding	Article No.
N 100	0000		0:1 1 1 1 (4.0)	1000000177
▶ Vito	3200 mm L1	H1	Side cladding (1-6)	1000003177
► Vito	3200 mm L2	H1	Side cladding (1-6)	1000003178
▶ Vito	3430 mm	H1	Side cladding (1-6)	1000003179
▶ Vito	all	H1	Wing door top (14/16)	1000003176
▶ Vito	all	H1	Wing door bottom (13/15)	1000003175

MERCEDES-BENZ SPRINTER BLOCKS

WHEELBASE: 3250 mm | MODEL YEAR 2006 | SLIDING DOOR RIGHT SIDE

Step 1: Select the suitable equipment.



LEFT SIDE (DRIVERS SIDE)



VanPartner by Mercedes-Benz







- ▶ 5 shelf trays
- ▶ 1 open shelf with border
- ▶ 1 open shelf with 6 S-BOXXes
- ▶ 1 open shelf with 2 T-BOXXes
- ▶ 1 open shelf with drop-down front
- 2 base plinths

WxDxH: approx. 2214 x 382 x 1527 mm Weight: approx. 69 kg



SP KU LI-2

- 3 shelf trays
- ▶ 1 open shelf with 6 S-BOXXes
- ▶ 1 open shelf with border
- 1 open shelf with 2 L-BOXXes 136
- ▶ 1 open shelf with drop-down front
- ▶ 1 floor drop front
- ▶ 1 case clamp
- WxDxH: approx. 2214 x 382 x 1527 mm Weight: approx. 80 kg



SP KU LI-3

- Spaceframe with integrated ProSafe lashing system
- 3 shelf trays
- 1 open shelf with 7 S-BOXXes
- 2 open shelf with 6 S-BOXXes in each
- ▶ 1 open shelf with 2 L-BOXXes 136
- 1 LS-BOXX on case tray
- 1 open shelf with border
- 1 lifting flap, 1 case clamp
- ▶ 1 floor lashing rail ProSafe

WxDxH: approx. 2214 x 382 x 1544 mm Weight: approx. 103 kg



SP KU RE-1

- 2 shelf trays
- ▶ 1 open shelf with 6 S-BOXXes
- ▶ 1 open shelf with border
- ▶ 1 open shelf with 2 L-BOXXes 136
- ▶ 1 base plinth

WxDxH: approx. 1004 x 382 x 1527 mm Weight: approx. 40 kg



- ▶ 1 shelf tray
- ▶ 1 open shelf with border
- ▶ 1 open shelf with drop-down front
- 3 drawers
- ▶ 1 T-BOXX on case tray
- ▶ 1 L-BOXX 238 on case tray
- ▶ 1 floor drop front

WxDxH: approx. 1246 x 382 x 1527 mm Weight: approx. 60 kg



- ► Spaceframe with integrated ProSafe lashing system
- **2 open shelves** with 5 S-BOXXes in each and 1 wide S-BOXX
- 1 open shelf with 2 L-BOXXes 102 and
- 1 open shelf with 2 L-BOXXes 136 and 1 S-BOXX
- ▶ 1 T-BOXX on case tray 1 L-BOXX 238 on case tray
- ▶ 1 lifting flap, 3 drawers, 1 floor lashing rail ProSafe,
- 1 folding work bench with vice

WxDxH: approx. 1466 x 382 x 1563 mm Weight: approx. 99 kg











MERCEDES-BENZ SPRINTER

BLOCKS

WHEELBASE: 3665 mm | MODEL YEAR 2006 | SLIDING DOOR RIGHT SIDE

SET OF BOXXES ORIGINAL SORTIMO BOXXES (+) ADAPTER PLATE


Sortimo's adapter plate turns the L-BOXX into the smallest independent van racking solution for vans.

The adapter plate is fastened to the loading area wall and ensures secure hanging of the L-BOXXes.




VanPartner by Mercedes-Benz

Step 1: Select the suitable equipment.



LEFT SIDE (DRIVERS SIDE)



RIGHT SIDE

SP MI LI-1

- ▶ 5 shelf trays
- **2 open shelves** with border
- ▶ 2 open shelves with 7 S-BOXXes in each and 1 wide S-BOXX
- ▶ 1 open shelf with 3 L-BOXXes 136
- ▶ 2 base plinths

WxDxH: approx. 2940 x 382 x 1648 mm Weight: approx. 99 kg



SP MI LI-2

- 3 shelf trays
- 3 open shelves with border
- 2 open shelves with 7 S-BOXXes in each and 1 wide S-BOXX in each
- ▶ 1 open shelf with 3 L-BOXXes 136
- ▶ 1 LS-BOXX on case tray
- ▶ 3 drawers
- 2 floor drop fronts

WxDxH: approx. 2940 x 382 x 1648 mm Weight: approx. 126 kg



SP MI LI-3

- Spaceframe with integrated ProSafe lashing system
- 1 Composite long components tray
- 4 open shelves with 7 S-BOXXes in each and 1 wide S-BOXX
- 2 open shelves with borders 1 open shelf with 3 L-BOXXes 102 1 open shelf with 3 L-BOXXes 136 1 open shelf with 3 L-BOXXes 238
- 1 LS-BOXX on case tray, 3 drawers
- ▶ 1 lifting flap, 1 case clamp
- ▶ 1 floor lashing rail ProSafe
- WxDxH: approx. 2940 x 382 x 1732 mm Weight: approx. 157 kg



SP MI RE-1

▶ 1 open shelf with 7 S-BOXXes and 1 wide S-BOXX

WxDxH: approx. 1488 x 382 x 1716 mm

Weight: approx. 42 kg

- 3 shelf trays
- ▶ 1 base plinth



(PASSENGERS SIDE)

SP MI RE-2

- 2 shelf trays
- ▶ 1 open shelf with border
- 1 open shelf with 7 S-BOXXes and 1 wide S-BOXX
- ▶ 1 open shelf with 3 T-BOXXes
- 1 open shelf with 3 M-BOXXes with handles
- 1 floor drop front

WxDxH: approx. 1488 x 382 x 1648 mm Weight: approx. 68 kg



- ► Spaceframe with integrated ProSafe lashing system
- 1 shelf tray
- 1 open shelf with border
- ▶ 1 open shelf with 7 S-BOXXes and 1 wide S-BOXX
- ▶ 7 drawers. 1 LS-BOXX on case trav
- ▶ 1 open shelf with 3 L-BOXXes 136
- ▶ 1 lifting flap
- ▶ 1 floor lashing rail ProSafe
- ▶ 1 folding work bench with vice

WxDxH: approx. 1708 x 382 x 1648 mm Weight: approx. 115 kg











MERCEDES-BENZ SPRINTER FLOOR-WALL


WHEELBASE: 3250 / 3665 mm | MODEL YEAR 2006 | SLIDING DOOR RIGHT SIDE

2

Step 2: Select the appropriate floor.

SOBOGRIP®-PROTECTIVE FLOOR

the protective floor for tough conditions



- Floor made of waterproof
- glued Nordic birch

 9 mm protective floor
- Highly scratch and impact resistant
- Custom-fit to your vehicle
- No drilling of the vehicle floor necessary



the entire load securing package

Vehicle type	Wheelbase	Article No.	
Sprinter	3250	1000002993	
Sprinter	3665	1000002730	
Sprinter	4325	1000002731	
Sprinter	4325 overhang	1000002732	

All benefits of the SoboGrip protective assembly floor

multitude of countersunk lashing possibilities

3

Step 3: Select the appropriate side cladding.

SOWAFLEX®

- the lightweight & sturdy wall cladding
- Protects the vehicle from the inside against damages
- Highly impact and scratch resistant

• Damp and chemical resistant

- Cut-to-size for all vehicle models
- 100% recyclable honeycomb material
- 60% lighter than wood

Vehicle type	Wheelbase	Roof	Wall cladding	Article No.
► Sprinter	3250 mm	H1/H2	Side cladding (1-6)	331009617
▶ Sprinter	3665 mm	H1/H2/H3	Side cladding (1-6)	331009619
▶ Sprinter	3250 mm	H1/H2	Sliding door bottom (9)	331009622
▶ Sprinter	3250 mm	H1/H2	Sliding door top (10)	331009621
▶ Sprinter	3665 mm	H1/H2/H3	Sliding door bottom (9)	331009624
▶ Sprinter	3665 mm	H1/H2/H3	Sliding door top (10)	331009623
► Sprinter	3250/3665 mm	H1/H2/H3	Wing door bottom (13/15)	331009626*
▶ Sprinter	3250/3665 mm	H1/H2/H3	Wing door top (14/16)	331009625
▶ Sprinter	4325 mm	H2/H3	Side cladding (1-6)	331009659
► Sprinter	4325 mm overhang	H2/H3	Side cladding (1-6)	331009661

* not in connection with a rear window wiper


PLEASE COMPLETE THE ORDER FORM AND FAX IT TO SORTIMO

(see second last page)

FIND OUT MORE ABOUT SOWAAPP ON PAGE 28/29

SOWAAPP®

- ▶ The extremely sturdy wall cladding made out of aluminium
- Perforated system for a wide range of accessories
- Installed quickly
- Resistant to moisture and chemcials
- Perfectly cut to size for your vehicle type



Vehicle type	Wheelbase	Roof	Wall cladding	Article No.
► Sprinter	3250 mm	H1/H2	Side cladding (1-6)	1000003115
▶ Sprinter	3665 mm	H1/H2	Side cladding (1-6)	1000003116
▶ Sprinter	4325 mm	H2	Side cladding (1-6)	1000004406
▶ Sprinter	3250/3665 mm	H1/H2	Wing door top (14/16)	1000003079
▶ Sprinter	3250/3665 mm	H1/H2	Wing door bottom (13/15)	1000003081*

 $^{^{\}ast}$ not in connection with a rear window wiper



PROSAFE SAFETY SERIES PRODUCTION





ProSafe is integrated as a standard in the load safety system from Sortimo.

The lashing belts and load safety nets can be hooked in uprights, frames, traverses and floor rails without difficulty. ProSafe makes load safety possible in no time at all.

Your benefits:

- √ You and your freight are safe on the road
- √ You preserve your material
- √ You save on time, weight and money







ProSafe bungee strapThe ProSafe bungee strap suits perfectly for the fixation of bulky goods in a vehicle.

CargoStopp ProSafe

The CargoStopp allows for reliable load safety on the vehicle safety floor. It is inserted into the ProSafe floor lashing point with its hook.

SOBOGRIP PROSAFE PROTECTIVE FLOOR

SECURE, TIME SAVING AND SIMPLE!

The SoboGrip ProSafe protective floor is an innovative and professional load securing concept from Sortimo which enables a completely flexible lashing of goods on the floor. That way, goods can be secured more quickly, more diversely and more efficiently than ever before. In addition the SoboGrip ProSafe floor is compatible with all ProSafe applications, such as for example straps or restraint poles and enables a quick and easy assembly of Sortimo van racking systems by means of preconfigured connection points.

The Sortimo SoboGrip ProSafe protective floor is the modular base load securing concept with

- √ highest safety standard,
- √ variable applicability,
- √ optimum efficiency for your workday!



26

SOWAAPP – THE ALUMINIUM PROTECTIVE WALL

THE MULTI-FUNCTIONAL PROTECTION FOR YOUR VEHICLE!

The new SoWaApp wall cladding not only protects your vehicle against scratches or damages, but also enables a simple fastening of hooks and extensive accessories for the storing of tools.


The moisture-resistant and robust wall cladding is cut to custom-fit your vehicle and serves as a system cladding e.g. above work benches.

The clever Sortimo system perforation enables the fastening of a range of accessories such as hooks, hose holders, storage pockets, i-BOXX holders, tool hooks, and many more.

The benefits at a glance:

- √ Loading area protection
- ✓ Aluminium 1 mm
- √ Possible direct fastening of accessories with optional strengthening set
- √ Fast installation by means of preset fastening boreholes
- √ Moisture-resistant and robust
- ✓ Cut accurately to fit your vehicle exactly
- √ deal as a system cladding e.g. above work benches

EVERYTHING READY AT HAND AND STOWED AWAY QUICKLY WITH THE SOWAAPP ACCESSORIES:





sortimo.com/catalogues

Please find more SoWaApp accessories in our original accessories catalogue.

You may request this quite simply using the info voucher or by scanning the QR code.



TOPSYSTEM – FLEXIBLE LOAD SECURITY ON THE VEHICLE ROOF



Ladder lift rear

The ladder lift is suitable for the convenient transport of heavy ladders. Lifting and lashing of ladders is no longer required thanks to the hydraulic cylinder supported lift system. That way one and multi-part ladders can be conveniently handled from the ground. The ladder lift is available in two basic lengths, 2.5 and 3 meters.



Loading roller

The ideal aid for heavy or large transport goods. The loading roller helps to load and unload goods onto and off of the roof very conveniently.

It is available in all cross profile widths and is positioned in between the side rails




ProSafe

ProSafe enables the integrated serial production in the Top System from Sortimo. ProSafe lashing straps can be hooked into the cross members without any difficulty. ProSafe makes load securing possible in no time at all.

Cross members

Every TopSystem Cross member, whether the basic or the premium variation, allows a revenue load of 50 kilo.



Side rail

The aluminium side rail serves the purpose of stability and integrates any amount of cross profiles. The company logo can be applied to the side rail.



Aluminium Transport tube

The perfect extension of the TopSystem.
Can transport long goods dry and secure.
The cover/endcap is lockable.
The aluminium transport tube is available in the basic lengths 2, 3 and 5 metres made

of plastic.



Lighting systems

Warning lights for securing your work area are the perfect extension for your roof racking system. We provide a warning halogen beacon with plug socket, LES beacon yellow with plug socket and LED beacon yellow with magnetic base/socket.



Load stopper 150

The load stopper 150 consists of corrosion resistant stainless steel, therefore no coating is necessary. It can be used as a transport tube, as a load stopper from the side or even for securing a ladder. In addition it can be retrofitted onto the cross members and has a very good noise behaviour.



sortimo.com



ORIGINAL ACCESSORIES FROM SORTIMO

MOBILE ASSORTMENTS PORTABLE ORDER FROM THE START

With the help of **Sortimo's industry-specific Original Accessories** our Xpress racks can be customised to your individual needs. The convenient perforated aluminium plate for example offers the ideal place to attach hooks and holders for tools and documents

PRIMENTS

Moreover, customised partitions and divider sets for drawers or trays, storage pockets, lashing rails, workbenches and much more facilitate the best usage of your vehicle.



Discover more in our brochures Original Accessories and Mobile Assortments:

Download on: **sortimo.com/brochures**. or order via the form on **page 37**.

Sortimo offers a great variety of **Mobile Assortments** in terms of cases and **BOXXes**, which can be

combined with one another and are compatible with the van racking solutions.



PARTNER APPs

Not only Sortimo customers are convinced of our BOXXes, but renowned manufacturers as well.

They use the **Sortimo L-BOXX** as a transportation box and outer packaging. Thanks to continuous new partners the L-BOXXes become true partner apps with a variety of application options.

Regardless from which manufacturer you acquire a Sortimo BOXX, the system stays the same and **is of course compatible with the Sortimo van racking solutions.**

Your benefits:

- √ You can easily take the BOXXes with you to the site
 of operation.
- √ You keep order in your vehicle and at your workplace.
- √ Your tools, machines, small and spare parts are securely stored in the vehicle.





















SORTIMO IN GERMANY BRANCH OFFICES AND PARTNERS

HEADQUARTERS Dreilindenstraße 5 86441 Zusmarshausen Tel. +49 8291 850-0

Fax +49 8291 850-250 Email: info@sortimo.com sortimo.com

Sortimo branch office Berlin

Gartenfelderstraße 15 13599 Berlin Tel. 030 2005370-0 Fax 030 2005370-19 Fmail: berlin@sortimo.de

Sortimo branch office Dresden

Hamburger Straße 14 01067 Dresden Tel. 0351 207362-0 Fax 0351 207362-29 Email: dresden@sortimo.de

Fabian Ruge

99094 Erfurt Can be contacted via Dresden office

Lutz Stelzner

04178 Leipzig Can be contacted via Dresden office

Jörg Schäfer

02906 Niesky Can be contacted via Dresden office

Sortimo branch office Düsseldorf

Bonner Straße 205 40589 Düsseldorf Tel 0211 889206-0 Fax 0211 889206-11 Email: duesseldorf@sortimo.de

Sortimo branch office Frankfurt/Main

Waldstraße 74 63128 Dietzenbach Tel. 06074 91456-0 Fax 06074 91456-22 Email: frankfurt@sortimo.de

Günter Hund

66119 Saarbrücken Can be contacted via Frankfurt/Main office

SORTIMO INTERNATIONAL GmbH Emsbüre Sortimo edt Magdeburg Bad Düben Essen Sortimo Sortimo ■ Fulda ■ Koblenz ankfurt/Main Schweinfur **Sortimo** Mannhein Heilbronn Sortimo branch office Sortimo Calw ngen/Stuttgart Sales representative Sortimo branch office **Sortimo** Headquarters Sortimo partner Teningen □ Sales representative Sortimo partner **Sortimo** Unterschleißhe

Sortimo branch office Hamburg

Ausschläger Allee 178 20539 Hamburg Tel. 040 571954-0 Fax 040 571954-54 Email: hamburg@sortimo.de

Sortimo branch office Munich

Landshuter Straße 13 85716 Unterschleißheim Tel. 089 37004560 Fax 089 37004589 Email: muenchen@sortimo.de

Manfred Rieder 84028 Landshut

Can be contacted via München office **Christian Schmaus** 83278 Traunstein

Can be contacted via

München office

Sortimo branch office Nürnberg

Benno-Strauß-Straße 37 90763 Fürth Tel. 0911 48035-35 Fax 0911 48035-36 Email: nuernberg@sortimo.de

Sortimo branch office Stuttgart

Nürtinger Straße 50 73257 Köngen Tel. 07024 9726-0 Fax 07024 9726-10 Email: stuttgart@sortimo.de

Sortimo branch office Zusmarshausen

Dreilindenstraße 5 86441 Zusmarshausen Tel 08291 850-149 Fax 08291 850-253 Email: zusmarshausen@sortimo.de

Sortimo partner Bad Düben

Rolf Frömmiche Hauptstraße 10 04849 Authausen Tel. 034243 26234 Fax 034243 22114 Email: sortimo-froemmichen@gmx.de

Sortimo partner Berlin

IFP GmbH Buckower Chaussee 85 12277 Rerlin Tel. 030 72016005 Fax 030 89726753 Email: ifp-berlin@t-online.de

Sortimo partner Bremen, Braunschweig, Celle

Wilfried Klatt GmbH Burger Landstraße 1 a 29229 Celle Im Finigen 15 28832 Achim Tel. 04202 521730 Fax 04202 521732 Email: info@klatt-sortimo.de

Sortimo partner Brüggen Bartsch + Feikes GmbH

Weihersfeld 18 41379 Brüggen Tel. 02163 9997-0 Fax 02163 9997-77 Email: info@bartsch-feikes.de

Sortimo partner Emsbüren

Fahrzeugbau Dülmer GmbH & Co. KG Tel 05903 93551-0 Fax 05903 93551-18 F-Mail: thomas.duelmer@ fahrzeugbau-duelmer.de

Sortimo partner Essen

Heiko Dworak GmbH & Co. Verwaltungs KG Johanniskirchstraße 98 45329 Essen Tel. 0201 747008-1 Fax 0201 747008-3 Email: hdworak@sortimo-essen.de

Sortimo partner Fulda

Josef Leibold GmbH Philipp-Reis-Straße 19-21 36093 Künzell Tel. 0661 31019 Email: hojo@leibold-karosseriebau.de

Sortimo partner Gera

PFK Eickmeier GmbH & Co. KG Wiesenring 8 07554 Korbußen Fax 036602 241-23 Email: pfk-eickmeier@t-online.de

Sortimo partner Gerstetten Klaus Fries

Amselweg 5 89547 Gerstetten Tel. 07323 3907 Fax 07323 921867 Email: sortimo-station-gerstetten@t-online.de

Sortimo partner Halle

Gruber Fahrzeugbau GmbH 06184 Kabelsketal OT Dölbau Tel. 034602 4364-0 Fax 034602 4364-13 Email: info@gruber-sortimo.de

Sortimo partner Hanover HIG GmbH

Molkereistraße 33 30826 Garbsen Tel. 05131 4829 930 Fax 05131 48299359 Email: vertrieb@hig-hannover.de

Sortimo partner Heilbronn Hartmut Stöckel

Sägmühlstraße 45 74930 Ittlingen Tel. 07266 911555 Fax 07266 911557 Mobil 0173 3257383 Email: stoeckel.fahrzeugbau@t-online.de

Sortimo partner Kassel-Göttingen

Peter Welsch Handelsvertretung GmbH Ellenbacher Straße 6 34123 Kassel Tel. 0561 524300 Fax 0561 5296810 Email: info@sortimo-kassel.de

Sortimo partner Koblenz

L & S GmbH & Co. KG Gebrüder-Pauken-Str. 10 56218 Mülheim-Kärlich Tel. 02630 95652-0 Fax 02630 95652-29 Email: info@ls-fahrzeugeinrichtungen.de

Sortimo partner Magdeburg

Lohanser GmbH Geschwister-Scholl-Straße 147 39218 Schönebeck (Flbe) Tel. 03928 4102-76 Fax 03928 4102-77 Email: info@lohanser.de

Sortimo partner Mainz

soflex GmbH An der Krimm 25 55124 Mainz Tel. 06131 1444266 Fax 06131 1444445 Email: mastel@soflex-ma.de

Sortimo partner Mannheim

soflex GmbH Schildkrötstraße 29 68199 Mannheim Tel. 0621 84254-0 Fax 0621 84254-29 Email: contact@soflex-ma.de

Sortimo partner Kaiserslautern

soflex GmhH Kaiserstrasse 74 67661 Kaiserslautern Tel. 0631 3507545 Fax 0631 3507776 Email: lang@soflex-ma.de

Sortimo partner Marl

Gahlen Fahrzeugeinrichtungen und Anhänger Vertriebs GmbH Boschstraße 6 45770 Marl Tel 02365 81911 Fax 02365 508161 Email: gahlen-sortimo@t-online.de

Sortimo partner Ostwestfalen-Lippe

THL GmbH Stadtheider Straße 1-3 33609 Bielefeld Tel. 0521 30443-0 Fax 0521 30443-22 Fmail: info@thl-bielefeld.de

Sortimo partner Pforzheim

Sortimo Station Pforzheim HS Fahrzeug- und Betriebseinrichtungen GmbH Hoheneichstraße 48 75217 Birkenfeld Tel. 07231 80019-0 Fax 07231 80019-19 Email: info@sspf.de

Sortimo partner Schweinfurt

Karl-Heinz Maar Kreuzstraße 2 97532 Üchtelhausen Tel. 09720 1882 Fax 09720 3923 Email: karl-heinz.maar@t-online.de

Sortimo partner Schwerin

HGS Fahrzeug- u. Betriebseinrichtungen GmbH Lindenweg 1 19075 Pampow/Schwerin Tel. 03865 829-0 Fax 03865 82922 Email: info@hgs-sortimo-schwerin.de

Sortimo partner Solingen

Manfred Becker Kyllmannweg 29 42699 Solingen Tel. 0212 320001 Fax 0212 320003 Email: info@sortimo-solingen.de

Sortimo partner Teningen

SiTraFa GmbH & Co. KG Siemensstaße 16 79331 Teningen-Nimburg Tel. 07663 913080 Fax 07663 913089 Fmail: bzoller@sitrafa.de

Sortimo partner Weser-Ems

C.A. Brill GmbH 48527 Nordhorn Tel. 05921 7800-341 Fax 05921 7800-10 Email: m.jansen@ca-brill.de

Sortimo partner Wetzlar

Auto-Schach GmbH & Co. KG Industriestraße 15-17 35582 Wetzlar-Dutenhofen Tel. 0641 97901-0 Fax 0641 97901-10 Email: info@auto-schach.de





Simply fill out the form and fax it to Sortimo +49 8291 850-269

free of charge and without obligation:

Please send me further information and brochures



WE ARE ALWAYS THERE FOR YOU! YOUR CONTACT TO SORTIMO

Tel. +49 8291 850-499 Fax +49 8291 850-269 E-Mail: direct@sortimo.com sortimo.com/direct



☐ Mobile Assortments Brochure	No.	COLUMN A
☐ Sortimo Original Accessories Brochu	ire	P. D. Company
☐ Sortimo WorkMo Brochure		MOBILE WORKSTATION
☐ Sortimo TopSystem Brochure		The state of the s
☐ I would like to have a consultation to van racking solutions. Please call me with no obligation.		
My telephone number is:		_
☐ I would like to subscribe to the Sortin	no Newsletter free of charge.	
My e-mail address is:		
Company name		
Surname, first name		
Street	Postcode City	
Tel.	Fax	
e-mail	Line of business	
	Date Signature (com	npany stamp)

Sortimo International GmbH Dreilindenstraße 5 · 86441 Zusmarshausen · Germany Tel. +49 8291 850-499 · Fax +49 8291 850-269 · sortimo.com







ORDER FORM

Copy and complete this order form and send it to a Sortimo distribution partner or

directly fax it to Sortimo: +49 8291 850-269


Your Sortimo Direct Team is at your service Monday – Thursday 8.00 – 18.00 and Friday 8.00 – 16.00

Tel. +49 8291 850-499 · E-Mail: direct@sortimo.com · sortimo.com

*Prices exclu	usive	of \	VAT
---------------	-------	------	-----

Article No.	Description	without BOXXes	Price* €	Order quantity	Total price€
				Total amount:	€

Company		
Surname, fi	rst name	
Street		Postcode City
Tel.		Fax
e-mail		Line of business
		The delivery is exclusively subject to our general terms of sale, which you can access under sortimo.com/agb. Subject to change. We would be pleased to prepare an offer for your individual van racking solution!
Date	Signature (company stamp)	The entire collection, processing and utilisation of personal data is carried out in accordance with the relevant legal data protection provisions. You can access our data protection provisions under sortimo-shop.de.
		Sortimo International GmbH · Dreilindenstraße 5 · 86441 Zusmarshausen Tel. +49 8291 850-499 · Fax +49 8291 850-269 · sortimo.com





For more information SORTIMO.COM

