

**xpress**

**Sortimo®**  
Intelligent Mobility



# PEUGEOT OUTSIDE – SORTIMO INSIDE

Made for professionals



**PEUGEOT**  
PROFESSIONAL





## ICONS + FEATURES

**xpress**

**Time is money** – Fast delivery and installation are guaranteed.



**3 years warranty** – Sortimo offers a 3 year guarantee on these products.



**Upgrade** – This very flexible product can be individually combined with other Sortimo products.



**Crash tested** – This product fulfills the high safety requirements of Sortimo. In co-ordination with the German TÜV, DEKRA and the ADAC, the equipment has been successfully crash-tested in simulated emergencies.



**Lightweight yet robust** – This product combines modern lightweight construction with utmost stability.



**ProSafe** – The lashing point for the ProSafe hooks are already integrated in the equipment and quickly ready for use.



**CO<sub>2</sub> reduction** – Based on modern lightweight construction, the weight of the equipment has been considerably reduced to save on petrol and reduce CO<sub>2</sub> emissions.

## PEUGEOT AND SORTIMO – COMPREHENSIVELY CARE-FREE

### Buying a vehicle is a matter of trust

You have chosen a Peugeot CV because you set value on quality and individual benefits. But quality and individual benefit should not know any boundaries.

This is why Sortimo is exactly the right choice if you wish to have a van racking solution. We open up new horizons with intelligent solutions for your individual requirements.

### Your benefits

We have perfectly fitted equipment for your transporter, because we develop our solutions together with Peugeot. The Sortimo shelves are tailored to exactly match the already existing fastening points in your vehicle. Therefore you no longer have to put up with any damage to the body of your transporter.

**Individually for you, perfect fit for your Peugeot.**




# CRASH TEST

## We've driven our products into the wall - successfully

All Sortimo van racking solutions have been crash tested. In co-operation with the German TÜV, Dekra and ADAC, Sortimo simulates the emergency under real conditions, so that your load won't become a life-threatening projectile in case of a crash.

At a barrier impact speed of 50 km/h, the Sortimo products are literally driven into the wall. This way we ensure that our van racking solutions also meet the high demands of Sortimo when it comes to safety.

Only those which pass their on-road test are good enough for our customers.



# OUR PACKAGE FOR YOU

The exact van racking system matching your requirements and your Peugeot.

## GLOBELYST XPRESS

from page 8

Globelyst scores with its modular system, which can be changed or extended as you wish, at any time. **Xpress** describes van racking solutions of the Globelyst product line, which **perfectly fit to your Peugeot Bipper, Partner, Expert or Boxer** and are delivered and installed in Xpress time.



## PROSAFE

from page 30

With the **ProSafe lashing system** both you and your transport are safe on the road. The integrated load securing system ProSafe from Sortimo enables a **quick and easy lashing of loads** and thereby provides not only for safety but also for order and an efficient operational management.

Since 2014 Sortimo offers in addition as sole manufacturer an entire load securing package as a complete solution for your Transporter with its **SoboGrip ProSafe floor**.

Further information can be found on **page 30**.



## THE PACKAGE:

Predefined van racking solution with maximum use of space

- + attractive price-performance ratio
- + everything from a single source

With the **Sortimo load safety system**, the **BOXes** and the **case programme**, as well as with the extensive **Original Accessories** your individuality does not have set boundaries.

You can find further information on this from **page 30 to 37**.

from page 30-37





# LOBELYST – YOUR ADVANTAGES



## 1. Cost savings

Keep on driving. While others are still refueling, you are on your way to the next customer.

## 2. Time savings

No need for you to work extra hours. More than 50% of your colleagues are unproductively wasting more than one hour a day in their transporter. Be smarter. From now on, tools left behind, damaged goods and cluttered small parts are a thing of the past.

## 3. Load Safety

ProSafe – The safety belt for both your cargo and your life. Integrated load safety – as standard for the first time.

## 4. Flexibility

Have everything your own way, we are accommodating your requirements. At Sortimo, you are the designer for your van racking system and you decide where your tools, machines and goods are safely stowed. All individual components can be freely combined.

## 5. Lightweight construction

Keep on loading. Consistent lightweight construction allows you to add more payload. Compared to conventional van racking solutions, Globelyst saves up to 50% weight. Go and compare for yourself!

## 6. Innovative

That's just who we are, we can't do it any other way. For over 40 years now, we have been investing in future-oriented technologies and are developing innovative solutions to make your work easier. Go and decide for yourself!

## 7. Quality

Durable – sturdy – tested – sustainable. We are regularly conducting crash tests and quality checks for your safe investment. All drawer bodies and trays are made from highly-durable sheet steel, and are powder-coated to guarantee permanent corrosion protection and rule out any risk of injury from sharp edges. Made in Germany.

## 8. Image

It is like in a personal relationship: first impressions count. Show your customer that you are a professional. Your transporter is the business card of your company.



# GLOBELYST - AT A GLANCE



## Composite long components tray

The long components tray allows you to transport longer items in the vehicle without any problem.

## Sortimo S-BOXX

Sortimo's S-BOXXes are available in four heights, two widths and three depths. They are the ideal container for small components, spare parts or screws and can be securely locked on the shelf. You can pull the drawer out for easy access to all parts.

## Sortimo i-BOXX

The i-BOXXes from Sortimo are clever little storage solutions that can be used on their own or as part of the LS-BOXX. They are available in two heights and can be fitted with Inset boxes.

## Sortimo Accessories

Original accessories from Sortimo are practical supplementary products for all trades and industries. From the cable holder to the cable hook – Sortimo will fulfill your requirements.

## Racks and trays

Up to the last corner, the space in your vehicle can be utilised: Tools and spare parts can be neatly arranged in the racks and trays of Globelyst.

## Floor front

Floor fronts provide for order, visual cover and safety in the vehicle.

## i-BOXX Adaptor plate

Your i-BOXX is securely locked in place during transport with the aid of the i-BOXX holder. The holder can be screwed to the perforated side panel or to the vehicle itself.

## Case clamp

Secures tool and machine cases and can be positioned in no time.

## Shutter

With the shutter made out of hollow-chamber profiles, load safety and visual cover takes only one movement. The optional lock provides additional protection against unauthorized access.

## ProSafe

The load safety system is integrated into the poles and traverses of the van racking solution.

## Sortimo L-BOXX and LS-BOXX

Mobile plastic boxes with a wide variety of possible partitions, available in five heights. L-BOXXes can be quickly click-joined with each other and transported as one.

## Sortimo T-BOXX

Thanks to the practical plastic case with the transparent lid you can see right away what is in the BOXX. The T-BOXX can be safely stored in the vehicle equipment.

## Sortimo M-BOXX

A large mobile box with handle, also available with a lid. The M-BOXX locks in the system and can also be used as a drawer.

## Metal case

The original case is available in many different variants. The case is on rails and can be pulled out completely.

## Drawers

The new drawers with their user-friendly handles made from impact-resistant plastic are fully extendible and can be loaded with up to 80 kg. They are available in four different widths and heights.

## Workbenches

Sortimo workbenches turn your van into a mobile workshop. Both, folding and extendible workbenches are available and can be supplemented with a rotating vice plate and a vice.

## MultiSlide

The MultiSlide allows an easy handling of all cases and BOXXes. With the full-extension slide the lids can be opened completely and small parts and tools can be accessed quickly.

## Safety and protective floors



The basis for your van racking system is the safety or protective floor. You can choose between a variety of floors. The floors are cut to size for different vehicle models, offer integrated lashing possibilities and protect the vehicle floor from damage.

## PEUGEOT BIPPER BLOCKS

WHEELBASE: 2513 mm | MODEL YEAR 2008 | SLIDING DOOR RIGHT SIDE

1

Step 1: Select the suitable equipment.

LEFT SIDE  
(DRIVERS SIDE)RIGHT SIDE  
(PASSENGERS SIDE)

BI LI-1

- ▶ 2 shelf trays
- ▶ 1 open shelf with border
- ▶ 1 base plinth

▶ WxDxH: approx. 1004 x 382 x 1017 mm  
Weight: approx. 25 kg



BI LI-2

- ▶ 1 shelf tray
- ▶ 1 open shelf with border
- ▶ 1 open shelf with 6 half-height S-BOXEs
- ▶ 1 open shelf with 2 M-BOXEs with handle
- ▶ 1 floor drop front

▶ WxDxH: approx. 1004 x 382 x 1017 mm  
Weight: approx. 34 kg



BI LI-3

- ▶ Spaceframe with integrated ProSafe lashing system
- ▶ 1 shelf tray
- ▶ 2 T-BOXEs on case rails
- ▶ 1 metal case on case tray
- ▶ 3 drawers
- ▶ 1 lifting flap
- ▶ 1 floor lashing rail ProSafe

▶ WxDxH: approx. 1004 x 382 x 1017 mm  
Weight: approx. 48 kg



BI RE-1

- ▶ 1 shelf tray
- ▶ 2 open shelves with borders
- ▶ 1 base plinth

▶ WxDxH: approx. 762 x 270 x 1000 mm  
Weight: approx. 16 kg



BI RE-2

- ▶ 1 shelf tray
- ▶ 1 open shelf with border
- ▶ 1 open shelf with 2 S-BOXEs and 1 wide S-BOX
- ▶ 1 floor drop front

▶ WxDxH: approx. 762 x 270 x 1000 mm  
Weight: approx. 16 kg



BI RE-3

- ▶ Spaceframe with integrated ProSafe lashing system
- ▶ 1 shelf tray
- ▶ 2 open shelves with 2 S-BOXEs in each and 1 wide S-BOX
- ▶ 1 lifting flap
- ▶ 1 floor lashing rail ProSafe

▶ WxDxH: approx. 762 x 270 x 1000 mm  
Weight: approx. 21 kg





# PEUGEOT BIPPER FLOOR-WALL

WHEELBASE: 2513 mm | MODEL YEAR 2008 | SLIDING DOOR RIGHT SIDE

2

Step 2: Select the appropriate floor.



## SOBOGRIP®-PROTECTIVE FLOOR

► the protective floor for tough conditions

Vehicle type	Wheelbase	Article No.
► Bipper	2513 mm	331012740

- Floor made of waterproof glued Nordic birch
- 9 mm protective floor
- Highly scratch and impact resistant
- Custom-fit to your vehicle
- No drilling of the vehicle floor necessary

## SOBOGRIP® PROSAFE FLOOR

► the entire load securing package

Vehicle type	Wheelbase	Article No.
► Bipper	2513 mm	1000003131

All benefits of the SoboGrip protective assembly floor

- ➕ multitude of countersunk lashing possibilities



3


Step 3: Select the appropriate side cladding.

## SOWAFLEX®

► the lightweight & sturdy wall cladding

- Protects the vehicle from the inside against damages
  - Highly impact and scratch resistant
  - Damp and chemical resistant
- Cut-to-size for all vehicle models
  - 100% recyclable honeycomb material
  - 60% lighter than wood

Vehicle type	Wheelbase	Roof	Wall cladding	Article No.
► Bipper	2513 mm	H1	Side cladding 2/4/6	331012741
► Bipper	2513 mm	H1	Sliding door top 10	331012743
► Bipper	2513 mm	H1	Wing door top 14/16	331012742



Wall cladding selection


PLEASE COMPLETE THE ORDER FORM  
AND FAX IT TO SORTIMO  
(see second last page)

# PEUGEOT PARTNER BLOCKS

WHEELBASE: 2728 mm | MODEL YEAR 2008 | SLIDING DOOR RIGHT SIDE


1

Step 1: Select the suitable equipment.



## LEFT SIDE

(DRIVERS SIDE)



## RIGHT SIDE

(PASSENGERS SIDE)



PA LI-1

- ▶ 2 shelf trays
- ▶ 1 open shelf with border
- ▶ 1 base plinth

▶ WxDxH: approx. 1246 x 382 x 1036 mm  
Weight: approx. 27 kg



PA LI-2

- ▶ 1 shelf tray
- ▶ 1 open shelf with 3 S-BOXEs and 2 wide S-BOXEs
- ▶ 1 open shelf with drop-down front
- ▶ 1 floor drop front

▶ WxDxH: approx. 1246 x 382 x 1036 mm  
Weight: approx. 29 kg



PA LI-3

- ▶ Spaceframe with integrated ProSafe lashing system
- ▶ 1 shelf tray
- ▶ 2 T-BOXEs on case rails
- ▶ 2 drawers
- ▶ 1 open shelf with 3 S-BOXEs and 2 wide S-BOXEs
- ▶ 1 lifting flap
- ▶ 1 floor lashing rail ProSafe

▶ WxDxH: approx. 1246 x 382 x 1036 mm  
Weight: approx. 46 kg



PA RE-1

- ▶ 2 shelf trays
- ▶ 1 open shelf with border
- ▶ 1 base plinth

▶ WxDxH: approx. 762 x 382 x 1036 mm  
Weight: approx. 19 kg



PA RE-2

- ▶ 1 open shelf with border
- ▶ 1 T-BOX on case rail
- ▶ 1 M-BOX with handle and lid on Mobilbox plastic slide
- ▶ 1 shelf tray
- ▶ 1 floor drop front

▶ WxDxH: approx. 520 x 382 x 1036 mm  
Weight: approx. 19 kg



PA RE-3

- ▶ Spaceframe with integrated ProSafe lashing system
- ▶ 1 shelf tray
- ▶ 2 drawers
- ▶ 1 open shelf with 4 S-BOXEs
- ▶ 1 lifting flap
- ▶ 1 floor lashing rail ProSafe

▶ WxDxH: approx. 762 x 382 x 1036 mm  
Weight: approx. 31 kg





# PEUGEOT PARTNER FLOOR-WALL

WHEELBASE: 2728 mm | MODEL YEAR 2008 | SLIDING DOOR RIGHT SIDE

2

Step 2: Select the appropriate floor.

## SOBOGRIP®-PROTECTIVE FLOOR

► the protective floor for tough conditions



Vehicle type	Wheelbase	Article No.
► Partner	2728 mm L1	331013232
► Partner	2728 mm L2	331014401

- Floor made of waterproof glued Nordic birch
- 9 mm protective floor
- Highly scratch and impact resistant
- Custom-fit to your vehicle
- No drilling of the vehicle floor necessary

## SOBOGRIP® PROSAFE FLOOR

► the entire load securing package

Vehicle type	Wheelbase	Article No.
► Partner	2728 mm L1	1000002395
► Partner	2728 mm L2	1000002396

All benefits of the SoboGrip protective assembly floor  
+ multitude of countersunk lashing possibilities



3

Step 3: Select the appropriate side cladding.

## SOWAFLEX®

► the lightweight & sturdy wall cladding

- Protects the vehicle from the inside against damages
- Highly impact and scratch resistant
- Damp and chemical resistant
- Cut-to-size for all vehicle models
- 100% recyclable honeycomb material
- 60% lighter than wood


Vehicle type	Wheelbase	Roof	Wall cladding	Article No.
► Partner	2728 mm L1/L2	H1	Side cladding 2/4/6	331013239
► Partner	2728 mm L1/L2	H1	Sliding door top 10	331013243
► Partner	2728 mm L1/L2	H1	Wing door top 14/16	331013245
► Partner	2728 mm L1/L2	H1	Wing door bottom 13/15	1000001685

## SOWAAPP®

► The extremely sturdy wall cladding made out of aluminium

- Perforated system for a wide range of accessories
- Installed quickly
- Resistant to moisture and chemicals
- Perfectly cut to size for your vehicle type

Vehicle type	Wheelbase	Roof	Wall cladding	Article No.
► Partner	2728 L1/L2	H1	Side cladding (2/4/6)	1000003181
► Partner	2728 L1/L2	H1	Wing door top (14/16)	1000003151
► Partner	2728 L1/L2	H1	Wing door bottom (13/15)	1000003150



Wall cladding selection

FIND OUT MORE  
ABOUT SOWAAPP  
ON PAGE 32/33




# PEUGEOT EXPERT BLOCKS


WHEELBASE: 2925 mm | MODEL YEAR 2016 | SLIDING DOOR RIGHT SIDE

1

Step 1: Select the suitable equipment.



LEFT SIDE  
(DRIVERS SIDE)



RIGHT SIDE  
(PASSENGERS SIDE)

## SET OF BOXXes ORIGINAL SORTIMO BOXXes + ADAPTER PLATE

Sortimo's adapter plate turns the L-BOXX into the smallest independent van racking solution for vans. The adapter plate is fastened to the loading area wall and ensures secure hanging of the L-BOXXes.



EX 16 KU LI-1

- ▶ 4 Shelf tray
- ▶ 1 Standard shelf with 3 wide S-BOXXes
- ▶ 1 Standard shelf with 1 wide S-BOXX
- ▶ 2 Open shelf with border
- ▶ 2 Base plinths

▶ WxDxH: approx. 1488 x 381 x 1188 mm  
Weight: approx. 49 kg



EX 16 KU LI-2

- ▶ 3 Shelf trays
- ▶ 1 Standard shelf with 2 S-BOXXes and 2 wide S-BOXXes
- ▶ 1 Open shelf with border
- ▶ 1 Open shelf with drop front
- ▶ 1 Standard shelf with 2 L-BOXXes 136
- ▶ 1 Case clamp
- ▶ 1 Floor drop front

▶ WxDxH: approx. 1488 x 381 x 1188 mm  
Weight: approx. 52 kg



EX 16 KU LI-3

- ▶ Spaceframe with integrated ProSafe lashing system
- ▶ 2 Shelf trays
- ▶ 1 Standard shelf with 2 S-BOXXes and 2 wide S-BOXXes
- ▶ 1 Standard shelf with 2 L-BOXXes 136
- ▶ 2 Drawers
- ▶ 1 Open shelf with border
- ▶ 1 Open shelf with drop front
- ▶ 1 Lifting flap
- ▶ 1 Case clamp
- ▶ 1 Floor lashing rail ProSafe

▶ WxDxH: approx. 1488 x 381 x 1188 mm  
Weight: approx. 62 kg



EX 16 KU RE-1

- ▶ 3 Shelf trays
- ▶ 1 Base plinth

▶ WxDxH: approx. 1004 x 381 x 1188 mm  
Weight: approx. 26 kg



EX 16 KU RE-2

- ▶ 1 Shelf tray
- ▶ 1 Open shelf with border
- ▶ 1 Metal case on case tray
- ▶ 2 T-BOXXes on case tray
- ▶ 2 Drawers
- ▶ 1 Floor drop front

▶ WxDxH: approx. 1004 x 381 x 1188 mm  
Weight: approx. 50 kg



EX 16 KU RE-3

- ▶ Spaceframe with integrated ProSafe lashing system
- ▶ Shelf tray
- ▶ 1 Standard shelf with 4 S-BOXXes and 1 wide S-BOXX
- ▶ 3 Drawers
- ▶ 1 LS-BOXX on MultiSlide
- ▶ 1 Lifting flap
- ▶ 1 Floor lashing rail ProSafe
- ▶ 1 Hinged work bench with vice

▶ WxDxH: approx. 1214 x 381 x 1188 mm  
Weight: approx. 72 kg

We would be also pleased to prepare an offer for your individual van racking solution.

Product features for all articles on this double page.






## PEUGEOT EXPERT BLOCKS

WHEELBASE: 3275 mm | MODEL YEAR 2016 | SLIDING DOOR RIGHT SIDE

1

Step 1: Select the suitable equipment.

LEFT SIDE  
(DRIVERS SIDE)RIGHT SIDE  
(PASSENGERS SIDE)

EX 16 MI LI-1

- ▶ 4 Shelf trays
- ▶ 1 Standard shelf with 3 wide S-BOXEs
- ▶ 1 Standard shelf with 4 S-BOXEs and 1 wide S-BOX
- ▶ 2 Open shelves with border
- ▶ 2 Base plinths

▶ WxDxH: approx. 1972 x 381 x 1188 mm  
Weight: approx. 60 kg



EX 16 MI LI-2

- ▶ 3 Shelf trays
- ▶ 1 Standard shelf with 2 S-BOXEs and 2 wide S-BOXEs
- ▶ 1 Open shelf with border
- ▶ 1 Open shelf with drop front
- ▶ 1 Standard shelf with 2 L-BOXEs 136
- ▶ 1 Case clamp
- ▶ 1 Floor drop front

▶ WxDxH: approx. 1972 x 381 x 1188 mm  
Weight: approx. 59 kg



EX 16 MI LI-3

- ▶ Spaceframe with integrated ProSafe lashing system
- ▶ 2 Shelf trays
- ▶ 1 Standard shelf with 2 S-BOXEs and 2 wide S-BOXEs
- ▶ 1 Standard shelf with 2 L-BOXEs 136
- ▶ 2 Drawers
- ▶ 1 Open shelf with border
- ▶ 1 Open shelf with drop front
- ▶ 1 Lifting flap
- ▶ 1 Case clamp
- ▶ 1 Floor lashing rail ProSafe

▶ WxDxH: approx. 1972 x 381 x 1188 mm  
Weight: approx. 72 kg



EX 16 MI RE-1

- ▶ 3 Shelf trays
- ▶ 1 Base plinth

▶ WxDxH: approx. 1004 x 381 x 1188 mm  
Weight: approx. 26 kg



EX 16 MI RE-2

- ▶ 1 Shelf tray
- ▶ 1 Open shelf with border
- ▶ 1 Metal case on case tray
- ▶ 2 T-BOXEs on case tray
- ▶ 2 Drawers
- ▶ 1 Floor drop front

▶ WxDxH: approx. 1004 x 381 x 1188 mm  
Weight: approx. 50 kg



EX 16 MI RE-3

- ▶ Spaceframe with integrated ProSafe lashing system
- ▶ 1 Shelf tray
- ▶ 1 Standard shelf with 4 S-BOXEs and 1 wide S-BOX
- ▶ 3 Drawers
- ▶ 1 LS-BOX on MultiSlide
- ▶ 1 Lifting flap
- ▶ 1 Floor lashing rail ProSafe
- ▶ 1 Hinged work bench with vice

▶ WxDxH: approx. 1214 x 381 x 1188 mm  
Weight: approx. 72 kg





# PEUGEOT EXPERT FLOOR-WALL

WHEELBASE: 2925 / 3275 mm | MODEL YEAR 2016 | SLIDING DOOR RIGHT SIDE

2

Step 2: Select the appropriate floor.



## SOBOGRIP®-PROTECTIVE FLOOR

► the protective floor for tough conditions

Vehicle type	Wheelbase	Article No.
► Expert (L1)	2925 mm	1000005157
► Expert (L2)	3275 mm	1000005112
► Expert (L3)	3275 mm	1000005158

- Floor made of waterproof glued Nordic birch
- 9 mm protective floor
- Highly scratch and impact resistant
- Custom-fit to your vehicle
- No drilling of the vehicle floor necessary

## SOBOGRIP® PROSAFE FLOOR

► the entire load securing package

Vehicle type	Wheelbase	Article No.
► Expert (L1)	2925 mm	1000005165
► Expert (L2)	3275 mm	1000005155
► Expert (L3)	3275 mm overhang	1000005166

All benefits of the SoboGrip protective assembly floor

+ multitude of countersunk lashing possibilities



3


Step 3: Select the appropriate side cladding.

## SOWAFLEX®

► the lightweight & sturdy wall cladding

- Protects the vehicle from the inside against damages
- Highly impact and scratch resistant
- Damp and chemical resistant
- Cut-to-size for all vehicle models
- 100% recyclable honeycomb material
- 60% lighter than wood

Vehicle type	Wheelbase	Wall cladding	Article No.
► Expert	2925 mm (L1)	Side cladding 1/3/5	1000005159
► Expert	2925 mm (L1)	Side cladding 2/4/6	1000005160
► Expert	3275 mm (L2)	Side cladding 1/3/5	1000005094
► Expert	3275 mm (L2)	Side cladding 2/4/6	1000005095
► Expert	3275 mm (L3)	Side cladding 1/3/5	1000005161
► Expert	3275 mm (L3)	Side cladding 2/4/6	1000005162
► Expert	2925 mm (L1)	Sliding door bottom 9	1000005163
► Expert	2925 mm (L1)	Sliding door top 10	1000005164
► Expert	3275 mm + L3	Sliding door bottom 9	1000005102
► Expert	3275 mm + L3	Sliding door top 10	1000005100
► Expert	2925 + 3275 mm + L3	Wing door bottom 13/15	1000005099
► Expert	2925 + 3275 mm + L3	Wing door top 14/16	1000005098



Wall cladding selection

PLEASE COMPLETE THE ORDER FORM  
AND FAX IT TO SORTIMO

(see second last page)




# PEUGEOT BOXER BLOCKS

WHEELBASE: 3000 mm | MODEL YEAR 2006 | SLIDING DOOR RIGHT SIDE

1

Step 1: Select the suitable equipment.

**LEFT SIDE**  
(DRIVERS SIDE)**RIGHT SIDE**  
(PASSENGERS SIDE)**BO KU LI-1**

- ▶ 4 shelf trays
- ▶ 3 open shelves with borders
- ▶ 1 open shelf with 4 S-BOXXes and 1 wide S-BOXX
- ▶ 1 open shelf with 2 L-BOXXes 102
- ▶ 2 base plinths

▶ WxDxH: approx. 2214 x 382 x 1495 mm  
Weight: approx. 73 kg

**BO KU LI-2**


- ▶ 4 shelf trays
- ▶ 2 open shelves with 5 S-BOXXes in each and 1 wide S-BOXX
- ▶ 1 open shelf with 2 T-BOXXes and 1 half-height S-BOXX
- ▶ 1 open shelf with 2 L-BOXXes 136
- ▶ 1 open shelf with drop front
- ▶ 2 floor drop fronts

▶ WxDxH: approx. 2214 x 382 x 1495 mm  
Weight: approx. 83 kg

**BO KU LI-3**

- ▶ Spaceframe with integrated ProSafe lashing system
- ▶ 1 Composite long components tray
- ▶ 1 open shelf with 6 half-height S-BOXXes
- ▶ 1 open shelf with 7 half-height S-BOXXes
- ▶ 1 open shelf with 2 L-BOXXes 238
- ▶ 1 shelf tray
- ▶ 1 open shelf with border
- ▶ 1 open shelf with drop-down front
- ▶ 3 drawers
- ▶ 1 lifting flap, 1 case clamp, 1 base plinth, 1 multi functional panel, 1 floor lashing rail ProSafe

▶ WxDxH: approx. 2214 x 382 x 1477 mm  
Weight: approx. 98 kg

**BO KU RE-1**

- ▶ 2 shelf trays
- ▶ 1 open shelf with 3 S-BOXXes and 2 wide S-BOXXes
- ▶ 1 open shelf with border
- ▶ 1 base plinth

▶ WxDxH: approx. 1246 x 382 x 1495 mm  
Weight: approx. 38 kg

**BO KU RE-2**

- ▶ 2 shelf trays
- ▶ 3 drawers
- ▶ 1 L-BOXXes 102 and 1 L-BOXX 238 on case trays
- ▶ 1 floor drop front

▶ WxDxH: approx. 1246 x 382 x 1427 mm  
Weight: approx. 52 kg

**BO KU RE-3**

- ▶ Spaceframe with integrated ProSafe lashing system
- ▶ 1 shelf tray
- ▶ 1 open shelf with 5 S-BOXXes and 1 wide S-BOXX
- ▶ 1 open shelf with border
- ▶ 3 drawers
- ▶ 1 LS-BOXX on case tray
- ▶ 1 lifting flap, 1 base plinth, 1 floor lashing rail ProSafe, 1 folding work bench with vice, 1 storage pocket

▶ WxDxH: approx. 1442 x 382 x 1495 mm  
Weight: approx. 87 kg



# PEUGEOT BOXER BLOCKS

WHEELBASE: 3450 mm | MODEL YEAR 2006 | SLIDING DOOR RIGHT SIDE


1

Step 1: Select the suitable equipment.



## LEFT SIDE

(DRIVERS SIDE)



## RIGHT SIDE

(PASSENGERS SIDE)

### SET OF BOXXes ORIGINAL SORTIMO BOXXes + ADAPTER PLATE

Sortimo's adapter plate turns the L-BOXX into the smallest independent van racking solution for vans. The adapter plate is fastened to the loading area wall and ensures secure hanging of the L-BOXXes.



BO MI LI-1

- ▶ 5 shelf trays
- ▶ 2 open shelves with borders
- ▶ 1 open shelf with 7 S-BOXXes and 1 wide S-BOXX
- ▶ 1 open shelf with 3 T-BOXXes
- ▶ 2 base plinths

▶ WxDxH: approx. 2698 x 382 x 1614 mm  
Weight: approx. 88 kg



BO MI LI-2

- ▶ 4 shelf trays
- ▶ 1 open shelf with 3 S-BOXXes and 3 wide S-BOXXes
- ▶ 1 open shelf with drop front
- ▶ 1 open shelf with border
- ▶ 2 T-BOXXes on case rails
- ▶ 1 metal case on case tray
- ▶ 3 drawers
- ▶ 1 floor drop front
- ▶ 1 case clamp

▶ WxDxH: approx. 2698 x 382 x 1614 mm  
Weight: approx. 106 kg



BO MI LI-3

- ▶ Spaceframe with integrated ProSafe lasing system
- ▶ 1 Composite long components tray
- ▶ 2 shelf trays
- ▶ 1 open shelf with 3 L-BOXXes 102
- ▶ 1 open shelf with 3 S-BOXXes and 2 wide S-BOXXes
- ▶ 1 open shelf with border
- ▶ 1 T-BOXX on case rail, 1 LS-BOXX on case tray, 3 drawers, 1 lifting flap, 1 base plinth, 1 floor lashing rail ProSafe, 1 case clamp, 1 multi functional panel

▶ WxDxH: approx. 2698 x 382 x 1426 mm  
Weight: approx. 111 kg



BO MI RE-1

- ▶ 3 shelf trays
- ▶ 1 open shelf with 3 S-BOXXes and 3 wide S-BOXXes
- ▶ 1 base plinth

▶ WxDxH: approx. 1488 x 382 x 1614 mm  
Weight: approx. 44 kg



BO MI RE-2

- ▶ 2 shelf trays
- ▶ 1 open shelf with border
- ▶ 3 drawers
- ▶ 4 T-BOXXes on case rails
- ▶ 1 floor drop front

▶ WxDxH: approx. 1488 x 382 x 1614 mm  
Weight: approx. 68 kg



BO MI RE-3

- ▶ Spaceframe with integrated ProSafe lasing system
- ▶ 2 shelf trays
- ▶ 1 open shelf with 9 half-height S-BOXXes
- ▶ 3 drawers
- ▶ 3 T-BOXXes on case rails
- ▶ 1 metal case on case tray
- ▶ 1 lifting flap
- ▶ 1 base plinth
- ▶ 1 floor lashing rail ProSafe
- ▶ 1 folding work bench with vice

▶ WxDxH: approx. 1684 x 382 x 1614 mm  
Weight: approx. 106 kg



We would be also pleased to prepare an offer for your individual van racking solution.

Product features for all articles on this double page.





# PEUGEOT BOXER FLOOR-WALL

WHEELBASE: 3000 / 3450 mm | MODEL YEAR 2006 | SLIDING DOOR RIGHT SIDE

2

Step 2: Select the appropriate floor.

## SOBOGRIP®-PROTECTIVE FLOOR

► the protective floor for tough conditions



Vehicle type	Wheelbase	Article No.
► Boxer	3000 mm	331010270
► Boxer	3450 mm	331010272
► Boxer	4035 mm	331010274
► Boxer	4035 mm overhang	331010809

- Floor made of waterproof glued Nordic birch
- 9 mm protective floor
- Highly scratch and impact resistant
- Custom-fit to your vehicle
- No drilling of the vehicle floor necessary



## SOBOGRIP® PROSAFE FLOOR

► the entire load securing package

Vehicle type	Wheelbase	Article No.
► Boxer	3000 mm	1000002754
► Boxer	3450 mm	1000002755
► Boxer	4035 mm	1000002756
► Boxer	4035 mm overhang	1000003217

All benefits of the SoboGrip protective assembly floor  
+ multitude of countersunk lashing possibilities

3

Step 3: Select the appropriate side cladding.

## SOWAFLEX®

► the lightweight & sturdy wall cladding

- Protects the vehicle from the inside against damages
- Highly impact and scratch resistant
- Damp and chemical resistant
- Cut-to-size for all vehicle models
- 100% recyclable honeycomb material
- 60% lighter than wood


Vehicle type	Wheelbase	Roof	Wall cladding	Article No.
► Boxer	3000 mm	H1	Side cladding 1-6	331010560
► Boxer	3000 mm	H2	Side cladding 1-6	1000000148
► Boxer	3450 mm	H1	Side cladding 1-6	331010820
► Boxer	3450 mm	H2	Side cladding 1-6	331010562
► Boxer	3000 mm	H1/H2	Sliding door bottom 9	331010574
► Boxer	3450/4035 mm	H1/H2	Sliding door bottom 9	331010568
► Boxer	3000 mm	H1/H2	Sliding door top 10	331010570
► Boxer	3450/4035 mm	H1/H2	Sliding door top 10	331010569
► Boxer	3000/3450/4035 mm	H1/H2	Wing door bottom 13/15	331010572
► Boxer	4035 mm	H2	Side cladding 1-6	331010564
► Boxer	3000/3450/4035 mm	H1/H2	Wing door top 14/16	331010571
► Boxer	4035 mm overhang	H2	Side cladding 1-6	331010851

## SOWAAPP®

► The extremely sturdy wall cladding made out of aluminium

- Perforated system for a wide range of accessories
- Installed quickly
- Resistant to moisture and chemicals
- Perfectly cut to size for your vehicle type

FIND OUT MORE  
ABOUT SOWAAPP  
ON PAGE 32/33



Wall cladding selection

Vehicle type	Wheelbase	Roof	Wall cladding	Article No.
► Boxer	3000 mm	H1	Side cladding (1-6)	1000003184
► Boxer	3000 mm	H2	Side cladding (1-6)	1000003185
► Boxer	3450 mm	H1	Side cladding (1-6)	1000003186
► Boxer	3450 mm	H2	Side cladding (1-6)	1000003187
► Boxer	4035 mm	H2	Side cladding (1-6)	1000003188
► Boxer	3000/3450 mm	H1	Wing door top (14/16)	1000003203
► Boxer	all	H2	Wing door top (14/16)	1000003204
► Boxer	all	H1/H2	Wing door bottom (13/15)	1000003205

# PROSAFE – SAFETY SERIES PRODUCTION



## ProSafe is integrated as a standard in the load safety system from Sortimo.

The lashing belts and load safety nets can be hooked in uprights, frames, traverses and floor rails without difficulty. ProSafe makes load safety possible in no time at all.

## Your benefits:

- ✓ You and your freight are safe on the road
- ✓ You preserve your material
- ✓ You save on time, weight and money



### ProSafe bungee strap

The ProSafe bungee strap suits perfectly for the fixation of bulky goods in a vehicle.



### CargoStopp ProSafe

The CargoStopp allows for reliable load safety on the vehicle safety floor. It is inserted into the ProSafe floor lashing point with its hook.


## SOBOGRIP PROSAFE PROTECTIVE FLOOR

SECURE, TIME SAVING AND SIMPLE!

The SoboGrip ProSafe protective floor is an innovative and professional load securing concept from Sortimo which enables a completely flexible lashing of goods on the floor. That way, goods can be secured more quickly, more diversely and more efficiently than ever before. In addition the SoboGrip ProSafe floor is compatible with all ProSafe applications, such as for example straps or restraint poles and enables a quick and easy assembly of Sortimo van racking systems by means of preconfigured connection points.

### The Sortimo SoboGrip ProSafe protective floor is the modular base load securing concept with

- ✓ highest safety standard,
- ✓ variable applicability,
- ✓ optimum efficiency for your workday!





# SOWAAPP – THE ALUMINIUM PROTECTIVE WALL

## THE MULTI-FUNCTIONAL PROTECTION FOR YOUR VEHICLE!

The new SoWaApp wall cladding not only protects your vehicle against scratches or damages, but also enables a simple fastening of hooks and extensive accessories for the storing of tools.

The moisture-resistant and robust wall cladding is cut to custom-fit your vehicle and serves as a system cladding e.g. above work benches.



[sortimo.com/catalogues](https://sortimo.com/catalogues)

Please find more **SoWaApp** accessories in our original **accessories catalogue**.

You may request this quite simply using the info voucher or by scanning the QR code.

The clever Sortimo system perforation enables the fastening of a range of accessories such as hooks, hose holders, storage pockets, i-BOXX holders, tool hooks, and many more.

### The benefits at a glance:

- ✓ Loading area protection
- ✓ Aluminium 1 mm
- ✓ Possible direct fastening of accessories with optional strengthening set
- ✓ Fast installation by means of preset fastening boreholes
- ✓ Moisture-resistant and robust
- ✓ Cut accurately to fit your vehicle exactly
- ✓ Ideal as a system cladding e.g. above work benches

## EVERYTHING READY AT HAND AND STOWED AWAY QUICKLY WITH THE SOWAAPP ACCESSORIES:





# TOPSYSTEM – FLEXIBLE LOAD SECURITY ON THE VEHICLE ROOF



## Ladder lift rear

The ladder lift is suitable for the convenient transport of heavy ladders. Lifting and lashing of ladders is no longer required thanks to the hydraulic cylinder supported lift system. That way one and multi-part ladders can be conveniently handled from the ground. The ladder lift is available in two basic lengths, 2.5 and 3 meters.



## Loading roller

The ideal aid for heavy or large transport goods. The loading roller helps to load and unload goods onto and off of the roof very conveniently.

It is available in all cross profile widths and is positioned in between the side rails.



## ProSafe

ProSafe enables the integrated serial production in the Top System from Sortimo. ProSafe lashing straps can be hooked into the cross members without any difficulty. ProSafe makes load securing possible in no time at all.

## Cross members

Every TopSystem Cross member, whether the basic or the premium variation, allows a revenue load of 50 kilo.



## Side rail


The aluminium side rail serves the purpose of stability and integrates any amount of cross profiles. The company logo can be applied to the side rail.



## Aluminium Transport tube

The perfect extension of the TopSystem. Can transport long goods dry and secure. The cover/endcap is lockable.

The aluminium transport tube is available in the basic lengths 2, 3 and 5 metres made of plastic.



## Lighting systems

Warning lights for securing your work area are the perfect extension for your roof racking system. We provide a warning halogen beacon with plug socket, LES beacon yellow with plug socket and LED beacon yellow with magnetic base/socket.



## Load stopper 150

The load stopper 150 consists of corrosion resistant stainless steel, therefore no coating is necessary. It can be used as a transport tube, as a load stopper from the side or even for securing a ladder. In addition it can be retrofitted onto the cross members and has a very good noise behaviour.

You find further information in the TopSystem brochure. Please order our catalogue using the form on **page 41** or download it: [sortimo.com/catalogues](http://sortimo.com/catalogues).



## ORIGINAL ACCESSORIES FROM SORTIMO

With the help of **Sortimo's industry-specific Original Accessories** our Xpress racks can be customised to your individual needs. The convenient perforated aluminium plate for example offers the ideal place to attach hooks and holders for tools and documents.

Moreover, customised partitions and divider sets for drawers or trays, storage pockets, lashing rails, workbenches and much more facilitate the best usage of your vehicle.



[sortimo.com/catalogues](https://sortimo.com/catalogues)

**Discover more in our brochures Original Accessories and Mobile Assortment:**

Download on: [sortimo.com/brochures](https://sortimo.com/brochures).  
or order via the form on **page 41**.



## MOBILE ASSORTMENTS PORTABLE ORDER FROM THE START

Sortimo offers a great variety of **Mobile Assortments in terms of cases and BOXXes**, which can be

combined with one another and are compatible with the van racking solutions.



### PARTNER APPS

Not only Sortimo customers are convinced of our BOXXes, but renowned manufacturers as well. They use the **Sortimo L-BOXX** as a transportation box and outer packaging. Thanks to continuous new partners the L-BOXXes become true partner apps with a variety of application options. Regardless from which manufacturer you acquire a Sortimo BOXX, the system stays the same and **is of course compatible with the Sortimo van racking solutions**.

#### Your benefits:

- ✓ You can easily take the BOXXes with you to the site of operation.
- ✓ You keep order in your vehicle and at your workplace.
- ✓ Your tools, machines, small and spare parts are securely stored in the vehicle.



# SORTIMO IN GERMANY

## BRANCH OFFICES AND PARTNERS

### **SORTIMO INTERNATIONAL GmbH** **HEADQUARTERS**

Dreilindenstraße 5  
86441 Zusmarshausen  
Tel. +49 8291 850-0  
Fax +49 8291 850-250  
Email: info@sortimo.com  
sortimo.com

### **Sortimo branch office Berlin**

Gartenfelderstraße 15  
13599 Berlin  
Tel. 030 2005370-0  
Fax 030 2005370-19  
Email: berlin@sortimo.de

### **Sortimo branch office Dresden**

Hamburger Straße 14  
01067 Dresden  
Tel. 0351 207362-0  
Fax 0351 207362-29  
Email: dresden@sortimo.de

#### **Fabian Ruge**

99094 Erfurt  
Can be contacted via  
Dresden office

#### **Lutz Stelzner**

04178 Leipzig  
Can be contacted via  
Dresden office

#### **Jörg Schäfer**

02906 Niesky  
Can be contacted via  
Dresden office

### **Sortimo branch office Düsseldorf**

Bonner Straße 205  
40589 Düsseldorf  
Tel. 0211 889206-0  
Fax 0211 889206-11  
Email: duesseldorf@sortimo.de

### **Sortimo branch office Frankfurt/Main**

Waldstraße 74  
63128 Dietzenbach  
Tel. 06074 91456-0  
Fax 06074 91456-22  
Email: frankfurt@sortimo.de

#### **Günter Hund**

66119 Saarbrücken  
Can be contacted via  
Frankfurt/Main office

### **Sortimo branch office Hamburg**

Ausschläger Allee 178  
20539 Hamburg  
Tel. 040 571954-0  
Fax 040 571954-54  
Email: hamburg@sortimo.de

### **Sortimo branch office Munich**

Landshuter Straße 13  
85716 Unterschleißheim  
Tel. 089 37004560  
Fax 089 37004589  
Email: muenchen@sortimo.de

#### **Manfred Rieder**

84028 Landshut  
Can be contacted via  
München office

#### **Christian Schmaus**

83278 Traunstein  
Can be contacted via  
München office

### **Sortimo branch office Nürnberg**

Benno-Strauß-Straße 37  
90763 Fürth  
Tel. 0911 48035-35  
Fax 0911 48035-36  
Email: nuernberg@sortimo.de

### **Sortimo branch office Stuttgart**

Nürtinger Straße 50  
73257 Köngen  
Tel. 07024 9726-0  
Fax 07024 9726-10  
Email: stuttgart@sortimo.de

### **Sortimo branch office Zusmarshausen**

Dreilindenstraße 5  
86441 Zusmarshausen  
Tel. 08291 850-149  
Fax 08291 850-253  
Email: zusmarshausen@sortimo.de



### **Sortimo partner Bad Dübener**

Rolf Frömmichen  
Hauptstraße 10  
04849 Authausen  
Tel. 034243 26234  
Fax 034243 22114  
Email: sortimo-froemmichen@gmx.de

### **Sortimo partner Berlin**

IFP GmbH  
Buckower Chaussee 85  
12277 Berlin  
Tel. 030 72016005  
Fax 030 89726753  
Email: ifp-berlin@t-online.de

### **Sortimo partner Bremen, Braunschweig, Celle**

Wilfried Klatt GmbH  
Burger Landstraße 1 a  
29229 Celle  
Im Finigen 15  
28832 Achim  
Tel. 04202 521730  
Fax 04202 521732  
Email: info@klatt-sortimo.de

### **Sortimo partner Brüggen**

Bartsch + Feikes GmbH  
Weihersfeld 18  
41379 Brüggen  
Tel. 02163 9997-0  
Fax 02163 9997-77  
Email: info@bartsch-feikes.de

### **Sortimo partner Emsbüren**

Fahrzeugbau Dülmer GmbH & Co. KG  
Tel. 05903 93551-0  
Fax 05903 93551-18  
E-Mail: thomas.duelmer@fahrzeugbau-duelmer.de

### **Sortimo partner Essen**

Heiko Dworak GmbH & Co.  
Verwaltungs KG  
Johanniskirchstraße 98  
45329 Essen  
Tel. 0201 747008-1  
Fax 0201 747008-3  
Email: hdworak@sortimo-essen.de

### **Sortimo partner Fulda**

Josef Leibold GmbH  
Philipp-Reis-Straße 19-21  
36093 Künzell  
Tel. 0661 31019  
Fax 0661 36697  
Email: hojo@leibold-karosseriebau.de

### **Sortimo partner Gera**

PFK Eickmeier GmbH & Co. KG  
Wiesenring 8  
07554 Korbußen  
Tel. 036602 241-0  
Fax 036602 241-23  
Email: pfk-eickmeier@t-online.de

### **Sortimo partner Gerstetten**

Klaus Fries  
Amselweg 5  
89547 Gerstetten  
Tel. 07323 3907  
Fax 07323 921867  
Email: sortimo-station-gerstetten@t-online.de

### **Sortimo partner Halle**

Gruber Fahrzeugbau GmbH  
Geltestr. 3  
06184 Kabelsketal OT Dölbau  
Tel. 034602 4364-0  
Fax 034602 4364-13  
Email: info@gruber-sortimo.de

### **Sortimo partner Hanover**

HIG GmbH  
Molkereistraße 33  
30826 Garbsen  
Tel. 05131 4829 930  
Fax 05131 48299359  
Email: vertrieb@hig-hannover.de

### **Sortimo partner Heilbronn**

Hartmut Stöckel  
Sägmühlstraße 45  
74930 Ittlingen  
Tel. 07266 911555  
Fax 07266 911557  
Mobil 0173 3257383  
Email: stoekel.fahrzeugbau@t-online.de

### **Sortimo partner Kassel-Göttingen**

Peter Welsch  
Handelsvertretung GmbH  
Ellenbacher Straße 6  
34123 Kassel  
Tel. 0561 524300  
Fax 0561 5296810  
Email: info@sortimo-kassel.de

### **Sortimo partner Koblenz**

L & S GmbH & Co. KG  
Gebrüder-Pauken-Str. 10  
56218 Mülheim-Kärlich  
Tel. 02630 95652-0  
Fax 02630 95652-29  
Email: info@ls-fahrzeugeinrichtungen.de

### **Sortimo partner Magdeburg**

Lohanser GmbH  
Geschwister-Scholl-Straße 147  
39218 Schönebeck (Elbe)  
Tel. 03928 4102-76  
Fax 03928 4102-77  
Email: info@lohanser.de

### **Sortimo partner Mainz**

soflex GmbH  
An der Krimm 25  
55124 Mainz  
Tel. 06131 1444266  
Fax 06131 1444445  
Email: mastel@soflex-ma.de

### **Sortimo partner Mannheim**

soflex GmbH  
Schildkrötstraße 29  
68199 Mannheim  
Tel. 0621 84254-0  
Fax 0621 84254-29  
Email: contact@soflex-ma.de

### **Sortimo partner Kaiserslautern**

soflex GmbH  
Kaiserstraße 74  
67661 Kaiserslautern  
Tel. 0631 3507545  
Fax 0631 3507776  
Email: lang@soflex-ma.de

### **Sortimo partner Marl**

Gahlen Fahrzeugeinrichtungen  
und Anhänger Vertriebs GmbH  
Boschstraße 6  
45770 Marl  
Tel. 02365 81911  
Fax 02365 508161  
Email: gahlen-sortimo@t-online.de

### **Sortimo partner Ostwestfalen-Lippe**

THL GmbH  
Stadtheider Straße 1-3  
33609 Bielefeld  
Tel. 0521 30443-0  
Fax 0521 30443-22  
Email: info@thl-bielefeld.de

### **Sortimo partner Pforzheim**

Sortimo Station Pforzheim  
HS Fahrzeug- und  
Betriebsanrichtungen GmbH  
Hoheneichstraße 48  
75217 Birkenfeld  
Tel. 07231 80019-0  
Fax 07231 80019-19  
Email: info@sspf.de

### **Sortimo partner Schweinfurt**

Karl-Heinz Maar  
Kreuzstraße 2  
97532 Üchtelhausen  
Tel. 09720 1882  
Fax 09720 3923  
Email: karl-heinz.maar@t-online.de

### **Sortimo partner Schwerin**

HGS Fahrzeug- u.  
Betriebsanrichtungen GmbH  
Lindenweg 1  
19075 Pampow/Schwerin  
Tel. 03865 829-0  
Fax 03865 82922  
Email: info@hgs-sortimo-schwerin.de

### **Sortimo partner Solingen**

Manfred Becker  
Kyllmannweg 29  
42699 Solingen  
Tel. 0212 320001  
Fax 0212 320003  
Email: info@sortimo-solingen.de

### **Sortimo partner Teningen**

SiTraFa GmbH & Co. KG  
Siemensstraße 16  
79331 Teningen-Nimburg  
Tel. 07663 913080  
Fax 07663 913089  
Email: bzoller@sitrafa.de

### **Sortimo partner Weser-Ems**

C.A. Brill GmbH  
Twentestraße 7  
48527 Nordhorn  
Tel. 05921 7800-341  
Fax 05921 7800-10  
Email: m.jansen@ca-brill.de

### **Sortimo partner Wetzlar**

Auto-Schach GmbH & Co. KG  
Industriestraße 15-17  
35582 Wetzlar-Dutenhofen  
Tel. 0641 97901-0  
Fax 0641 97901-10  
Email: info@auto-schach.de



## INFO-CHECK

Simply fill out the form and fax it to Sortimo +49 8291 850-269

**Please send me further information and brochures free of charge and without obligation:**

- ☐ Mobile Assortments Brochure
- ☐ Sortimo Original Accessories Brochure
- ☐ Sortimo WorkMo Brochure
- ☐ Sortimo TopSystem Brochure
- ☐ I would like to have a consultation to find out more about Sortimo van racking solutions. Please call me back to arrange an appointment with no obligation.

My telephone number is: \_\_\_\_\_

- ☐ I would like to subscribe to the Sortimo Newsletter free of charge.

My e-mail address is: \_\_\_\_\_



**WE ARE ALWAYS THERE FOR YOU!**  
YOUR CONTACT TO SORTIMO

**Call us in Germany:**

Tel. +49 8291 850-499  
Fax +49 8291 850-269  
E-Mail: [direct@sortimo.com](mailto:direct@sortimo.com)  
[sortimo.com/direct](http://sortimo.com/direct)



\_\_\_\_\_  
Company name

\_\_\_\_\_  
Surname, first name

\_\_\_\_\_  
Street

\_\_\_\_\_  
Postcode City

\_\_\_\_\_  
Tel.

\_\_\_\_\_  
Fax

\_\_\_\_\_  
e-mail

\_\_\_\_\_  
Line of business

\_\_\_\_\_  
Date

\_\_\_\_\_  
Signature (company stamp)

**Thank you for your interest and we look forward to hearing from you!**

Sortimo International GmbH  
Dreilindenstraße 5 · 86441 Zusmarshausen · Germany  
Tel. +49 8291 850-499 · Fax +49 8291 850-269 · [sortimo.com](http://sortimo.com)

**Sortimo**  
Intelligent Mobility







For more information  
**SORTIMO.COM**

**Sortimo®**  
 Intelligent Mobility

Sortimo International GmbH  
 Dreilindenstraße 5 · 86441 Zusmarshausen · GERMANY  
 Phone: +49 8291 850-499 · Fax: +49 8291 850-269  
 E-mail: info@sortimo.com · sortimo.com