



VOLKSWAGEN OUTSIDE – SORTIMO INSIDE

Made for professionals

PremiumPartner
von Volkswagen Nutzfahrzeuge



ICONS + FEATURES

xpress

Time is money – Fast delivery and installation are guaranteed.



3 years warranty – Sortimo offers a 3 year guarantee on these products.



Upgrade – This very flexible product can be individually combined with other Sortimo products.



Crash tested – This product fulfills the high safety requirements of Sortimo. In co-ordination with the German TÜV, DEKRA and the ADAC, the equipment has been successfully crash-tested in simulated emergencies.



Lightweight yet robust – This product combines modern lightweight construction with utmost stability.



ProSafe – The lashing point for the ProSafe hooks are already integrated in the equipment and quickly ready for use.



CO₂ reduction – Based on modern lightweight construction, the weight of the equipment has been considerably reduced to save on petrol and reduce CO₂ emissions.

VOLKSWAGEN AND SORTIMO – COMPREHENSIVELY CARE-FREE

Buying a vehicle is a matter of trust

You have chosen a Volkswagen CV because you set value on quality and individual benefits. But quality and individual benefit should not know any boundaries.

This is why Sortimo is exactly the right choice if you wish to have a van racking solution. We open up new horizons with intelligent solutions for your individual requirements.

Your benefits

We have perfectly fitted equipment for your transporter, because we develop our solutions together with Volkswagen. The Sortimo shelves are tailored to exactly match the already existing fastening points in your vehicle. Therefore you no longer have to put up with any damage to the body of your transporter.

Individually for you, perfect fit for your Volkswagen.


CRASH TEST

We've driven our products into the wall - successfully

All Sortimo van racking solutions have been crash tested. In co-operation with the German TÜV, Dekra and ADAC, Sortimo simulates the emergency under real conditions, so that your load won't become a life-threatening projectile in case of a crash.

At a barrier impact speed of 50 km/h, the Sortimo products are literally driven into the wall. This way we ensure that our van racking solutions also meet the high demands of Sortimo when it comes to safety.

Only those which pass their on-road test are good enough for our customers.



OUR PACKAGE FOR YOU

The exact van racking system matching your requirements and your Volkswagen.

GLOBELYST XPRESS

from page 6

Globelyst scores with its modular system, which can be changed or extended as you wish, at any time. **Xpress** describes van racking solutions of the Globelyst product line, which **perfectly fit to your Volkswagen Caddy, T6 or Crafter** and are delivered and installed in Xpress time.



PROSAFE

from page 26

With the **ProSafe lashing system** both you and your transport are safe on the road. The integrated load securing system ProSafe from Sortimo enables a **quick and easy lashing of loads** and thereby provides not only for safety but also for order and an efficient operational management.

Since 2014 Sortimo offers in addition as sole manufacturer an entire load securing package as a complete solution for your Transporter with its **SoboGrip ProSafe floor**.

Further information can be found on page 26.



THE PACKAGE:

Predefined van racking solution with maximum use of space

- + attractive price-performance ratio
- + everything from a single source

With the **Sortimo load safety system**, the **BOXxes** and the **case programme**, as well as with the extensive **Original Accessories** your individuality does not have set boundaries.

You can find further information on this from page 26 to 33.

from page 26-33



GLOBELYST - AT A GLANCE



Composite long components tray

The long components tray allows you to transport longer items in the vehicle without any problem.

Sortimo S-BOXX

Sortimo's S-BOXXes are available in four heights, two widths and three depths. They are the ideal container for small components, spare parts or screws and can be securely locked on the shelf. You can pull the drawer out for easy access to all parts.

Sortimo i-BOXX

The i-BOXXes from Sortimo are clever little storage solutions that can be used on their own or as part of the LS-BOXX. They are available in two heights and can be fitted with Inset boxes.

Sortimo Accessories

Original accessories from Sortimo are practical supplementary products for all trades and industries. From the cable holder to the cable hook – Sortimo will fulfill your requirements.

Racks and trays

Up to the last corner, the space in your vehicle can be utilised: Tools and spare parts can be neatly arranged in the racks and trays of Globelyst.

Floor front

Floor fronts provide for order, visual cover and safety in the vehicle.

i-BOXX Adaptor plate

Your i-BOXX is securely locked in place during transport with the aid of the i-BOXX holder. The holder can be screwed to the perforated side panel or to the vehicle itself.

Case clamp

Secures tool and machine cases and can be positioned in no time.

Shutter

With the shutter made out of hollow-chamber profiles, load safety and visual cover takes only one movement. The optional lock provides additional protection against unauthorized access.

ProSafe

The load safety system is integrated into the poles and traverses of the van racking solution.

Sortimo L-BOXX and LS-BOXX

Mobile plastic boxes with a wide variety of possible partitions, available in five heights. L-BOXXes can be quickly click-joined with each other and transported as one.

Sortimo T-BOXX

Thanks to the practical plastic case with the transparent lid you can see right away what is in the BOXX. The T-BOXX can be safely stored in the vehicle equipment.

Sortimo M-BOXX

A large mobile box with handle, also available with a lid. The M-BOXX locks in the system and can also be used as a drawer.

Metal case

The original case is available in many different variants. The case is on rails and can be pulled out completely.

Drawers

The new drawers with their user-friendly handles made from impact-resistant plastic are fully extendible and can be loaded with up to 80 kg. They are available in four different widths and heights.

Workbenches

Sortimo workbenches turn your van into a mobile workshop. Both, folding and extendible workbenches are available and can be supplemented with a rotating vice plate and a vice.

MultiSlide

The MultiSlide allows an easy handling of all cases and BOXXes. With the full-extension slide the lids can be opened completely and small parts and tools can be accessed quickly.

Safety and protective floors


The basis for your van racking system is the safety or protective floor. You can choose between a variety of floors. The floors are cut to size for different vehicle models, offer integrated lashing possibilities and protect the vehicle floor from damage.

VOLKSWAGEN CADDY BLOCKS

WHEELBASE: 2681 mm | MODEL YEAR 2015 | SLIDING DOOR RIGHT SIDE

1

Step 1: Select the suitable equipment.



LEFT SIDE (DRIVERS SIDE)



RIGHT SIDE (PASSENGERS SIDE)



CA 15 KU LI-1

- ▶ 2 shelf trays
- ▶ 1 shelf with 7 S-BOXXes
- ▶ 1 base plinth

▶ WxDxH: approx. 1246 x 382 x 1068 mm
Weight: approx. 29 kg



CA 15 KU LI-2

- ▶ 1 shelf tray
- ▶ 1 shelf with border
- ▶ 1 L-BOXX 102 and 1 L-BOXX 136 on case rail
- ▶ 1 shelf with 4 S-BOXXes
- ▶ 1 shelf with 4 half-height S-BOXXes
- ▶ 2 floor drop fronts

▶ WxDxH: approx. 1246 x 382 x 1102 mm
Weight: approx. 44 kg



CA 15 KU LI-3

- ▶ Spaceframe with integrated ProSafe lashing system
- ▶ 1 open shelf with border
- ▶ 1 open shelf with 2 L-BOXXes 136 and 1 S-BOXX
- ▶ 1 T-BOXX on case rail
- ▶ 1 metal case on case tray
- ▶ 2 drawers
- ▶ 1 lifting flap
- ▶ 1 floor lashing rail ProSafe

▶ WxDxH: approx. 1246 x 382 x 1085 mm
Weight: approx. 58 kg



CA 15 KU RE-1

- ▶ 2 shelf trays
- ▶ 1 open shelf with 1 S-BOXX and 1 M-BOXX with handle
- ▶ 1 base plinth

▶ WxDxH: approx. 762 x 382 x 1000 mm
Weight: approx. 21 kg



CA 15 KU RE-2

- ▶ 2 open shelves with borders
- ▶ 1 open shelf with 4 half-height S-BOXXes
- ▶ 2 drawers
- ▶ 1 floor drop fronts

▶ WxDxH: approx. 762 x 382 x 1102 mm
Weight: approx. 33 kg



CA 15 KU RE-3

- ▶ Spaceframe with integrated ProSafe lashing system
- ▶ open shelf with border
- ▶ 1 open shelf with 4 half-height S-BOXXes
- ▶ 1 open shelf with 1 T-BOXX and 1 half-height S-BOXX
- ▶ 2 drawers
- ▶ 1 lifting flap
- ▶ 1 floor lashing rail ProSafe
- ▶ 1 folding work bench with vice


▶ WxDxH: approx. 958 x 382 x 1102 mm
Weight: approx. 59 kg

VOLKSWAGEN CADDY BLOCKS


WHEELBASE: 3002 mm | MODEL YEAR 2015 | SLIDING DOOR RIGHT SIDE

1

Step 1: Select the suitable equipment.



LEFT SIDE (DRIVERS SIDE)



RIGHT SIDE (PASSENGERS SIDE)

SET OF BOXXes ORIGINAL SORTIMO BOXXes + ADAPTER PLATE

Sortimo's adapter plate turns the L-BOXX into the smallest independent van racking solution for vans.
The adapter plate is fastened to the loading area wall and ensures secure hanging of the L-BOXXes.



CA 15 MA LI-1

- ▶ 3 shelf trays
- ▶ 1 shelf with border
- ▶ 1 shelf with 2 T-BOXXes
- ▶ 1 shelf with 2 S-BOXXes and 1 wide S-BOXX
- ▶ 2 base plinths

▶ WxDxH: approx. 1730 x 382 x 1102 mm
Weight: approx. 40 kg



CA 15 MA LI-2

- ▶ 2 shelf trays
- ▶ 1 open shelf with 6 half-height S-BOXXes
- ▶ 1 T-BOXX on case tray
- ▶ 1 metal case on case tray
- ▶ 2 drawers
- ▶ 1 open shelf with border
- ▶ 1 open shelf with 2 wide S-BOXXes
- ▶ 2 floor drop fronts

▶ WxDxH: approx. 1730 x 382 x 1102 mm
Weight: approx. 66 kg



CA 15 MA LI-3

- ▶ Spaceframe with integrated ProSafe lashing system
- ▶ 1 shelf tray with 2 S-BOXXen and 1 wide S-BOXX
- ▶ 1 open shelf with border
- ▶ 1 open shelf with 4 half-height S-BOXXes
- ▶ 1 L-BOXX 136 and 1 L-BOXX 238 on case trays
- ▶ 3 drawers
- ▶ 1 lifting flap, 1 case clamp
- ▶ 1 floor lashing rail ProSafe

▶ WxDxH: approx. 1730 x 382 x 1102 mm
Weight: approx. 63 kg



CA 15 MA RE-1

- ▶ 2 shelf trays
- ▶ 1 open shelf with 5 S-BOXXes and 1 wide S-BOXX
- ▶ 1 base plinth

▶ WxDxH: approx. 1246 x 382 x 1102 mm
Weight: approx. 29 kg



CA 15 MA RE-2

- ▶ 1 shelf tray
- ▶ 2 open shelves with 7 half-height S-BOXXes in each
- ▶ 1 open shelf with border
- ▶ 1 floor drop front

▶ WxDxH: approx. 1246 x 382 x 1102 mm
Weight: approx. 39 kg



CA 15 MA RE-3

- ▶ Spaceframe with integrated ProSafe lashing system
- ▶ 1 shelf with 5 S-BOXXes and 1 wide S-BOXX
- ▶ 1 shelf tray
- ▶ 1 shelf with 2 L-BOXXes 136 and 1 S-BOXX
- ▶ 1 lifting flap
- ▶ 1 floor lashing rail ProSafe
- ▶ 1 folding work bench with vice

▶ WxDxH: approx. 1442 x 382 x 1102 mm
Weight: approx. 62 kg



We would be also pleased to prepare an offer for your individual van racking solution.

Product features for all articles on this double page.



VOLKSWAGEN CADDY FLOOR-WALL

WHEELBASE: 2681 / 3002 mm | MODEL YEAR 2015 | SLIDING DOOR RIGHT SIDE

2

Step 2: Select the appropriate floor.

SOBOGRIP®-PROTECTIVE FLOOR

► the protective floor for tough conditions



Vehicle type	Wheelbase	Article No.	
► Caddy	2681 mm	331001450	<ul style="list-style-type: none"> • Floor made of waterproof glued Nordic birch • 9 mm protective floor • Highly scratch and impact resistant • Custom-fit to your vehicle • No drilling of the vehicle floor necessary
► Caddy	3002 mm	331012928	

SOBOGRIP® PROSAFE FLOOR

► the entire load securing package

Vehicle type	Wheelbase	Article No.
► Caddy	2681 mm	1000002763
► Caddy	3002 mm	1000002882

All benefits of the SoboGrip protective assembly floor
+ multitude of countersunk lashing possibilities



3

Step 3: Select the appropriate side cladding.

SOWAFLEX®

► the lightweight & sturdy wall cladding

- Protects the vehicle from the inside against damages
- Highly impact and scratch resistant
- Damp and chemical resistant
- Cut-to-size for all vehicle models
- 100% recyclable honeycomb material
- 60% lighter than wood


Vehicle type	Wheelbase	Wall cladding	Article No.
► Caddy	2681 mm	Side cladding (1-6)	331001437
► Caddy	3002 mm	Side cladding (1-6)	331012932
► Caddy	all	Sliding door bottom (9)	331001424
► Caddy	all	Sliding door top (10)	331001425
► Caddy	all	Wing door bottom (13/15)	331001420
► Caddy	all	Wing door top (14/16)	331001421
► Caddy	all	Tailgate bottom (17)	331001418
► Caddy	all	Tailgate top (18)	331001419

SOWAAPP®

► The extremely sturdy wall cladding made out of aluminium

- Perforated system for a wide range of accessories
- Installed quickly
- Resistant to moisture and chemicals
- Perfectly cut to size for your vehicle type

Vehicle type	Wheelbase	Roof	Wall cladding	Article No.
► Caddy	2681 mm	H1	Side cladding (1-6)	1000004393
► Caddy	3002 mm	H1	Side cladding (1-6)	1000004394
► Caddy	all	H1	Wing door bottom (13/15)	1000004399
► Caddy	all	H1	Wing door top (14/16)	1000004400




FIND OUT MORE
ABOUT SOWAAPP
ON PAGE 26/27

VOLKSWAGEN T6 BLOCKS

WHEELBASE: 3000 mm | MODEL YEAR 2015 | SLIDING DOOR RIGHT SIDE

1

Step 1: Select the suitable equipment.



LEFT SIDE (DRIVERS SIDE)



RIGHT SIDE (PASSENGERS SIDE)

SET OF BOXXes ORIGINAL SORTIMO BOXXes + ADAPTER PLATE

Sortimo's adapter plate turns the L-BOXX into the smallest independent van racking solution for vans. The adapter plate is fastened to the loading area wall and ensures secure hanging of the L-BOXXes.



T6 KU LI-1

- ▶ 5 shelf trays
- ▶ 1 open shelf with border
- ▶ 1 open shelf with 6 S-BOXXes
- ▶ 2 base plinths

▶ WxDxH: approx. 1972 x 382 x 1255 mm
Weight: approx. 50 kg



T6 KU LI-2

- ▶ 5 shelf trays
- ▶ 1 open shelf with 2 M-BOXXes with handle
- ▶ 1 open shelf with 2 T-BOXXes
- ▶ 2 floor drop fronts

▶ WxDxH: approx. 1972 x 382 x 1255 mm
Weight: approx. 56 kg



T6 KU LI-3

- ▶ Spaceframe with integrated ProSafe lashing system
- ▶ 1 Composite long components tray
- ▶ 2 open shelves with 6 S-BOXXes in each
- ▶ 1 shelf tray
- ▶ 1 open shelf with 2 T-BOXXes
- ▶ 1 open shelf with 2 L-BOXXes 136
- ▶ 2 drawers
- ▶ 1 lifting flap
- ▶ 1 case clamp
- ▶ 1 floor lashing rail ProSafe

▶ WxDxH: approx. 1972 x 382 x 1215 mm
Weight: approx. 80 kg



T6 KU RE-1

- ▶ 3 shelf trays
- ▶ 1 base plinth

▶ WxDxH: approx. 1004 x 382 x 1102 mm
Weight: approx. 24 kg



T6 KU RE-2

- ▶ 1 shelf tray
- ▶ 1 open shelf with border
- ▶ 2 drawers
- ▶ 1 L-BOXX 102 and 1 L-BOXX 136 on case trays
- ▶ 1 floor drop front

▶ WxDxH: approx. 1004 x 382 x 1102 mm
Weight: approx. 38 kg



T6 KU RE-3

- ▶ Spaceframe with integrated ProSafe lashing system
- ▶ 1 shelf tray
- ▶ 1 open shelf with border
- ▶ 1 open shelf with 6 half-height S-BOXXes
- ▶ 3 drawers
- ▶ 1 LS-BOXX on case tray
- ▶ 1 lifting flap
- ▶ 1 floor lashing rail ProSafe
- ▶ 1 folding work bench with vice

▶ WxDxH: approx. 1200 x 382 x 1272 mm
Weight: approx. 74 kg



We would be also pleased to prepare an offer for your individual van racking solution.

Product features for all articles on this double page.



VOLKSWAGEN T6 BLOCKS

WHEELBASE: 3400 mm | MODEL YEAR 2015 | SLIDING DOOR RIGHT SIDE


1

Step 1: Select the suitable equipment.



LEFT SIDE

(DRIVERS SIDE)



RIGHT SIDE

(PASSENGERS SIDE)



T6 LA LI-1

- ▶ 5 shelf trays
- ▶ 1 open shelf with 2 M-BOXXes with handle and 1 S-BOXX
- ▶ 1 open shelf with 7 half-height S-BOXXes
- ▶ 2 base plinths

▶ WxDxH: approx. 2456 x 382 x 1255 mm
Weight: approx. 53 kg



T6 LA LI-2

- ▶ 5 shelf trays
- ▶ 1 open shelf with 7 S-BOXXes
- ▶ 1 open shelf with 2 L-BOXXes 136 and 1 S-BOXX
- ▶ 1 open shelf with 7 half-height S-BOXXes
- ▶ 2 floor drop front

▶ WxDxH: approx. 2456 x 382 x 1255 mm
Weight: approx. 69 kg



T6 LA LI-3

- ▶ Spaceframe with integrated ProSafe lashing system
- ▶ 3 shelf trays
- ▶ 1 open shelf with 7 half-height S-BOXXes
- ▶ 1 open shelf with 2 L-BOXXes 136 and 1 S-BOXX
- ▶ 1 open shelf with border
- ▶ 2 T-BOXXes on case rails
- ▶ 1 metal case on case tray
- ▶ 3 drawers
- ▶ 1 lifting flap, 1 case clamp
- ▶ 1 floor lashing rail ProSafe

▶ WxDxH: approx. 2456 x 382 x 1255 mm
Weight: approx. 95 kg



T6 LA RE-1

- ▶ 2 shelf trays
- ▶ 1 open shelf with border
- ▶ 1 open shelf with 7 S-BOXXes
- ▶ 1 base plinth

▶ WxDxH: approx. 1246 x 382 x 1255 mm
Weight: approx. 36 kg



T6 LA RE-2

- ▶ 2 shelf trays
- ▶ 3 drawers
- ▶ 1 LS-BOXX on case tray
- ▶ 1 floor drop front

▶ WxDxH: approx. 1246 x 382 x 1255 mm
Weight: approx. 49 kg



T6 LA RE-3

- ▶ Spaceframe with integrated ProSafe lashing system
- ▶ 1 shelf tray
- ▶ 1 open shelf with border
- ▶ 1 open shelf with 7 half-height S-BOXXes
- ▶ 3 drawers
- ▶ 2 L-BOXXes 136 on case trays
- ▶ 1 lifting flap
- ▶ 1 floor lashing rail ProSafe
- ▶ 1 folding work bench with vice

▶ WxDxH: approx. 1442 x 382 x 1255 mm
Weight: approx. 81 kg



VOLKSWAGEN T6 FLOOR-WALL

WHEELBASE: 3000 / 3400 mm | MODEL YEAR 2015 | SLIDING DOOR RIGHT SIDE

2

Step 2: Select the appropriate floor.

SOBOGRIP®-PROTECTIVE FLOOR

► the protective floor for tough conditions



Vehicle type	Wheelbase	Article No.	
► T6	3000 mm	33592156	<ul style="list-style-type: none"> • Floor made of waterproof glued Nordic birch • 9 mm protective floor • Highly scratch and impact resistant • Custom-fit to your vehicle • No drilling of the vehicle floor necessary
► T6	3400 mm	33592149	

SOBOGRIP® PROSAFE FLOOR

► the entire load securing package

Vehicle type	Wheelbase	Article No.
► T6	3000 mm	1000002456
► T6	3400 mm	1000002457

All benefits of the SoboGrip protective assembly floor
+ multitude of countersunk lashing possibilities



3

Step 3: Select the appropriate side cladding.

SOWAFLEX®

► the lightweight & sturdy wall cladding

- Protects the vehicle from the inside against damages
- Highly impact and scratch resistant
- Damp and chemical resistant
- Cut-to-size for all vehicle models
- 100% recyclable honeycomb material
- 60% lighter than wood


Vehicle type	Wheelbase	Wall cladding	Article No.
► T6	3000 mm	Side cladding (2/4/6)	331012391
► T6	3000 mm	Side cladding (1-6)	33341303
► T6	3400 mm	Side cladding (2/4/6)	331012393
► T6	3400 mm	Side cladding (1-6)	331001287
► T6	3000/3400 mm	Schiebetüre unten (9)	33341334
► T6	3000/3400 mm	Schiebetüre oben (10)	33341341
► T6	3000/3400 mm	Flügeltüre unten (13/15)	331001427
► T6	3000/3400 mm	Flügeltüre oben (14/16)	331001428
► T6	3000/3400 mm	Heckklappe unten Sowaflex (17)	1000004605
► T6	3000/3400 mm	Heckklappe oben Sowaflex (18)	1000004606

SOWAAPP®

► The extremely sturdy wall cladding made out of aluminium

- Perforated system for a wide range of accessories
- Installed quickly
- Resistant to moisture and chemicals
- Perfectly cut to size for your vehicle type

Vehicle type	Wheelbase	Roof	Wall cladding	Article No.
► T6	3000 mm	H1	Side cladding (1-6)	1000003117
► T6	3400 mm	H1	Side cladding (1-6)	1000003118
► T6	3000/3400 mm	H1	Wing door top (14/16)	1000003113
► T6	3000/3400 mm	H1	Wing door bottom (13/15)	1000003114





Wall cladding selection

VOLKSWAGEN CRAFTER BLOCKS

WHEELBASE: 3640 mm | MODEL YEAR 2016 | SLIDING DOOR RIGHT SIDE

1

Step 1: Select the suitable equipment.

LEFT SIDE
(DRIVERS SIDE)RIGHT SIDE
(PASSENGERS SIDE)

CR 16 L3 LI-1

- 5 Shelf trays
- 2 Open shelves with border
- 2 Standard shelves with 5 S-BOXEs and a wide S-BOX
- 1 Standard shelf with 3 L-BOXEs 136
- 2 Base plinths

► WxDxH: approx. 2698 x 381 x 1800 mm
Weight: approx. 94 kg



CR 16 L3 LI-2

- 3 Shelf trays
- 2 Open shelves with border
- 2 Standard shelves with 5 S-BOXEs and a wide S-BOX
- 1 LS-BOX on case tray
- 3 Drawers
- 1 Standard shelf with 3 L-BOXEs 136
- 2 Floor drop fronts

► WxDxH: approx. 2698 x 381 x 1800 mm
Weight: approx. 119 kg



CR 16 L3 LI-3

- Spaceframe with integrated ProSafe lashing system
- 1 Composite long components tray
- 1 Standard shelf with 7 S-BOXEs and a wide S-BOX, 3 Standard shelves with 5 S-BOXEs and a wide S-BOX, 2 Open shelves with border, 1 Standard shelf with 3 L-BOXEs 102
- 1 LS-BOX on case tray
- 1 Standard shelf with 3 L-BOXEs 136, 1 Standard shelf with 2 L-BOXEs 238 and an S-BOX, 3 Drawers
- 1 Lifting flap, 1 Case clamp
- 1 Floor lashing rail ProSafe

► WxDxH: approx. 2939 x 381 x 1791 mm
Weight: approx. 148 kg



CR 16 L3 RE-1

- 1 Standard shelf with 7 S-BOXEs and a wide S-BOX
- 3 Shelf trays
- 1 Base plinth

► WxDxH: approx. 1488 x 381 x 1800 mm
Weight: approx. 43 kg



CR 16 L3 RE-2

- 2 Shelf trays
- 1 Open shelf with border
- 1 Standard shelf with 7 S-BOXEs and a wide S-BOX
- 1 Standard shelf with 3 T-BOXEs
- 1 Standard shelf with 3 M-BOXEs with handle
- 1 Floor drop front

► WxDxH: approx. 1488 x 381 x 1800 mm
Weight: approx. 68 kg



CR 16 L3 RE-3

- Spaceframe with integrated ProSafe lashing system
- 1 Shelf tray
- 1 Open shelf with border
- 1 Standard shelf with 7 S-BOXEs and a wide S-BOX
- 7 Drawers
- 1 LS-BOX on case tray
- 1 Standard shelf with 3 L-BOXEs 136
- 1 Lifting flap
- 1 Floor lashing rail ProSafe
- 1 Hinged work bench with vice

► WxDxH: approx. 1693x381x1800 mm
Weight: approx. 113 kg





VOLKSWAGEN CRAFTER BLOCKS

WHEELBASE: 4490 mm | MODEL YEAR 2016 | SLIDING DOOR RIGHT SIDE


1

Step 1: Select the suitable equipment.

LEFT SIDE
(DRIVERS SIDE)RIGHT SIDE
(PASSENGERS SIDE)

SET OF BOXXes ORIGINAL SORTIMO BOXXes + ADAPTER PLATE

Sortimo's adapter plate turns the L-BOXX into the smallest independent van racking solution for vans.
The adapter plate is fastened to the loading area wall and ensures secure hanging of the L-BOXXes.



CR 16 L4 LI-1

- ▶ 8 Shelf trays
- ▶ 3 Open shelves with border
- ▶ 2 Standard shelves with 4 S-BOXXes and a wide S-BOXX
- ▶ 1 Standard shelf with 3 L-BOXXes 136
- ▶ 1 Standard shelf with 2 L-BOXXes 136
- ▶ 3 Base plinths

▶ WxDxH: approx. 3460x381x180 mm
Weight: approx. 125 kg



CR 16 L4 LI-2

- ▶ 5 Shelf trays
- ▶ 4 Open shelves with border
- ▶ 4 Standard shelves with 4 S-BOXXes and a wide S-BOXX
- ▶ 1 LS-BOXX on case tray
- ▶ 3 Drawers
- ▶ 1 Standard shelf with 3 L-BOXXes 136
- ▶ 3 Floor drop fronts

▶ WxDxH: approx. 3460 x 381 x 1800 mm
Weight: approx. 152 kg



CR 16 L4 LI-3

- ▶ Spaceframe with integrated ProSafe lashing system
- ▶ 1 Composite Long components tray
- ▶ 1 Standard shelf with 7 S-BOXXes and a wide S-BOXX, 6 Standard shelves with 4 S-BOXXes and a wide S-BOXX, 3 Open shelves with border, 1 Standard shelf with 3 L-BOXXes 102, 1 Standard shelf with 2 L-BOXXes 102, 1 Standard shelf with 3 L-BOXXes 136, 2 Standard shelves with 2 L-BOXXes 238
- ▶ 1 LS-BOXX on case tray, 3 Drawers, 2 Lifting flap, 1 Case clamp, 2 Floor lashing rail ProSafe

▶ WxDxH: approx. 3601 x 381 x 1791 mm
Weight: approx. 198 kg



CR 16 L4 RE-1

- ▶ 1 Standard shelf with 7 S-BOXXes and a wide S-BOXX
- ▶ 1 Standard shelf with 2 S-BOXXes
- ▶ 6 Shelf trays
- ▶ 2 Base plinth

▶ WxDxH: approx. 1972 x 381 x 1800 mm
Weight: approx. 59 kg



CR 16 L4 RE-2

- ▶ 2 Shelf trays
- ▶ 2 Open shelf with border
- ▶ 1 Standard shelf with 7 S-BOXXes and a wide S-BOXX
- ▶ 1 Standard shelf with 2 S-BOXXes
- ▶ 1 Standard shelf with 3 T-BOXXes
- ▶ 1 T-BOXX on service case rail
- ▶ 1 Standard shelf with 3 M-BOXXes with handle
- ▶ 1 M-BOXX on service case rail
- ▶ 2 Floor drop front

▶ WxDxH: approx. 1972 x 381 x 1800 mm
Weight: approx. 89 kg



CR 16 L4 RE-3

- ▶ Spaceframe with integrated ProSafe lashing system
- ▶ 2 Shelf trays
- ▶ 2 Open shelves with border, 1 Standard shelf with 7 S-BOXXes and a wide S-BOXX, 1 Standard shelf with 2 S-BOXXes
- ▶ 10 Drawers
- ▶ 1 LS-BOXX on case tray
- ▶ 1 Standard shelf with 3 L-BOXXes 136
- ▶ 1 L-BOXX 136 on service case rails
- ▶ 2 Lifting flaps
- ▶ 2 Floor lashing rails ProSafe
- ▶ 1 Hinged work bench with vice

▶ WxDxH: approx. 2177 x 381 x 1800 mm
Weight: approx. 145 kg



VOLKSWAGEN CRAFTER FLOOR-WALL

WHEELBASE: 3640 / 4490 mm | MODEL YEAR 2016 | SLIDING DOOR RIGHT SIDE

2

Step 2: Select the appropriate floor.



SOBOGRIP®-PROTECTIVE FLOOR

► the protective floor for tough conditions

Vehicle type	Wheelbase	Article No.
► Crafter	3640 mm L3	1000005278
► Crafter	4490 mm L4	1000005279
► Crafter	4490 mm L5	1000005280

- Floor made of waterproof glued Nordic birch
- 9 mm protective floor
- Highly scratch and impact resistant
- Custom-fit to your vehicle
- No drilling of the vehicle floor necessary

SOBOGRIP® PROSAFE FLOOR

► the entire load securing package

Vehicle type	Wheelbase	Article No.
► Crafter	3640 mm L3	1000005275
► Crafter	4490 mm L4	1000005276
► Crafter	4490 mm L5	1000005277

All benefits of the SoboGrip protective assembly floor

+ multitude of countersunk lashing possibilities



3


Step 3: Select the appropriate side cladding.

SOWAFLEX®

► the lightweight & sturdy wall cladding

- Protects the vehicle from the inside against damages
 - Highly impact and scratch resistant
 - Damp and chemical resistant
- Cut-to-size for all vehicle models
 - 100% recyclable honeycomb material
 - 60% lighter than wood

Vehicle type	Wheelbase	Wall cladding	Article No.
► Crafter	4490 L4	Side cladding 1-6	1000005282
► Crafter	4490 L5	Side cladding 1-6	1000005283
► Crafter	3640+4490 L3+L4+L5	Sliding door bottom 9	1000005286
► Crafter	3640+4490 L3+L4+L5	Sliding door top 10	1000005287
► Crafter	3640+4490 L3+L4+L5	Wing door bottom 13/15	1000005285
► Crafter	3640+4490 L3+L4+L5	Wing door top 14/16	1000005284



Wall cladding selection

PROSAFE – SAFETY SERIES PRODUCTION



ProSafe is integrated as a standard in the load safety system from Sortimo.

The lashing belts and load safety nets can be hooked in uprights, frames, traverses and floor rails without difficulty. ProSafe makes load safety possible in no time at all.

Your benefits:

- ✓ You and your freight are safe on the road
- ✓ You preserve your material
- ✓ You save on time, weight and money



ProSafe bungee strap

The ProSafe bungee strap suits perfectly for the fixation of bulky goods in a vehicle.



CargoStopp ProSafe

The CargoStopp allows for reliable load safety on the vehicle safety floor. It is inserted into the ProSafe floor lashing point with its hook.


SOBOGRIP PROSAFE PROTECTIVE FLOOR

SECURE, TIME SAVING AND SIMPLE!

The SoboGrip ProSafe protective floor is an innovative and professional load securing concept from Sortimo which enables a completely flexible lashing of goods on the floor. That way, goods can be secured more quickly, more diversely and more efficiently than ever before. In addition the SoboGrip ProSafe floor is compatible with all ProSafe applications, such as for example straps or restraint poles and enables a quick and easy assembly of Sortimo van racking systems by means of preconfigured connection points.

The Sortimo SoboGrip ProSafe protective floor is the modular base load securing concept with

- ✓ highest safety standard,
- ✓ variable applicability,
- ✓ optimum efficiency for your workday!



SOWAAPP – THE ALUMINIUM PROTECTIVE WALL

THE MULTI-FUNCTIONAL PROTECTION FOR YOUR VEHICLE!

The new SoWaApp wall cladding not only protects your vehicle against scratches or damages, but also enables a simple fastening of hooks and extensive accessories for the storing of tools.

The moisture-resistant and robust wall cladding is cut to custom-fit your vehicle and serves as a system cladding e.g. above work benches.



sortimo.com/catalogues

Please find more **SoWaApp** accessories in our original **accessories catalogue**.

You may request this quite simply using the info voucher or by scanning the QR code.

The clever Sortimo system perforation enables the fastening of a range of accessories such as hooks, hose holders, storage pockets, i-BOXX holders, tool hooks, and many more.

The benefits at a glance:

- ✓ Loading area protection
- ✓ Aluminium 1 mm
- ✓ Possible direct fastening of accessories with optional strengthening set
- ✓ Fast installation by means of preset fastening boreholes
- ✓ Moisture-resistant and robust
- ✓ Cut accurately to fit your vehicle exactly
- ✓ Ideal as a system cladding e.g. above work benches

EVERYTHING READY AT HAND AND STOWED AWAY QUICKLY WITH THE SOWAAPP ACCESSORIES:



TOPSYSTEM – FLEXIBLE LOAD SECURITY ON THE VEHICLE ROOF



Ladder lift rear

The ladder lift is suitable for the convenient transport of heavy ladders. Lifting and lashing of ladders is no longer required thanks to the hydraulic cylinder supported lift system. That way one and multi-part ladders can be conveniently handled from the ground. The ladder lift is available in two basic lengths, 2.5 and 3 meters.



Loading roller

The ideal aid for heavy or large transport goods. The loading roller helps to load and unload goods onto and off of the roof very conveniently.

It is available in all cross profile widths and is positioned in between the side rails.



ProSafe

ProSafe enables the integrated serial production in the TopSystem from Sortimo. ProSafe lashing straps can be hooked into the cross members without any difficulty. Thereby the lashing straps could be used for the loading space as well as for the roof rack.

Cross members

Every TopSystem Cross member, whether the basic or the premium variation, allows a revenue load of 50 kilo/ 110 lbs.

Side rail

The aluminium side rail serves the purpose of stability and integrates any amount of cross profiles.


The company logo can be applied to the side rail.



Aluminium Transport tube

The perfect extension of the TopSystem. Can transport long goods dry and secure. The cover/endcap is lockable.

The aluminium transport tube is available in the basic lengths 2, 3 and 5 meters made of plastic.



Lighting systems

Warning lights for securing your work area are the perfect extension for your roof racking system. We provide a warning halogen beacon with plug socket, LED beacon yellow with plug socket and LED beacon yellow with magnetic base/socket.



Load stopper 150

The load stopper 150 consists of corrosion resistant stainless steel, therefore no coating is necessary. It can be used as a transport tube, as a load stopper from the side or even for securing a ladder. In addition it can be retrofitted onto the cross members and has a very good noise behaviour.

You find further information in the TopSystem brochure. Please order our catalogue using the form on **page 37** or download it: **sortimo.com/catalogues**.

ORIGINAL ACCESSORIES FROM SORTIMO

With the help of **Sortimo's industry-specific Original Accessories** our Xpress racks can be customised to your individual needs. The convenient perforated aluminium plate for example offers the ideal place to attach hooks and holders for tools and documents.

Moreover, customised partitions and divider sets for drawers or trays, storage pockets, lashing rails, workbenches and much more facilitate the best usage of your vehicle.



sortimo.com/catalogues

Discover more in our brochures Original Accessories and Mobile Assortment:

Download on: sortimo.com/brochures.
or order via the form on **page 37**.



MOBILE ASSORTMENTS PORTABLE ORDER FROM THE START

Sortimo offers a great variety of **Mobile Assortments in terms of cases and BOXXes**, which can be

combined with one another and are compatible with the van racking solutions.



PARTNER APPS

Not only Sortimo customers are convinced of our BOXXes, but renowned manufacturers as well.

They use the **Sortimo L-BOXX** as a transportation box and outer packaging. Thanks to continuous new partners the L-BOXXes become true partner apps with a variety of application options.

Regardless from which manufacturer you acquire a Sortimo BOXX, the system stays the same and **is of course compatible with the Sortimo van racking solutions**.

Your benefits:

- ✓ You can easily take the BOXXes with you to the site of operation.
- ✓ You keep order in your vehicle and at your workplace.
- ✓ Your tools, machines, small and spare parts are securely stored in the vehicle.



SORTIMO IN GERMANY

BRANCH OFFICES AND PARTNERS

SORTIMO INTERNATIONAL GmbH HEADQUARTERS

Dreilindenstraße 5
86441 Zusmarshausen
Tel. +49 8291 850-0
Fax +49 8291 850-250
Email: info@sortimo.com
sortimo.com

Sortimo branch office Berlin

Gartenfelderstraße 15
13599 Berlin
Tel. 030 2005370-0
Fax 030 2005370-19
Email: berlin@sortimo.de

Sortimo branch office Dresden

Hamburger Straße 14
01067 Dresden
Tel. 0351 207362-0
Fax 0351 207362-29
Email: dresden@sortimo.de

Fabian Ruge

99094 Erfurt
Can be contacted via
Dresden office

Lutz Stelzner

04178 Leipzig
Can be contacted via
Dresden office

Jörg Schäfer

02906 Niesky
Can be contacted via
Dresden office

Sortimo branch office Düsseldorf

Bonner Straße 205
40589 Düsseldorf
Tel. 0211 889206-0
Fax 0211 889206-11
Email: duesseldorf@sortimo.de

Sortimo branch office Frankfurt/Main

Waldstraße 74
63128 Dietzenbach
Tel. 06074 91456-0
Fax 06074 91456-22
Email: frankfurt@sortimo.de

Günter Hund

66119 Saarbrücken
Can be contacted via
Frankfurt/Main office

Sortimo branch office Hamburg

Ausschläger Allee 178
20539 Hamburg
Tel. 040 571954-0
Fax 040 571954-54
Email: hamburg@sortimo.de

Sortimo branch office Munich

Landshuter Straße 13
85716 Unterschleißheim
Tel. 089 37004560
Fax 089 37004589
Email: muenchen@sortimo.de

Manfred Rieder

84028 Landshut
Can be contacted via
München office

Christian Schmaus

83278 Traunstein
Can be contacted via
München office

Sortimo branch office Nürnberg

Benno-Strauß-Straße 37
90763 Fürth
Tel. 0911 48035-35
Fax 0911 48035-36
Email: nuernberg@sortimo.de

Sortimo branch office Stuttgart

Nürtinger Straße 50
73257 Köngen
Tel. 07024 9726-0
Fax 07024 9726-10
Email: stuttgart@sortimo.de

Sortimo branch office Zusmarshausen

Dreilindenstraße 5
86441 Zusmarshausen
Tel. 08291 850-149
Fax 08291 850-253
Email: zusmarshausen@sortimo.de



Sortimo partner Bad Dübén

Rolf Frömmichen
Hauptstraße 10
04849 Authausen
Tel. 034243 26234
Fax 034243 22114
Email: sortimo-froemmichen@gmx.de

Sortimo partner Berlin

IFP GmbH
Buckower Chaussee 85
12277 Berlin
Tel. 030 72016005
Fax 030 89726753
Email: ifp-berlin@t-online.de

Sortimo partner Bremen, Braunschweig, Celle

Wilfried Klatt GmbH
Burger Landstraße 1 a
29229 Celle
Im Finigen 15
28832 Achim
Tel. 04202 521730
Fax 04202 521732
Email: info@klatt-sortimo.de

Sortimo partner Brüggen

Bartsch + Feikes GmbH
Weihersfeld 18
41379 Brüggen
Tel. 02163 9997-0
Fax 02163 9997-77
Email: info@bartsch-feikes.de

Sortimo partner Emsbüren

Fahrzeugbau Dülmer GmbH & Co. KG
Tel. 05903 93551-0
Fax 05903 93551-18
E-Mail: thomas.duelmer@fahrzeugbau-duelmer.de

Sortimo partner Essen

Heiko Dworak GmbH & Co.
Verwaltungs KG
Johanniskirchstraße 98
45329 Essen
Tel. 0201 747008-1
Fax 0201 747008-3
Email: hdworak@sortimo-essen.de

Sortimo partner Fulda

Josef Leibold GmbH
Philipp-Reis-Straße 19-21
36093 Künzell
Tel. 0661 31019
Fax 0661 36697
Email: hojo@leibold-karosseriebau.de

Sortimo partner Gera

PFK Eickmeier GmbH & Co. KG
Wiesenring 8
07554 Korbußen
Tel. 036602 241-0
Fax 036602 241-23
Email: pfk-eickmeier@t-online.de

Sortimo partner Gerstetten

Klaus Fries
Amselweg 5
89547 Gerstetten
Tel. 07323 3907
Fax 07323 921867
Email: sortimo-station-gerstetten@t-online.de

Sortimo partner Halle

Gruber Fahrzeugbau GmbH
Geltestr. 3
06184 Kabelsketal OT Dölbau
Tel. 034602 4364-0
Fax 034602 4364-13
Email: info@gruber-sortimo.de

Sortimo partner Hanover

HIG GmbH
Molkereistraße 33
30826 Garbsen
Tel. 05131 4829 930
Fax 05131 48299359
Email: vertrieb@hig-hannover.de

Sortimo partner Heilbronn

Hartmut Stöckel
Sägmühlstraße 45
74930 Ittlingen
Tel. 07266 911555
Fax 07266 911557
Mobil 0173 3257383
Email: stoeckel.fahrzeugbau@t-online.de

Sortimo partner Kassel-Göttingen

Peter Welsch
Handelsvertretung GmbH
Ellenbacher Straße 6
34123 Kassel
Tel. 0561 524300
Fax 0561 5296810
Email: info@sortimo-kassel.de

Sortimo partner Koblenz

L & S GmbH & Co. KG
Gebrüder-Pauken-Str. 10
56218 Mülheim-Kärlich
Tel. 02630 95652-0
Fax 02630 95652-29
Email: info@ls-fahrzeugeinrichtungen.de

Sortimo partner Magdeburg

Lohanser GmbH
Geschwister-Scholl-Straße 147
39218 Schönebeck (Elbe)
Tel. 03928 4102-76
Fax 03928 4102-77
Email: info@lohanser.de

Sortimo partner Mainz

soflex GmbH
An der Krimm 25
55124 Mainz
Tel. 06131 1444266
Fax 06131 1444445
Email: mastel@soflex-ma.de

Sortimo partner Mannheim

soflex GmbH
Schildkrötstraße 29
68199 Mannheim
Tel. 0621 84254-0
Fax 0621 84254-29
Email: contact@soflex-ma.de

Sortimo partner Kaiserslautern

soflex GmbH
Kaiserstraße 74
67661 Kaiserslautern
Tel. 0631 3507545
Fax 0631 3507776
Email: lang@soflex-ma.de

Sortimo partner Marl

Gahlen Fahrzeugeinrichtungen
und Anhänger Vertriebs GmbH
Boschstraße 6
45770 Marl
Tel. 02365 81911
Fax 02365 508161
Email: gahlen-sortimo@t-online.de

Sortimo partner Ostwestfalen-Lippe

THL GmbH
Stadtheider Straße 1-3
33609 Bielefeld
Tel. 0521 30443-0
Fax 0521 30443-22
Email: info@thl-bielefeld.de

Sortimo partner Pforzheim

Sortimo Station Pforzheim
HS Fahrzeug- und
Betriebs-einrichtungen GmbH
Hoheneichstraße 48
75217 Birkenfeld
Tel. 07231 80019-0
Fax 07231 80019-19
Email: info@sspf.de

Sortimo partner Schweinfurt

Karl-Heinz Maar
Kreuzstraße 2
97532 Üchtelhausen
Tel. 09720 1882
Fax 09720 3923
Email: karl-heinz.maar@t-online.de

Sortimo partner Schwerin

HGS Fahrzeug- u.
Betriebs-einrichtungen GmbH
Lindenweg 1
19075 Pampow/Schwerin
Tel. 03865 829-0
Fax 03865 82922
Email: info@hgs-sortimo-schwerin.de

Sortimo partner Solingen

Manfred Becker
Kyllmannweg 29
42699 Solingen
Fax 0212 320001
Fax 0212 320003
Email: info@sortimo-solingen.de

Sortimo partner Teningen

SiTraFa GmbH & Co. KG
Siemensstraße 16
79331 Teningen-Nimburg
Tel. 07663 913080
Fax 07663 913089
Email: bzoller@sitrafa.de

Sortimo partner Weser-Ems

C.A. Brill GmbH
Twentestraße 7
48527 Nordhorn
Tel. 05921 7800-341
Fax 05921 7800-10
Email: m.jansen@ca-brill.de

Sortimo partner Wetzlar

Auto-Schach GmbH & Co. KG
Industriestraße 15-17
35582 Wetzlar-Dutenhofen
Tel. 0641 97901-0
Fax 0641 97901-10
Email: info@auto-schach.de

INFO-CHECK

Simply fill out the form and fax it to Sortimo +49 8291 850-269

Please send me further information and brochures free of charge and without obligation:

- ☐ Mobile Assortments Brochure
- ☐ Sortimo Original Accessories Brochure
- ☐ Sortimo WorkMo Brochure
- ☐ Sortimo TopSystem Brochure
- ☐ I would like to have a consultation to find out more about Sortimo van racking solutions. Please call me back to arrange an appointment with no obligation.

My telephone number is: _____

- ☐ I would like to subscribe to the Sortimo Newsletter free of charge.

My e-mail address is: _____



WE ARE ALWAYS THERE FOR YOU!
YOUR CONTACT TO SORTIMO

Call us in Germany:

Tel. +49 8291 850-499
Fax +49 8291 850-269
E-Mail: direct@sortimo.com
sortimo.com/direct



Company name _____

Surname, first name _____

Street _____

Postcode City _____

Tel. _____

Fax _____

e-mail _____

Line of business _____

Date _____

Signature (company stamp) _____

Thank you for your interest and we look forward to hearing from you!

Sortimo International GmbH
Dreilindenstraße 5 · 86441 Zusmarshausen · Germany
Tel. +49 8291 850-499 · Fax +49 8291 850-269 · sortimo.com

Sortimo
Intelligent Mobility



For more information
SORTIMO.COM

Sortimo®
 Intelligent Mobility

Sortimo International GmbH
 Dreilindenstraße 5 · 86441 Zusmarshausen · GERMANY
 Phone: +49 8291 850-499 · Fax: +49 8291 850-269
 E-mail: info@sortimo.com · sortimo.com